

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month day	year	Spot Description:
		you.	
OPERATOR: License#			feet from N / S Line of
lame:			feet from E / W Line of
\ddress 1:			Is SECTION: Regular Irregular?
ddress 2:			(Note: Locate well on the Section Plat on reverse side)
		p: +	County:
			Lease Name: Well #:
none:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
			Ground Surface Elevation:fe
Oil Enh F	=	Mud Rotary Air Rotary	Water well within one-quarter mile:
Gas Stora		Cable	Public water supply well within one mile:
Seismic ;# o		Cable	Depth to bottom of fresh water:
<u> </u>	of Flores Office		Depth to bottom of usable water:
			Surface Pipe by Alternate: I II
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			
•			Projected Total Depth:
		Total Depth:	Formation at Total Depth:
	· ·		Water Source for Drilling Operations:
irectional, Deviated or Ho	rizontal wellbore?	Yes No	Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
.CC DK1 #:			
OC DK1 #:		ΛE	If Yes, proposed zone:
The undersigned hereby at its agreed that the follow	ving minimum requirement ate district office <i>prior</i> to	ompletion and eventual p	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production and in the control of the	ompletion and eventual p nts will be met: spudding of well; fill shall be posted on each ecified below shall be se minimum of 20 feet into the on the operator and the dist before well is either plugation pipe shall be cement that surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sport o	ompletion and eventual p nts will be met: spudding of well; fill shall be posted on each ecified below shall be se minimum of 20 feet into the on the operator and the dist before well is either plugation pipe shall be cement that surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the approtect of the appropriate distribution of the appropriate distribution of the appropriate distribution of the appropriate distribution of pursuant to Appropriate distribution of the appropriate distrib	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sport o	ompletion and eventual p nts will be met: spudding of well; fill shall be posted on each ecified below shall be se minimum of 20 feet into the on the operator and the dist before well is either plugation pipe shall be cement that surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to did unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the spondix "B" - Eastern Kans I within 30 days of the spondix in the production of the spondix in the spondix in the production of the spondix in the spo	ompletion and eventual pents will be met: spudding of well; rill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the died before well is either plugition pipe shall be cement as surface casing order and date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification.
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amout through all unconst 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed Ibmitted Electror For KCC Use ONLY API # 15 -	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sponsor of the sp	ompletion and eventual pents will be met: spudding of well; rill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the distribution pipe shall be cement as surface casing order faud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required -	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production within 30 days of the sponically	ompletion and eventual ponts will be met: spudding of well; iill shall be posted on each ecified below shall be seminimum of 20 feet into the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the well shall be seminimum.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification.
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the approduce of the appropriate distriction of the appropriate distriction of the appropriate of the appr	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sponsor of the sp	ompletion and eventual ponts will be met: spudding of well; iill shall be posted on each ecified below shall be seminimum of 20 feet into the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the well shall be seminimum.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby at is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to Electror Ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe recompositions.	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production within 30 days of the sponically	ompletion and eventual pents will be met: spudding of well; ill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the distriction pipe shall be cement as surface casing order stud date or the well shall be the operator. — feet _ feet per ALT. I I II	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconse 4. If the well is dry hous 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to appropriate to the completed of the completed of the completed of the completed of the complete of the complet	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production within 30 days of the sponically	ompletion and eventual pents will be met: spudding of well; ill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the distriction pipe shall be cement as surface casing order stud date or the well shall be the operator. — feet _ feet per ALT. I I II	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Operator:			Location of	Location of Well: County:			
•						of Section	
Vell Number:					feet from E / W Line	of Section	
ield:			Sec	SecTwp S. R 🗌 E 🔲 V			
umber of Acres attributable to well:			Is Section:	Is Section: Regular or Irregular			
!IR/QIR/QIR/QIR of ac	reage:						
					te well from nearest corner bour	dary.	
			Section con	nei useuin	IE		
		F	PLAT				
		Show footage to the neares		-			
lease roads, to	nnk batteries, pipelin				ner Notice Act (House Bill 2032).		
		You may attach a	separate piat ir de	esirea.			
:	: :	: :	:				
:							
:			:		LEGEND		
					LEGEND		
					O Well Location		
				 	O Well Location Tank Battery Location		
				 	O Well Location Tank Battery Location Pipeline Location		
				 	O Well Location Tank Battery Location Pipeline Location Electric Line Location		
				 -	O Well Location Tank Battery Location Pipeline Location		
				 -	O Well Location Tank Battery Location Pipeline Location Electric Line Location		
					O Well Location Tank Battery Location Pipeline Location Electric Line Location		
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	1980' FSL	
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	1980' FSL	
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	1980' FSL	
					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	1980' FSL	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

311 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



1212874

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:	Operator Address:				
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity:		Feet from East West Line of Section Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		



1212874


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: () Fax: ()	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be location CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I as KCC will be required to send this information to the surface owner.	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	



SE/4

SEC 14

LINN PIPELINE LAT B-2

LONGITUDE: 101°26'10.02071" W **GROUND ELEVATION: 3093.1'**

SECTION LINE

IRRICATION LIMITS

SPRINKLER WHEEL TRACK

NE/4

SEC 23

SECTION

FOUND #5 REBAR © NE CORNER OF SECTION 23

PROPOSED

PIPELINE

PAR ACCESS

(GRADED)

ROAD

2330 D LAKEVIEW DRIVE AMARILLO, TEXAS 79109 PH:(806)418-5253 DATE: 4/24/14

DPAWN STI DWH LINN APPROVED BY JDIC Energy 2225 W OKLAHOMA AVE ULYSSES KANSAS 67880 PH:(620)356-6940 FAX (620)356-6950

DRIVING DIRECTIONS:

BEGINNING AT INTERSECTION OF US HWY 160 & HWY 25

1) 7 MILES NORTH ON HWY 25

2) 4 MILES WEST ON ROAD 5

4) 1 MILE NORTH ON ROAD F

SW/4SEC 13

NW /4

COMMUNICATIONS LINE

SEC 24

LINN OPERATING INC. HOHNER B-4 ATU-391 37°41'30.53332" 101°26'10.02071"

> SEC ROAD ROAD

> > T-27-S, R-38-W GRANT COUNTY, KANSAS

Sheet 1 of 2

) THIS PLAT DOES NOT Q AMA 197 EE 2011

GRANT COUNTY, KANSAS SECTION 31, 14, 23 & 24 **HOHNER B-4 ATU-391** LINN OPERATING INC

LAT. LON_{-} JOHN DAVID KELLER, L.S. NO. 1518

ROAD 3

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL'

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER 15-		
OPERATOR LINN Operating, I LEASE Hohner WELL NUMBER B-4 ATU-391 FIELD Hugoton-Panoma	311 S feet f 227 E feet f	rom south/north line of section rom east / west line of section
NUMBER OF ACRES ATTRIBUTABLE TO QTR/QTR/QTR OF ACREAGENE	NE - NE IF SECTION IS NEAREST CORNE Section corner	REGULAR OF IRREGULAR IRREGULAR, LOCATE WELL FROM R BOUNDARY. (check line below) rused: NE NW SE SW
(Show the footage to the neares	and shade attributable acreage t lease or unit boundary line;	and show footage to the nearest
common source supply well).		
	• • • ,	41 014
		men attainer
		min -
• • • • • • • • • • • • • • • • • • • •		1.00/
••••		
	' : : : -	
]:	EXAMPLE .
	,	. .
	1	1980
		·
• • •	• • • }	10
		3390'
••••		• •
	: : : [<u> </u>
		SEWARD CO.
The undersigned hereby cer	tifies as Regulatory Com	oliance Advisor (title) for
LINN Operating, Inc.	(00.)	a dulu suthanized sent Abet 111
information shown hereon is tru	me and correct to the best of m	a duly authorized agent, that all y knowledge and belief, that all
		ld by production from that well to the well upon the filing of
this form and the State test,		
	Signature Man	Atiener
Subscribed and sworn to before	me on this 1st day of	July , 19 2014
	Dinch to	Store
olial.	AND DOTOD	Notary Public
My Commission expires 2/19/1	MINDY POTOR Notary Public, State of Texas Commission Expires 02-19-2017	FORM CG-8 (12/94)
	ANNE STATE OF THE PROPERTY OF	레

