

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:				
Effective Date:					
District #					
SGA?	Yes No				

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day	year Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Section
Name:	fact from   E /   W Line of Continu
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	
	Target Formation(s):
Well Drilled For: Well Class: Type Equip	
Oil Enh Rec Infield Mud F	Ground Surface Elevation:feet MSL Rotary
Gas Storage Pool Ext. Air Ro	Water well within one-quarter mile:  Yes No
Disposal Wildcat Cable	
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMANO and well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : ( IT ( ID )
Original Completion Date: Original Total Depth	: Formation at Total Depth:
_	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling completion a	
The undersigned hereby affirms that the drilling, completion a	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be m	net:
Notify the appropriate district office <i>prior</i> to spudding of	of well;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding o</li> <li>A copy of the approved notice of intent to drill <i>shall be</i></li> </ol>	of well; posted on each drilling rig;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding o</li> <li>A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified belo</li> </ol>	of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding o</li> <li>A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified belo through all unconsolidated materials plus a minimum o</li> </ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operations.</li> </ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of the appropriate district office will be notified before we</li> </ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be appropriated in the complex of the complex o</li></ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. attor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface</li> </ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.  casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe shour or pursuant to Appendix "B" - Eastern Kansas surface</li> </ol>	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. attor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface</li> </ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.  casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to the complete of the spud date or to the spud date o</li></ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation.  ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.  casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i></li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we</li> <li>If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to the complete of the spud date or to the spud date o</li></ol>	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. After and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically.	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation 5. The appropriate district office will be notified before weight 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the comple	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the complete	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation 5. The appropriate district office will be notified before weighted 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the comp	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we of 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to a complete of the spud date or to a complete of the spud date of	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; posted on each drilling cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. Actor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we of 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Ill is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	posted on each drilling rig; posted on each drilling cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. Patter and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

## 2192 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit Proposed  Settling Pit Drilling Pit If Existing, date co  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled) Pit capacity:		Existing	SecTwp R		
		nstructed:	Feet from North / South Line of Section		
			Feet from East / West Line of Section		
	(bbls)		County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure.			cluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #			
Name:	· — —		
Address 1:	•		
Address 2:	Lease Name: Well #:		
City:         +	the large heless.		
Phone: ( ) Fax: ( )			
Email Address:	-		
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	_		
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			

	C E	N. C.	CA CO	The state of the s	Surranu-dentarian responsibility	5380
Manager and the same and the sa	C/\ E		500000000000000000000000000000000000000		Willy Adapt	4620
	Commence of the second		55		in the second section of the second s	3460
	A. 35. 35. 37. 37. 37. 37. 37. 37. 37. 37. 37. 37		er.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ñ.	3300
			(CHINADA PARK RANGE REPRESENTAL	and Alexander of the Control of the		2640
S	Sw		ussa,	SE	E.	7480
(0)	drawinnes - 44496	Un 6-8-8	The second secon	Š.	iu	1320
	t/i		CET	e e	रात्	<u>loten</u>
Fer			ransiesi rancurumumumumi	encus is in e-4 coupanies and saide	TERRORAN PORTUGUISTICAN P	O
uni (min - min)			,	. 1	1	ı

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

July 08, 2014

Brad Leach Utah Oil LLC 2394 UTAH RD RANTOUL, KS 66079

Re: Drilling Pit Application Neese SV 14 SW/4 Sec.29-17S-21E Franklin County, Kansas

### Dear Brad Leach:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.