

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	 year	Spot Description:
	monun day	year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Sect
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Typ	e Equipment:	Ground Surface Elevation:feet M
Oil Enh R	tec Infield	Mud Rotary	
Gas Storag	´	Air Rotary	
Dispos		Cable	
Seismic ;# o			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			
			Projected Total Depth:
Original Completion Da	te: Original Tota	ıl Depth:	
inactional Devictor on Ho	rimo nto Lucalla o no O	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Hor	nzontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			vviii cores de takeri:
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby a	affirms that the drilling, compl	letion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, compliing minimum requirements w		ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	ing minimum requirements w	vill be met:	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the follow 1. Notify the appropria		vill be met: dding of well;	
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	ing minimum requirements wate district office <i>prior</i> to spuce of intent to drill <i>sh</i> unt of surface pipe as specific	vill be met: dding of well; hall be posted on each ed below shall be se	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
 is agreed that the follow Notify the appropria A copy of the appro The minimum amounthrough all unconso 	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specificalidated materials plus a minimum.	vill be met: dding of well; hall be posted on eaced below shall be seemum of 20 feet into the	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol 	ing minimum requirements wate district office <i>prior</i> to spuce of the notice of intent to drill shount of surface pipe as specifical plus a mining an agreement between the	vill be met: dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the operator and the dis	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ;
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis 	ing minimum requirements wate district office <i>prior</i> to spuce of the notice of intent to drill shount of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before the strict office will be notified before the strict office will be notified before the strict of	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II 	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production produ	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate of	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appo	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II Or pursuant to Apport 	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II Or pursuant to Appropriate dis 	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II Or pursuant to Apport 	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate desemble to the completed ubmitted Electror	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set of the
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ubmitted Electror For KCC Use ONLY	ing minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud danically	vill be met: dding of well; hall be posted on eace ed below shall be sei mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ibmitted Electron For KCC Use ONLY API # 15 -	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	vill be met: dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. thictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to ap	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data	vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required —	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b	th drilling rig; the price of the top; in all cases surface pipe shall be set the underlying formation. Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the price of the waste of the surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data	dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Ecompleted Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req Approved by:	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days	dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It it office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Appropriate to Appropriate to Appropriate to Appropriate to Approved Electror For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req Approved by: This authorization expires	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days	dding of well; dding of well; hall be posted on each ed below shall be ser mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cement urface casing order # ate or the well shall be	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Spud date: _



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							Loc	cation of W	/ell: County:
Lease:									feet from N / S Line of Section
Well Num	ber:								feet from E / W Line of Section
Field:							Se	C	Twp S. R
	Number of Acres attributable to well:		is Section. Regular of Integular						
								Section is	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
					d electrica	the neare	required b	y the Kans	dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired.
							:	•	LEGEND
			•	•		•	•	•	O Wall Location
620 ft.		-	•	:		:		• •	O Well Location Tank Battery Location
0_0	`	Ÿ	: :	:		:	:	:	——— Pipeline Location
	•••••	:	:	:	•••••	:	:	:	Electric Line Location
		:	•	:		:		• •	Lease Road Location
		:	:	:		:	:	:	Eddo Noda Eddalon
		:	•	:		:	:	:	
			: : :	:	l	:	:		EXAMPLE :
		:	<u>. </u>	:		:	:	• •	+
		:		1	3	:			
		:	· · · · · · · · · · · · · · · · · · ·	:		:		: 	
		:		:		:			
		:		: :		: :		: 	1980' FSL
		: :		: 		: :			
		:				:			:
		:		:		:	:		SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
Distance to nearest water well within one-mile of	of nit	Denth to shallo	west fresh waterfeet.		
Distance to nearest water well within one-fille t	л рп.	Source of infor	nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: king pits to be utilized: procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No		



1213796

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:				
Name:	· — —				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: () Fax: ()					
Email Address:	-				
Surface Owner Information:					
Name:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 1:					
Address 2:					
City: State: Zip:+	_				
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
I					

Zastrow sec. 13-205-20E



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.