

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

### Kansas Corporation Commission Oil & Gas Conservation Division

1214381

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Expected Spud Date:  | Spot Description:  |
|--|--|
| month day year   | Sec Twp S. R   |
| OPERATOR: License#   | feet from N / S Line of Sectio   |
| Name:  | feet from E / W Line of Section  |
| Address 1:   | Is SECTION: Regular Irregular?   |
| Address 2:   | (Note: Locate well on the Section Plat on reverse side)  |
| City:  | ,  |
| Contact Person:  | County:  |
| Phone:   |  |
| CONTRACTOR: License#   | Field Name:  |
| Name:  |  |
|  | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MSI  |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  |
| Disposal Wildcat Cable   | Public water supply well within one mile: Yes N  |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:  |
| Other:   | Depth to bottom of usable water:   |
| If OWWO: old well information as follows:  | Surface Pipe by Alternate: III   |
| III OVVVO. Old Well IIIIOITTIAtion as follows.   | Length of Surface Pipe Planned to be set:  |
| Operator:  | Length of Conductor Pipe (if any):   |
| Well Name:   | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:  | Formation at Total Depth:  |
|  | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?  Yes No  | Well Farm Pond Other:  |
| If Yes, true vertical depth:   | DWR Permit #:  |
| Bottom Hole Location:  KCC DKT #:  | ( <b>Note:</b> Apply for Permit with DWR )   |
| жоо ыкт ж. <u></u>   | Will Cores be taken?   |
|  | If Yes, proposed zone:   |
| AFF  | IDAVIT   |
| The undersigned hereby affirms that the drilling, completion and eventual plu  | gging of this well will comply with K.S.A. 55 et. seq.   |
| It is agreed that the following minimum requirements will be met:  |  |
|  |  |
| 1 Notity the appropriate district office <b>prior</b> to shidding of well-   |  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>  | drilling rig:  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i>!</li> </ol>  | 0 0,   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distribution.</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; If from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  Remember to:   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dists</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> <li>ubmitted Electronically</li> </ol> For KCC Use ONLY | oy circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dists 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15                                       | oy circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dists</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> Ubmitted Electronically For KCC Use ONLY          | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dists 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15                                       | py circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disting the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15  | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set I through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disting the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15                                      | py circulating cement to the top; in all cases surface pipe shall be set underlying formation.  pict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disting the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15  | py circulating cement to the top; in all cases surface pipe shall be set underlying formation.  pict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

| ₩e  | ell will not be drilled or Permit Expired | Date: |  |
|-----|---|-------|--|
| Sig | nature of Operator or Agent:              |       |  |
|     |   |       |  |



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                               |   | Location of Well: County:   |
|---|---|---|
| _ease:                                  |   | feet from N / S Line of Section   |
| Well Number:                            |   | feet from E / W Line of Section   |
| Field:                                  |   | Sec Twp S. R  |
|   | vell:                                   | is Section.   Regular of   Integular  |
| erry arrivarity arriver dollarge.       |   | If Section is Irregular, locate well from nearest corner boundary.  |
|   |   | Section corner used: NE NW SE SW  |
|   |   |   |
|   |   |   |
| Chavulanation                           | of the well. Chan feetens to the mean   | PLAT  |
|   |   | est lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | You may attach                          | a separate plat if desired.   |
|   | 330 ft.                                 |   |
|   |   | 2310 ft.  |
|   |   | LEGEND  |
| : :                                     | : | : O Well Location   |
|   |   | Tank Battery Location   |
|   |   | Pipeline Location   |
|   |   | Electric Line Location  |
|   |   | Lease Road Location   |
|   | : :                                     | : :   |
|   |   | EXAMPLE : :   |
| : :                                     | · · · · · · · · · · · · · · · · · · ·   | · · · · · · · · · · · · · · · · · · ·   |
|   | 6                                       |   |
|   | :                                       | ·   |
|   |   |   |
| : :                                     |   | :   |
| ; :                                     | :                                       | 1980' FSL   |
|   |   |   |
|   |   |   |
|   |   |   |
|   | :   :                                   | SEWARD CO. 3390' FEL  |

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |                        |                                     | License Number:   |
|--|------------------------|-------------------------------------|---|
| Operator Address:  |                        |                                     |   |
| Contact Person:  |                        |                                     | Phone Number:   |
| Lease Name & Well No.:   |                        |                                     | Pit Location (QQQQ):  |
| Type of Pit:  Emergency Pit  Burn Pit  | Pit is:                | Existing                            | SecTwp R  |
| Settling Pit Drilling Pit  | If Existing, date co   | nstructed:                          | Feet from North / South Line of Section                                   |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)                          | Pit capacity:          | (bbls)                              | Feet from East / West Line of SectionCounty                               |
| Is the pit located in a Sensitive Ground Water Area? Yes No                                |                        |                                     | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level?  | Artificial Liner?      | No                                  | How is the pit lined if a plastic liner is not used?                      |
| Pit dimensions (all but working pits):   | Length (fee            | et)                                 | Width (feet) N/A: Steel Pits  |
| Depth fro  | om ground level to dee | epest point:                        | (feet) No Pit   |
| material, thickness and installation procedure.  |                        | inter integrity, ii                 | ncluding any special monitoring.  |
| Distance to nearest water well within one-mile of  | of pit:                | Depth to shallo<br>Source of inform | west fresh water feet.<br>mation:   |
| feet Depth of water well   | feet                   | measured                            | well owner electric log KDWR  |
| Emergency, Settling and Burn Pits ONLY:  |                        | Drilling, Work                      | over and Haul-Off Pits ONLY:  |
| Producing Formation:   |                        | Type of materia                     | ıl utilized in drilling/workover:   |
| Number of producing wells on lease:  |                        | Number of worl                      | king pits to be utilized:   |
| Barrels of fluid produced daily:   |                        | Abandonment p                       | procedure:  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No |                        |                                     | be closed within 365 days of spud date.                                   |
| Submitted Electronically   |                        |                                     |   |
|  | KCC                    | OFFICE USE O                        | NLY Steel Pit RFAC RFAS   |
| Date Received: Permit Num  | ber:                   | Permi                               | t Date: Lease Inspection: Yes No  |



1214381

Form KSONA-1

January 2014

Form Must Be Typed

Form must be Signed

All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License #   | Well Location:  |  |  |
|---|---|--|--|
| Name:   | Sec Twp S. R  |  |  |
| Address 1:  | County:   |  |  |
| Address 2:  | Lease Name: Well #:   |  |  |
| City:   | If filing a Form T-1 for multiple wells on a lease, enter the legal description or  |  |  |
| Contact Person:   | the lease below:  |  |  |
| Phone: ( ) Fax: ( )   |   |  |  |
| Email Address:  |   |  |  |
| Surface Owner Information:  |   |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |  |  |
| City:   |   |  |  |
| are preliminary non-binding estimates. The locations may be entered of  | k batteries, pipelines, and electrical lines. The locations shown on the plat<br>n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  |  |  |
| Select one of the following:  |   |  |  |
| owner(s) of the land upon which the subject well is or will be le   | Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. |  |  |
|   | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this  |  |  |
| task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I |   |  |  |
| that I am being charged a \$30.00 handling fee, payable to the I  | CCC, which is enclosed with this form.  fee with this form. If the fee is not received with this form, the KSONA-1  |  |  |



# fall a Associates

Stake and Elevation Service 719 W. 5° Street P.O. Box 404 Cencerdia, KS. 66901 1-800-536-2821

5-28-14 Date Invoice Number 0522141 Ladenburger 'B' MURFIN DRILLING 1-6 Number Farm Name Operator 330'FNL 2310'FEL Rawlins-KS 35w Location County-State 3211 Gr. Elevation Murfin Drilling 250 N. Water Ordered By: Shauna Suite 300 Wichita, KS. 67202 Scale 1"=1000" 2310 **Stake** Set 6' wood stake in newly planted corn on terrace top.

