

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | | |
| SGA? | Yes No | |

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| | month day | year | Spot Description: |
|--|--|---|--|
| | monun day | year | Sec Twp S. R E |
| DPERATOR: License# | | | feet from N / S Line of Section |
| | | | feet from E / W Line of Sect |
| .ddress 1: | | | Is SECTION: Regular Irregular? |
| | | | (Note: Locate well on the Section Plat on reverse side) |
| | State: Zip: | | County: |
| Contact Person: | | | Lease Name: Well #: |
| hone: | | | Field Name: |
| ONTRACTOR: License# | | | Is this a Prorated / Spaced Field? |
| ame: | | | Target Formation(s): |
| | | | Nearest Lease or unit boundary line (in footage): |
| Well Drilled For: | Well Class: Typ | e Equipment: | Ground Surface Elevation:feet M |
| Oil Enh R | tec Infield | Mud Rotary | |
| Gas Storag | ´ | Air Rotary | |
| Dispos | | Cable | |
| Seismic ;# o | | | Depth to bottom of fresh water: |
| Other: | | | Depth to bottom of usable water: |
| If OWWO: old well | information as follows: | | Surface Pipe by Alternate: II III |
| | | | Length of Surface Pipe Planned to be set: |
| - | | | |
| | | | Projected Total Depth: |
| Original Completion Da | te: Original Tota | ıl Depth: | |
| inactional Devictor on Ho | rimo nto Lucalla o no O | □ Vaa □ Na | Water Source for Drilling Operations: |
| Directional, Deviated or Hor | nzontai welibore? | Yes No | Well Farm Pond Other: |
| | | | DWR Permit #: |
| | | | (Note: Apply for Permit with DWR) |
| | | | vviii cores de takeri: |
| | | | If Yes, proposed zone: |
| | | AF | FIDAVIT |
| | | | |
| he undersigned hereby a | affirms that the drilling, compl | letion and eventual pl | ugging of this well will comply with K.S.A. 55 et. seq. |
| | affirms that the drilling, compliing minimum requirements w | | ugging of this well will comply with K.S.A. 55 et. seq. |
| t is agreed that the follow | ing minimum requirements w | vill be met: | ugging of this well will comply with K.S.A. 55 et. seq. |
| is agreed that the follow 1. Notify the appropria | | vill be met: dding of well; | |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou | ing minimum requirements wate district office <i>prior</i> to spuce of intent to drill <i>sh</i> unt of surface pipe as specific | vill be met: dding of well; hall be posted on each ed below shall be set | h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set |
| is agreed that the follow Notify the appropria A copy of the appro The minimum amounthrough all unconso | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specificalidated materials plus a minimum. | vill be met: dding of well; hall be posted on eaced below shall be seemum of 20 feet into the | h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. |
| is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol | ing minimum requirements wate district office <i>prior</i> to spuce of intent to drill <i>sh</i> unt of surface pipe as specifical plus a mining an agreement between the | vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the operator and the dis | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; |
| is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis | ing minimum requirements wate district office <i>prior</i> to spuce of the notice of intent to drill shount of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before the strict office will be notified before the strict office will be notified before the strict of | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; |
| agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production produ | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate of | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order # | th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appo | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order # | th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II Or pursuant to Apport | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order # | th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II Or pursuant to Appropriate dis | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order # | th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II Or pursuant to Apport | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order # | th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate desemble to the completed ubmitted Electror | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order # | th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set of the |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ubmitted Electror For KCC Use ONLY | ing minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud danically | vill be met: dding of well; hall be posted on eace ed below shall be sei mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be | th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ibmitted Electron For KCC Use ONLY API # 15 - | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days | vill be met: dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b | th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. thictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to ap | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data | vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b | th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days | vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b | th drilling rig; the price of the top; in all cases surface pipe shall be set the underlying formation. Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the price of the waste of the surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; |
| is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data | dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be | h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Ecompleted Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req Approved by: | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days | dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be | h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It it office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Appropriate to Appropriate to Appropriate to Appropriate to Approved Electror For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe req Approved by: This authorization expires | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days | dding of well; dding of well; hall be posted on each ed below shall be ser mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cement urface casing order # ate or the well shall be | h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Loc | ation of Well: County: |
|---|--|--|
| _ease: | | feet from N / S Line of Section |
| Well Number: | | feet from E / W Line of Section |
| Field: | Sec | Twp S. R 🗌 E 📗 W |
| Number of Acres attributable to well: QTR/QTR/QTR of acreage: | | ection: Regular or Irregular |
| | If S | ection is Irregular, locate well from nearest corner boundary. tion corner used: NE NW SE SW |
| | lines and electrical lines, as required by | unit boundary line. Show the predicted locations of the Kansas Surface Owner Notice Act (House Bill 2032). Dolat if desired. |
| | You may attach a separate 660 ft. | |
| | •••••••••••••••••••••••••••••••••••••• | LEGEND 1270 ft. O Well Location Tank Battery Location |
| | | Pipeline Location Electric Line Location Lease Road Location |
| | | |
| | 23 | EXAMPLE |
| | | |
| | | 1980' FSL |
| | | |
| | | <u>· L</u> J I∎· · · · · · · · · · · · · · · · · · · |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | |
|--|---|------------------------------------|--|--|
| Operator Address: | | | | |
| Contact Person: | | | Phone Number: | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A | Pit is: Proposed If Existing, date col Pit capacity: urea? Yes | Existing nstructed: (bbls) | SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l reference from reference from mg/l mg/l reference from reference from mg/l reference from | |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | |
| Pit dimensions (all but working pits):Length (fee | | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | | | dures for periodic maintenance and determining acluding any special monitoring. | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: | |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR | |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s | | Type of materia | over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: | |
| flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically | | | | |
| | KCC | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS | |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No | |



1214410 Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION


Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License # | Well Location: | | |
|---|--|--|--|
| Name: | SecTwpS. R East West | | |
| Address 1: | County: | | |
| Address 2: | Lease Name: Well #: | | |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: | | |
| Contact Person: | the lease below. | | |
| Phone: () Fax: () Email Address: | | | |
| Surface Owner Information: | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. | | |
| Address 2: | | | |
| City: State: Zip:+ | | | |
| | nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| □ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, □ I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of | Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and | | |
| that I am being charged a \$30.00 handling fee, payable to the | KCC, which is enclosed with this form. g fee with this form. If the fee is not received with this form, the KSONA-1 | | |
| Submitted Electronically | | | |
| [| | | |







Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.