

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1214820

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

| Expected Spud Date:  | Spot Description:   |
|--|---|
| month day year   | Sec Twp S. R  |
| DPERATOR: License#   | (0/0/0/0) feet from N / S Line of Section   |
| Name:  | feet from E / W Line of Section   |
| ddress 1:  | Is SECTION: Regular Irregular?  |
| ddress 2:  | (Note: Locate well on the Section Plat on reverse side)   |
| City: State: Zip: +  | County:   |
| Contact Person:  | Lease Name: Well #:   |
| hone:  | Field Name:   |
| CONTRACTOR: License#   | Is this a Prorated / Spaced Field?  |
| lame:  | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):   |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MS  |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:   |
| Disposal Wildcat Cable   | Public water supply well within one mile:   |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:   |
| Other:   | Depth to bottom of usable water:  |
| If OWWO: old well information as follows:  | Surface Pipe by Alternate: I II   |
|  | Length of Surface Pipe Planned to be set:   |
| Operator:  | Length of Conductor Pipe (if any):Projected Total Depth:  |
| Well Name: Original Total Depth:   | Frojected Total Depth:  |
| Original Completion Bate Original Total Beptil   | Water Source for Drilling Operations:   |
| irectional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:   |
| Yes, true vertical depth:  | DWR Permit #:   |
| Bottom Hole Location:  | (Note: Apply for Permit with DWR )  |
| (CC DKT #:   | Will Cores be taken?  |
|  |   |
|  | If Yes, proposed zone:  |
|  | If Yes, proposed zone:  |
| AFF  | IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu  | IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:   | IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> the set of the state of the surface pipe as specified below <i>shall be set</i> the state of t | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions.  | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;   |
| AFF he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.   | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.   | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be   | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be   | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual pluses agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -   | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is a provided in the plant is a plant in the plant is a provided in the plant is a provided in the plant is a prior to specifie the plant is a provided in the plant is a provided in the plant is a provided in the plant is a plant in the plant is a provided in the plant       | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is a provided in the plant is a plant in the plant is a provided in the plant is a provided in the plant is a prior to specifie the plant is a provided in the plant is a provided in the plant is a provided in the plant is a plant in the plant is a provided in the plant       | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY  API # 15   | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15  | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |

Side Two



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

|                                       | Operator:       |                                       |                                  | Location of             | Well: County                           | :       |                       |   |
|---------------------------------------|-----------------|---------------------------------------|----------------------------------|-------------------------|--|---------|-----------------------|---|
| _ease:                                |                 |                                       |                                  |                         |  |         | feet from             | N / S Line of Section                     |
| Well Number: _                        |                 |                                       |                                  |                         |  |         | feet from             | = =                                       |
| ield:                                 |                 |                                       |                                  |                         | Sec                                    | Twp     | S. R                  | E   |
| Number of Acres attributable to well: |                 |                                       | Is Section: Regular or Irregular |                         |  |         |                       |   |
| envenven                              | verit of acre   |                                       |                                  |                         |  |         | ocate well from ne    | earest corner boundary.                   |
|                                       |                 |                                       |                                  |                         | LAT                                    |         |                       |   |
| 1                                     |                 |                                       | _                                |                         |  | -       | now the predicted lo  |   |
| lea                                   | ase roads, tanl | c batteries, pipel                    |                                  |                         | quired by the Ka<br>eparate plat if de |         | Owner Notice Act (    | House Bill 2032).                         |
|                                       |                 |                                       | Tou                              | may allacir a si        | oparato piat ii de                     | osirou. |                       |   |
|                                       | :               | : :                                   |                                  | : :                     | :                                      |         |                       |   |
|                                       |                 |                                       |                                  |                         |  |         | LEGE                  | ND  |
|                                       | ······          | · · · · · · · · · · · · · · · · · · · |                                  | · · · · · · · · · · · · | ;<br>······                            |         |                       |   |
|                                       | ;               |                                       |                                  |                         | <u>:</u>                               |         |                       | ocation                                   |
|                                       | :               |                                       |                                  |                         |  |         |                       |   |
|                                       |                 |                                       |                                  | : :                     | :                                      |         |                       | Battery Location                          |
|                                       |                 |                                       |                                  |                         |  |         | Pipelin               | ne Location                               |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir               | ne Location<br>c Line Location            |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir               | ne Location                               |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir               | ne Location<br>c Line Location            |
|                                       |                 |                                       |                                  |                         |  | <br>    | Pipelir Electri Lease | ne Location<br>c Line Location            |
|                                       |                 |                                       |                                  |                         |  | <br>    | Pipelir               | ne Location<br>c Line Location            |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location<br>c Line Location            |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |
|                                       |                 |                                       |                                  |                         |  |         | Pipelir Electri Lease | ne Location c Line Location Road Location |

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

330 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |   |                                    | License Number:  |  |  |
|--|---|------------------------------------|--|--|--|
| Operator Address:  |   |                                    |  |  |  |
| Contact Person:  |   |                                    | Phone Number:  |  |  |
| Lease Name & Well No.:   |   |                                    | Pit Location (QQQQ):   |  |  |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity: |                                    | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of Section          |  |  |
|  | (bbls)  |                                    | County   |  |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes  | No                                 | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)                              |  |  |
| Is the bottom below ground level?  | Artificial Liner?   |                                    | How is the pit lined if a plastic liner is not used?   |  |  |
| Pit dimensions (all but working pits):   | Length (fee   | et)                                | Width (feet) N/A: Steel Pits   |  |  |
| Depth fro  | om ground level to dee  | epest point:                       | (feet) No Pit  |  |  |
|  |   |                                    |  |  |  |
| Distance to nearest water well within one-mile of  | of pit:   | Depth to shallo<br>Source of infor | west fresh water feet.<br>nation:  |  |  |
| feet Depth of water well   | feet  | measured                           | well owner electric log KDWR   |  |  |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s |   | Type of materia                    | over and Haul-Off Pits ONLY:  Il utilized in drilling/workover:  xing pits to be utilized:  procedure: |  |  |
| flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically  |   |                                    |  |  |  |
|  | KCC   | OFFICE USE O                       | NLY Liner Steel Pit RFAC RFAS  |  |  |
| Date Received: Permit Numl   | ber:  | Permi                              | t Date: Lease Inspection: Yes No   |  |  |



1214820

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License #  | Well Location:  |  |  |
|--|---|--|--|
| Name:  | SecTwpS. R  |  |  |
| Address 1:   | County:   |  |  |
| Address 2:   | Lease Name: Well #:   |  |  |
| City: State: Zip:+   |   |  |  |
| Contact Person:  | the lease below:  |  |  |
| Phone: ( ) Fax: ( )  |   |  |  |
| Email Address:   |   |  |  |
| Surface Owner Information:   |   |  |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |  |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |  |  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.  |  |  |
| City: State: Zip:+   |   |  |  |
|  | nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.       |  |  |
| <ul> <li>□ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). It is KCC will be required to send this information to the surface owner.</li> </ul>   | acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this                        |  |  |
| that I am being charged a \$30.00 handling fee, payable to the  If choosing the second option, submit payment of the \$30.00 handling  | g fee with this form. If the fee is not received with this form, the KSONA-1  |  |  |
| form and the associated Form C-1, Form CB-1, Form T-1, or Form CP  | '-1 will be returned.   |  |  |
| Submitted Electronically   |   |  |  |
| I and the second |   |  |  |



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.