

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	_
District #		_
SGA?	Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1214938

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec. Twp. S. R. E
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWNER, and well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No f Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
ottom ricio Location.	(Note: Apply for Permit With DVVR     )
(CC DKT #:	
(CC DKT #:	Will Cores be taken?
CCC DKT #:	
AFF	Will Cores be taken? Yes If Yes, proposed zone:
AFF	Will Cores be taken? Yes If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? Yes Yes If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the state of the posted on each and the intention of the state of the posted on each and the intention of the state of the posted on each and the intention of the state of the posted of the state of the state of the posted of the state of the state of the posted of the po	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plutis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intended of the approved notice of intent to drill <i>shall be</i> posted on each and the distance of the intended of the posted on each and the intended of the intended of the posted on each and the intended of the intended of the posted on each and the intended on the intended on the intended on the intended of the intended on the intended on the intended of the intended on the intended of the intended on the int	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the state of the post of the specific post of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the post of the post of the post of the specific plus a minimum of 20 feet into the state of the state of the state of the specific plus and the dist of the specific plus o	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  Dy circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  Fict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  Dy circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  Fict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  Dy circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  Fict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the feet of the well shall be about the feet of the spud date or the well shall be about the feet of the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  Dy circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  Fict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard feet	Will Cores be taken?  If Yes, proposed zone:  ITDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In you circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  In it office on plug length and placement is necessary prior to plugging;  It from below any usable water to surface within 120 DAYS of spud date.  If you have any usable water to surface within 120 DAYS of spud date.  If you have any usable water to surface within 120 DAYS of spud date.  If you have any usable water to surface within 120 DAYS of spud date.  If you have a yo
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be appropriate to the spud be completed within 30 days of the spud date or the well shall be appropriated.  2. A copy of the appropriate described before the spud be posted on each 20 feet with the spud before the spud be set of the spud before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be 40 feet before the well shall be 41 feet before the well shall be 42 feet before the well shall be 43 feet before the well shall be 44 feet before the well shall be 45 f	Will Cores be taken?  If Yes, proposed zone:  ITDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In your circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  In incit office on plug length and placement is necessary prior to plugging;  In deal or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							_ Lo	cation of W	ell: County: _	
							_			feet from N / S Line of Section
Well Numb	er:									feet from E / W Line of Section
Field:							_ Se	ec	Twp	S. R
Number of QTR/QTR/							- 15	Section:	Regular	or Irregular
								Section is ection corne		nate well from nearest corner boundary.  NE NW SE SW
					d electrica You m	l lines, as	required b		as Surface O	w the predicted locations of wner Notice Act (House Bill 2032).
2305 ft		:	:			:	:	:		LEGEND
										O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		: : : :	: : : : :	:	    					AMPLE
		:		······································		:	:	:		
										1980' FSL
		<u>:</u>	:	<u>:</u>		<u>:</u>	<u>:</u>	<u>:</u>	SEWA	ARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit If Existing, date co		nstructed:	Feet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:				
	(bbls)				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No .			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner	Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	her:	Parmi	t Date: Lease Inspection:Yes No		



1214938

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:				
Name:	· — —				
Address 1:	•				
Address 2:	Lease Name: Well #:				
City:         State:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: ( ) Fax: ( )					
Email Address:	-				
Surface Owner Information:					
Name:					
Address 1:	owner information can be found in the records of the register of deeds for the				
Address 2:					
City: State: Zip:+	_				
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
I					

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

July 22, 2014

Tracy Miller
Cherokee Wells LLC
5201 CAMP BOWIE BLVD
STE 200
FT WORTH, TX 76107-4181

Re: Notice of Intent to Drill Atmos A2-17 NW/4 Sec.17-27S-16E Wilson County, Kansas

#### Dear Ms. Miller:

After reviewing your intent to drill, it was noted that the location falls within the boundaries a gas storage field. Please refer to K.A.R.82-3-3110f the KCC rules and regulations, which outlines the procedure to be used for wells to be drilled in underground gas storage areas. Please review this regulation and take the appropriate steps as outlined in the regulation.

I may be contacted at 316-337-6200 if you need additional information.

Rick Hestermann Production Department



Imagery ©2014 DigitalGlobe, USDA Farm Service Agency, Map data ©2014 Google 500 ft

## CHEROKEE WELLS, LLC

July 23, 2014

Kansas Corporation Commission Attn: Rick Hestermann 130 S. Market Street Room 2078 Wichita, Kansas 67202-3802

RE: Atmos A2-17, 17-27s-16e, Wilson County, Kansas

Dear Rick,

This letter is being sent as an attachment to the "Intent to Drill" filed for the Atmos A2-17. The well will be located in Section 17, Township 27S, Range 16E of Wilson County, Kansas. This well has been staked within the boundaries of the Buffalo Gas Storage Field that is operated by Cherokee Wells.

The average pressure in the storage reservoir is 66 psig. The upper 280 feet of the well will be drilled with water and then mud, both treated with biocide, to drill through the storage reservoir to prevent the release of any gas to atmosphere. 8.625" surface casing will then be set and cemented from ground level to 280', which will be approximately 50' below the storage reservoir. Subsequently, 4.5" x 9.5# production casing will be set and cemented to the total depth of the well bore.

If you have any questions, please feel free to contact our office at (620) 378-3650.

Thank you, Tracy Miller

5201 Camp Bowie Blvd. Suite 200 Fort Worth, Texas 76107

Phone: 817-626-9898 Phone Fax: 817-624-1374 Fa

1033 Fillmore Street P.O. Box 296 Fredonia, Kansas 66736

Phone: 620-378-3650 Fax: 620-378-3670