

Confidentiality Requested:

Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1215315

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec	Twp S. R	East _ West
Address 2:			Fe	eet from	South Line of Section
City:	State: Z	ip:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from N	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NW	/ □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing: _	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing (	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet
Operator:			If Alternate II completion, ce	ement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	•	ENHR Conv. to SWD	Drilling Fluid Managemen	nt Dian	
☐ Plug Back	Conv. to G		(Data must be collected from the		
Commingled	Pormit #:		Chloride content:	ppm Fluid volume:	bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
☐ ENHR					
GSW	Permit #:		Operator Name:		
_ <del>_</del>			Lease Name:	License #:	
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es  No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[	Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS:  Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

## WELL LOG

hickness of Strata	Formation	Total Depth
13	soil/clay	13
17	shale	230
22	lime	52
11	shale	663
4	lime	67
39	shale	106
14	lime	120
12	shale	132
12	lime	144
2	shale	146
12	lime	158
6	shale	164
19	lime	183
4	shale	187
17	lime	204
3	shale	207
2	lime and shale	209
18	shale	227
16	sand	243
7	sandy shale	250
70	shale	320
6	sandy shale	326
29	shale	355
3	sandy shale	358
3	shale	361
	lime and shale	362
2	sandy lime	364
2	sandy lime	366
12	sandy lime	378
4	sandy lime	382
3	sandy lime	385
3	lime	388
1	lime and shale	389
6	sandy lime	395
5	lime	400
16	sandy shale	416
25	shale	441
4	lime	445
4	sandy shale	449
12	shale	461

# Town Oilfield Service, Inc. (913) 837-8400

Commenced Spudding: 05/19/2014

3 14 2 4 21	shale and slate shale lime lime and shale	468 482 484
2 STOKE 18	lime	
2 STOKE 18		AOA
	lime and shale	
	IIITIC and Shale	488
21	shale	509
3	lime	512
8	shale	520
3	lime	523
9	shale	532
2	lime	534
6	shale and slate	540
2	lime	542
2	shale and coal	544
9	shale	553
1	broken sand	554
4	sand	558
26	sand	584
2	sandy lime	586
2	baroken sand	588
14	shale	602
2	lime and shale	604
2	shale	606
4	sandy shale	610
3	broken sand	613
2	sandy shale and lime	615
9	sandy shale	624
2	broken sand	626
1	sandy shale	627
3	broken sand	630
1	broken sand	631
3	broken sand	634
1	sand	635
14	core	649
1	shale and coal	650
6	shale	656
8	sandy shale	664
12	shale	676
5	sandy shale	681
59	shale	740-TD



268387

LOCATION DIFF ANG FOREMAN Stan Mader

FIELD TICKET & TREATMENT REPORT

and the second second second	r 800-467-8676		NAME & NUM	CEME	SECTION	TOWNSHIP	RANGE	COUNTY
DATE	CUSTOMER#	7 LAS		7.12	NW 24	17	22	M:
5-20-14 STOMER	4448	Voner.	y KK	1:00	NW at	141151111111111111111111111111111111111		Company of the compan
	s Rasou	rees Ex	(J)		TRUCK#	DRIVER	TRUCK#	Meat
Kansa Ling addre	SS				730	Abstal	Sately	MAGT
393	W 110#	5			368	Brillich		
Y		SIAIE	ZIP CODE		369	Mikling	and the second s	4-6-
ver land	e Park	145	66210		548	Harpec	0.36	
	SISTIMS	HOLE SIZE	57/8	HOLE DEP	гн <u> 240</u>	CASING SIZE & W	. //	695,15
SING DEPTH	725.6	DRILL PIPE		_TUBING				The second secon
JRRY WEIGH	т	SLURRY VOL_		WATER gal		CEMENT LEFT in		
PLACEMENT	4.05	DISPLACEMENT		MIX PSI	00	RATE 4/600	n	11126
MARKS: He	1d nee	Fine E	5×561:	shed	rate. M	ixed of	un fed	100°
1) fo	Vowel	by 89	JK 5		ement	plys 2	0000	12
Sheno.	seal p.	or sack	C. C.	culat	ed cen	ient I	ushal	pyn,
Pamoe	& plue	to bas	fle b	Dell	heid be	OD POL.	ser Fil	297,
R. C.	10		-		AND THE RESERVE OF THE PARTY OF			
Chad	, Tas					an Ma	der	
						and the	Same and the law of the same	
					-		I II III I I I I I I I I I I I I I I I	2,622.3
CODE	QUANITY	or UNITS	D	ESCRIPTION	of SERVICES or Pi	the state of the s	UNIT PRICE	TOTAL
Mal	j		PUMP CHAR	GE		368		1085
101						315		
740/_ 1	Talada hasana 3	a los de de companyon	MILEAGE	and the second second second	California de la companya della companya de la companya della comp	060		
406	7/	25.60	- (	nc fe	otese	368		
1406 1402	70	25.60	casi	s fe	optage les	368 548		18400
406 402 407	70	25.60 nia	casi ton	N;	optage les			18400
406 402 407 502C	70	25.60 nia	casi ton	s fe	optage les	548		18400
702 702 502C	70	nia 2	ton 80 u	M;	les	548	11223.57	18400
47	70 1/82 1	nia 2	50/50	M;	optage les uant	548	1023.50	
702 702 502C	25	nia 1/2 30#	50/50 50/50	M;	uant	548	1023.50	
47	25	nia 2	50/50 50/50	M;	uant	548 369	55.00	
47	25	nia 1/2 30#	50/50 50/50	M;	uant  Maten	548 369	55,00 60.75 1139.25	
47	25	nia 1/2 30#	50/50 50/50	M;	nant  Nateni	548 369 46546 5530%	55.00 60.75 1139.25 - 341.7	
118B 167A	25	nia 1/2 30#	50/50 50/50	M;	nant  Nateni	548 369 46546 5530%	55,00 60.75 1139.25	
118B 167A	25	nia 1/2 30#	50/50 50/50	M;	nant  Nateni	548 369 46546 5530%	55.00 60.75 1139.25 - 341.7	
118B 167A	25	nia 1/2 30#	50/50 50/50	M;	nant  Nateni	548 369 46546 5530%	55.00 60.75 1139.25 - 341.7	
118B 167A	25	nia 1/2 30#	50/50 50/50	M;	nant  Nateni	548 369 46546 5530%	55.00 60.75 1139.25 - 341.7	
118B 167A	25	nia 1/2 30#	50/50 50/50	M;	nant  Nateni	548 369 46546 5530%	55,00 60 75 1139,25 - 341,7	
1406 1402 1407 502C 124 118B 167A	25	nia 1/2 30#	50/50 50/50	M;	nant  Nateni	548 369 46546 5530%	55,00 60,75 1139,25 - 341,7 - 261	797.
118B 167A	25	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	SOIST SPhen	M;	nant  Nateni	548 369 46546 5530%	55,00 60,75 1139,25 - 341,7 - 341,7 - 261 - 341,7	797.
118B 167A	25 41	7 # 50# 5 # 1	SOIST SPhen	M;	nant  Nateni	548 369 46546 5530%	55,00 60,75 1139,25 - 341,7 - 341,7 - 341,7 - 341,7 - 341,7 - 341,7	797.
II & B L6 JA	25 41 No (	12 1/2 10# 5#	Solst Sphen	olys	nent  Netenl  Les	548 369 46546 5530%	55,00 60,75 1139,25 - 341,7 - 341,7 - 341,7 - 341,7 - 341,7 - 341,7	797. 29.5