Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1215539

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()						
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
	Elevation: Ground: Kelly Bushing:					
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:					
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet					
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to:w/sx cmt.					
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Duilling Fluid Management Dian					
Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
	Chloride content: ppm Fluid volume: bbls					
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
ENHR Permit #:						
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II Approved by: Date:							

	Page Two	1215539
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS. Chain important tang of formations panetrated	tail all aaraa Bapart all final	agniag of drill atoms tools giving interval toolad, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	Formation (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth						

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Back TD				
Plug Off Zone				

No

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No	(If No, skip questions 2 and 3)
No	(If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot PERFORATION REC Specify Footage					e		Acid, Fracture, Shot, Ce (Amount and Kind	ement Squeeze Record I of Material Used)	Depth
TUBING RECORD: Size: Set At			t At:	Packer	r At:	Liner R		No	
Date of First, Resumed Production, SWD or ENHR.			Producing		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:				METHOD OF COMPLETION:			PRODUCTION INTERVAL:		
Vented Sold Used on Lease			Open Hole	Perf.	Dually	ly Comp. Commingled			
			Other (Speci	(Submit A Other (Specify)		ACO-5) (Submit ACO-4)			

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Puetz 38-14
Doc ID	1215539

Tops

Name	Тор	Datum		
Soil	17	23		
Lime	23	60		
Shale	60	120		
Lime	120	220		
Shale	220	315		
Lime	315	318		
Black Shale	318	715		
Lime	715	718 780 920		
Black Shale	718			
Lime	780			
Big shale	920	1090 1093 1098 1121		
Lime & Shale	1090			
Black Shale	1093			
5' Lime	1098			
Shale	1121	1140		
Upper Squirrel Sand	1140	1145		
Cap rock	1145	1147		
Shale	1147	1148		
Cap rock	1148	1151		
Lower Squirrel Sand	1151	1220		
Shale	1220			

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO	D. REFERENCE	TE	RMS	CLERK	DATE TIME
*5				CASH/CHECK/BANK	card se	5	i/15/14 1:21
**** CA:	5H ****		s Hlaymon oil P T O	DEL. DATE: TAX :	5/15/14 001 IOLAL 1		DOC# 294623 ************ * * ***************** ORDR 294623
SHIPPED	ORDERED		DESCRIPT	ION LOCATION	UNITS	PRICE/P	ER EXTENSION
M PL PL PL	D	39- 40- 38-	PORTLAND CEMENT 4-10 packs 1410 pks 1410 packs			9.45 /EA	1,890,00
		** UKDEK ** UP	RDER ** ORDER ** ORDER ** OR ** DEPOSIT AMOUNT * ** BALANCE DUE **		0.00 N	axable Ion-taxable	1890.00 0.00
	RECEIV	'ED BY	** PAYMENT RECEIVED	**		ax amount Otal amount	1890.00 158.76 2048.76

PAGE NO 1

		▲ JATOT ПИАЯЭ						
	· · · · · · · · · · · · · · · · · · ·	S 399AHO JANOITIDDA		1 1				
			DELAY TIME		i i i i i i i i i i i i i i i i i i i	UNLOADING TIME	BOL TA JATOT	AIRT GNUOR JATOT
1		ADDITIONAL CHARGE 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				60:01
11.2			TIME DUE		4. CONTRACTOR BROKE DOWN 5. ADDED WATER	DNIDAOJNU TRATS	AOL DAVIARA	LEFT PLANT
		ST.7 XAT	1/2	6. TRUCK BROKE DOWN 8. CITRTION 8. CITRTION	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 3. TRUCK AHEAD ON JOB			
			TIME ALLOWED	YLINDER TEST TAKEN	DELAY EXPLANATION/C	EINISH UNLOADING	LEFT JOB	ПИАЛЯ ОТ ОЗИЯЛТАЯ
					1			
			11111 8 3 8 1		BET TOLAL OTHER	CONTRACTOR -	*	0.0.011
		and the second second	212° 00'	the second s	WITANH ONU 9 CHUBBE '			00 21
			00.71	CLIND 8	ad shows o		METT	00 * L T
	EXTENDED PRICE	DNIT PRICE				DESCRIPTION	CODE	ΧΤΙΤΝΆΟΟ
-		20100 2011	I an at X		X	The second s	.ЯH\098	Excess Delay Time Charged @ \$
10-10		1	LOAD RECEIVED BY:		SIGNED of delivery of this order		ss of the Cash Discount will be collecte	Material is Delivered.
	UJSUAD JEAMAU YNA H	ibb fine: Te not be hesponsible fo	MHEN DEFINEBING INSIDE CO	even of anovna vd barnista of va	the rot supplies and this supplies for a		ays of delivery will bear interest at the rate Pggregate or Color Quality. No Claim	b 05 nirthw bied ton atnuccos IIA
	ЭИІИЯАМ НТЛАЭН ЭНТ DA3	ow indicates that I have re L Not be responsible fo	NOTICE: MY SIGNATURE BEL	diffrom the wheels of his vehicle so et. Further, as additional considera- emnity and hold harmless the driver	ans child on inter the public stre	A rauvo ovaer e nugesiĝued buourses to bek al ocats' iucinațiuă usescurape attoureite, tees' juornuea ju oojlecțiuă TEBHOKED to nue OLEICE BEEUE TOVDING 21/91/2		
				y from any damage that may occur nt property, buildings, sidewalks, very of this material, and that you	to the premises and/or adjacent driveways, curbs, etc., by the deli	NOT NOT THE PURCHASER UPON BATY OF THE PURCHASER UPON HAL INSTRUCTIONS MUST DE	COMMODITY and BECOMES the PROPE IANGES OR CANCELLATION of ORIGIN	LEAVING THE PLANT. ANY CH
		1 4	MEIGHMASTER	this load where you desire it. It is that we can, but in order to do this gn this RELEASE relieving him and	is not visit to help you in every way is used you is		Flush Thoroughly With Water, If Irr YAWY.	Attention. KEEP CHILDREN
		i martini	X JAĐ	nion that the size and weight of his to the premises and/or adjacent	you for your signature is of the opi	OLONGED CONTACT MAY	Wear Rubber Boots and Gloves. PR rtact With Eyes and Prolonged Coi	Contains Portland Cement. CAUSE BURNS, Avoid Cor
-		is Detrimental to Concre ded By Request/Authori		NAGE RELEASE O BE MADE INSIDE CURB LINE) TUCK in presenting this RELEASE to	LOBE SIGNED IF DELIVERY T	ND EKES	WARNING ING TO THE SKIN A	ТАТІЯЯІ
	やかをえを	n1 00 . 4	00 . 0	ET	90 * 2.1	T: . +	MECT#39-1	WW71172
	LICKET NUMBER	SLUMP	MIAT ABTAW	BATCH#	YARDS DEL.	# 0407	HANN DH	DATE
	MODCO	and the second s	35		Con 1	00.77	METT	U 15111
			ar	and the second second	kin and a second second			
	PLANT/TRANSACTION #	4310 %	DRIVER/TRUCK		APPS ORDERED		FORMULA	LIME
-	USE TWO	T MMHH HHOT	N NO N IN	-T	99793	SX .	STURE OHSO	ME
			MH SZ OL M					
		SH			the second	*(JU-7	HUIMOS, 86	et i
		1 of the	ZIUBA IBSA		1 Alexandre		I TIO NOWA	
	• OI dins	N YE F			i		SØØ	OL 0105
		r does not supply a place to was	pnAers responsed			friedaud ann na nan a	contract.	which is the subject of this
10	est. A \$30 charge will be added	ater is added at customer's required to wash out	strength test when w Contractor must pro		ATOPP	material or services to	to pay those persons supplying result in the filing of a mechanic	Residuce to this contractor t
	is concrete contains correct	allotted time for unloading truc e for holding trucks longer. Th trength or mix indicated. We do	nisk. The maximum charge will be mad	our 'stonpo	DI J ƏLƏLƏU	Payless Co		Phone: (620) Ploia, Kansas
	s or intermediary's direction, any manner to sidewalks,	ower. Due to delivery at owner' responsibility for damages in s, buildings, trees, shrubbery, e	seller assumes no under truck's own p			5 I U	07200	P.O. Box 664
	e point over passable road,	ivered to the nearest accessible	Concrete to be deli		- ne D		trial Rd.	snpuI .N 208
					E L			
			A	-	and the second			مى يەرىپىيە بىرىكى يەرىپىيە يە يەرىپىيە يەرىپىيە يەرى
				:#				

			1 1 1 A					

•