For KCC Use:

Eff	e	ct	iv	е	Date:

District	#	

SGA?	Yes	No
SGAS	ies	

Form

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

1215709

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	
Name:	
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	— County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	— Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other If OWWO: old well information as follows: If Old well information as follows:	Nearest Lease or unit boundary line (in footage):
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes N If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
KCC DKT #:	
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted E	Electronically
-------------	----------------

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:

_							
_	_	_	_	_	_	-	-

ш

≶



For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



600 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 Form must be Typed

May 2010

1215709

APPLICATION FOR SURFACE PIT

Submit in Dunlicate

Operator Name:		ionni in Dupicat	License Number:	
Operator Address:			1	
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:		- 	
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	vrea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
Distance to nearest water well within one-mile of		Source of inforr		
feet Depth of water well	feet	measured		
Emergency, Settling and Burn Pits ONLY: Producing Formation:		_	over and Haul-Off Pits ONLY: al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all s flow into the pit?	pilled fluids to	Drill pits must b	be closed within 365 days of spud date.	
Submitted Electronically				
	ксс	OFFICE USE OI	NLY	
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORA OIL & GAS CONSE CERTIFICATION OF CO KANSAS SURFACE OWN	BINIARY 2014 Form Must Be Typed Form Must be Signed Form must be Signed All blanks must be Filled Form State
This form must be submitted with all Forms C-1 (Notice of T-1 (Request for Change of Operator Transfer of Injection of Any such form submitted without an accord Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	r Surface Pit Permit); and CP-1 (Well Plugging Application). npanying Form KSONA-1 will be returned.
OPERATOR: License #	Well Location:
Surface Owner Information: Name: Address 1: Address 2: City:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.


Submitted Electronically

I



CIVIL ENGINEERS• SURVEYORS 901 N. 8th Street, Suile 100 Kansas City, KS66101 * p. (913) 371-5300 * 1. (913) 371-2677 BHC RHODES is a trademark of Brungardt Honorrichi & Company, PA

<u>COMANCHE</u> County, Kansas <u>600' FSL & 1015' FWL</u> Section <u>32</u> Township <u>32S</u> Range <u>19W</u> 6th P.M.



BOTTOM HOLE INFORMATION PROVIDED BY OPERATOR LISTED, NOT STAKED. SECTION COORDINATES ARE BASED ON OBSERVED POSSESSION EVIDENCE. DISTANCES SHOWN IN (PARENTHESIS) ARE CALCULATED BASED UPON THE QUARTER SECTION BEING 2640.00 FEET AND HAVE NOT BEEN MEASURED ON THE GROUND. PAD AND SERVICE ROAD LOCATIONS ARE SHOWN FOR GRAPHIC PURPOSES ONLY AND ARE NOT TO SCALE.

OPERATOR:	SANDRIDGE EXPLORATION AND PRODUCTION, LLC,	ELEV/ATION:
LEASE NAME:	JELLISON A 3319 WELL NO: 9-5H	ELEVATION:
TOPOGRAPHY	& VEGETATION: AGRICULTURAL GRASSLAND	1884

REFERENCE STAKES OR ALTERNATE LOCATION

GOOD DRILL SITE? _______STAKES SET: _______ BEST ACCESSIBILITY TO LOCATION: <u>FROM THE SOUTH AND WEST ON PAVED AND GRAVELED ROADS</u> DISTANCE & DIRECTION FROM HWY JCT OR TOWN: _______FROM THE CITY OF PROTECTION. SOUTH ON ROAD 5 FOR ±0.5 MILES. THEN LEFT (EAST) ON US HIGHWAYS 160 & 183 FOR ±4.5 MILES. THEN LEFT (NORTH) ON ROAD #9 FOR ±1 MILE. THEN LEFT (NORTH, WEST. & SOUTHWEST) FOLLOWING EXISTING FIELD TRAIL (PROPOSED SERVICE ROAD) FOR ±1.2 MILES TO SITE.


	SURFACE WELL DATA TABLE DATUM: NAD27	DATE STAKED: <u>2014-02-19</u> DATE OF DRAWNG: <u>2013-02-19</u>	HINHAEL D. K
BHC Rhodes Job No.: 015330.01.98 Field: <u>MJR</u> Office: <u>MJR</u>	LAT: <u>37.208908</u> LONG: <u>-99.414481</u> LAT: <u>N037 12' 32.07"</u> LONG: <u>W099' 24' 52.13"</u> STATE PLANE COORDINATES: (U.S. FEET) ZONE: <u>KS SOUTH 1502</u> X: <u>1733669.1394</u> Y: <u>198745.5567</u>	CERTIFICATE: I, <u>MICHAEL D. KLEIN</u> A KANSAS LICENSED LAND SURVEYOR AND A AUTHORIZED AGENT OF BHC RHODES, S DO HEREBY CERTIFY THAT THE SURFACE WELL LOCATION DESCRIBED HEREON WAS STAKED AT THE COORDINATES SHOWN IN THE DATA TABLE. KANSAS LIC. NO. <u>778</u>	LS-778 LS-778 LS-778 LANSAS O

......

Target Line	
TVD @ 0' VS	5,160
INC	90.40
FNL	- RON
Footages	

	200-
FSL	330
Total VS	5,550.00
EOC (MD)	5,582.97
EOC (TVD)	5,154.29
KOP	4,264.68
Traverse Length	4,732.23
TD (MD)	10,315.20
TVD @ TD	5,121.25
TVD displacement f/ EOC to TD	33.04

Operator SandRidge Energy Well Name and Number Jellison 3319 9-5H Well Surface Location 32-T325-R19W;600' fsl & 1080' fwl Well Bottom Hole Location 5-T335-R19W;330' fsl & 660' fwl County and State Comanche County, Kansas




Jellison A 3319 9-5H Lease Information Sheet

Unit Description:


W2 of Section 5-33S-19W Harper County

Surface Owner:

Long Ranch, L.P. Dale Long, General Partner RR 1 Box 150 Gate, OK 73844



Jellison A 3319 9-5H & Jellison A 3319 10-5H



This plat is for proposed information only and may not represent the final location of the wells on the drilling pad. Please refer to the Kansas Survey Plat for the actual location of wells. Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802 Kansas Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner Sam Brownback, Governor

July 25, 2014

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Jellison A 3319 9-5H SW/4 Sec.32-32S-19W Comanche County, Kansas

Dear Wanda Ledbetter:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.