Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1215848

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

	Page Two	1215848
Operator Name:	_ Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS: Chause important tang of formations paratrated	atail all aaraa Bapart all final	appias of drill stamp toots giving interval tootad, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sho	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose [.]	Depth	Turne of Company	# Cooke Lload		Turne and [Dereent Additives	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge F Each Interval		е	A		ement Squeeze Record of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	At:	Liner Ru	n:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	} .	Producing N		oing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF C	AS:			METHOD				PRODUCTION IN	TERVAL:
Vented Solo	1 🗌 I	Jsed on Lease		Open Hole	Perf.		Comp.	Commingled		
(If vented, Su	bmit ACC	0-18.)		Other (Specify)	(Submit)		(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Outwest Converting, LLG

CEMENT FIELD TICKET AND TREATMENT REPORT

	Legand Oil & Gas	State, County	Woodson, Kansas	Coment Type	CLASS A
	Long String	Section		Excess (%)	30%
	Long oung	TWP		Density	13.6/14
el Mo.	Pat Collins #16	RGE		Water Required	7.29/7.93
alling Address	Fat Gointe #10	Formation		Yeild	1.48/1.74
		Tubing		Sacks of Cement	50/55
ty & State		Drill Pipe		Slurry Volume	13.1/17
p Code		Casing Size	27/8	Displacement	5.1
ontact		and the second se	57/8	Displacement PSI	500/1000
mail		Hole Size	and the second sec	MIX PSI	200
al		Casing Depth	886 902	and the second s	3
ispatch Location	EUREKA	Hole Depth		Rate	<u>ر المحمد الم</u>
ode	Coment Pump Charges and Mileage	Quantity	Unit	Price per Unit	the second s
5401C	SINGLE PUMP (CASING JOB) 0-2000'	1	PER JOB		\$ 925.0 \$ 736.0
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	2	PER LOAD 0		\$ -
0			0		s -
<u> </u>			0		\$ -
			0		\$ ·
			0		\$ -
	· · · · · · · · · · · · · · · · · · ·		0		\$ -
	and the second		0		\$ -
				1	\$ 1,661.0
	a at the set of Water	and the second second	A CONTRACT OF ANY ANY ANY		
	Cement, Chemicals and Water	50	0	\$13.18	\$ 659.0
1131	6040 POZHIX CEMENT W/ NO ADDITVES (40% POZ)	200	0		\$ 44.0
11188	PREMIUM GEL/BENTONITE (50#)	200	0		\$ 27.0
1107A	PHENOSEAL WC CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GE		0	A second s	\$ 1,086.2
	KOL SEAL (50 # SK)	350	0		\$ 161.0
1110A 1111	GRANULATED SALT (50# SELL BY #	350	0		\$ 136.5
1107A	PHENOSEAL	20	0		\$ 27.0
11188	PREMIUM GEL/BENTONITE (50#)	200	0		\$ 44.0
0			0	\$0.00	\$ (655.4
0			0	\$0.00	s -
1123	CITY WATER (PER 1000 GAL)	3	0		\$ 51.9
				CHEMICAL TOTAL	\$ 1,581.2
	Water Transport				
5502C	80 BBL VACUUM TRUCK (CEMENT)	2	BL VACUUM TRUCK (CEM	\$90.00	\$ 180.0
0			0		\$ -
0			0	\$0.00	\$ -
		<u> </u>	Т	RANSPORT TOTAL	\$ 180.0
	Cement Floating Equipment (TAXABLE)	And services in			and the second second
	Cement Basket				
0			0	\$0.00	\$ -
	Centralizer			A State of the second	
0			0		\$
0			0	\$0.00	\$ -
	Float Shoe				
0		1	0	\$0.00	\$
	Float Collars	-			
0		L	0	\$0.00	\$
	Guide Shoes		0	\$0.00	\$.
0 !	Deffe and Electron Distan	Lange of the second sec	0	\$0.00	· · ·
	Baffle and Flapper Plates	1 ·····	0	\$0.00	\$.
0	Dealers Shares	L.		\$0.00	φ
0 1	Packer Shoes	1	0	\$0.00	\$.
	DV Tools	La constantina de la constan	V	90.00	
0 1	1 1003	The second s	0	\$0.00	\$
U	Ball Valves, Swedges, Clamps, Misc.		Y		
,	Den raros, oncogos, oranipa, miso.	r	0	\$0.00	S .
		1	1		
0			0	\$0.00	S .
			0		\$
0 0 0	Plugs and Ball Sealers		0	\$0.00	\$
0 0 0	Plugs and Ball Sealers 2 7/8° RUBBER PLUG	2	and the second design of the s	\$0.00	\$
0 0 0 4402		2	0	\$0.00 \$29.50	\$ \$ 55 ;
0 0 0 4402	2 7/8" RUBBER PLUG	2	0	\$0.00 \$29.50 \$0.00	\$ \$ 55 5 \$
0 0 0 4402 0	2 7/8" RUBBER PLUG Downhole Tools	2	0	\$0.00 \$29.50 \$0.00 QUIPMENT TOTAL	\$ \$ 55 \$ \$ 57
0 0 0 4402 0	2 7/8" RUBBER PLUG Downhole Tools DRIVER NAME	2	0 0 CEMENT FLOATING E	\$0.00 \$29.50 \$0.00 QUIPMENT TOTAL SUB TOTAL	\$ 55 : \$ 57 : \$ 57 : \$ 37 H2
0 0 0 4402 0	2 7/8" RUBBER PLUG Downhole Tools	2	0	\$0.00 \$29.50 \$0.00 QUIPMENT TOTAL SUB TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
0 0 0 4402 0	2 7/8" RUBBER PLUG Downhole Tools DRIVER NAME John Wade	2	0 0 CEMENT FLOATING E	\$0.00 \$29.50 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
0 0 0 4402 0 13 630 485 687 479	2 7/8" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Zevi MereVJeff Seth/ Jimmy	2	0 0 <u>0</u> <u>CEMENT FLOATING E</u> 7.15% 0%	\$0.00 \$29.50 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ 55 \$ 57 \$ 37 \$ 37
0 0 0 4402 0 890 485 867	2 7/8" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Zevi Merel/Jeff	2	0 0 <u>0</u> <u>CEMENT FLOATING E</u> 7.15% 0%	\$0.00 \$29.50 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ 55 \$ 57 \$ 37 \$ 37
0 0 0 4402 0 680 485 687 479	2 7/8" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Zevi MereVJeff Seth/ Jimmy	2	0 0 <u>0</u> <u>CEMENT FLOATING E</u> 7.15% 0%	\$0.00 \$29.50 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ 55 \$ 57 \$ 37 \$ 37
0 0 0 4402 0 680 485 687 479	2 7/8" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Zevi MereVJeff Seth/ Jimmy	2	0 0 <u>0</u> <u>CEMENT FLOATING E</u> 7.15% 0%	\$0.00 \$29.50 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ 55 \$ 57 \$ 37 \$ 37

A ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE,