

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | | | |
|------------|-------|----|--|---|
| Effective | Date: | | | |
| District # | | | | _ |
| SGA? | Yes | No | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|---|--|
| month day year | Sec Twp S. R |
| OPERATOR: License# | feet from N / S Line of Section |
| Name: | feet from E / W Line of Section |
| Address 1: | Is SECTION: Regular Irregular? |
| Address 2: | (Note: Locate well on the Section Plat on reverse side) |
| City: | County: |
| Contact Person: | Lease Name: Well #: |
| Phone: | Field Name: |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? |
| Name: | Target Formation(s): |
| | Nearest Lease or unit boundary line (in footage): |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation:feet MSL |
| Oil Enh Rec Infield Mud Rotary | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary | |
| Disposal Wildcat Cable | Public water supply well within one mile: Yes No |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: I I II |
| II OWWO. Old well information as follows. | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: |
| D: :: D :: | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes No | Well Farm Pond Other: |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: KCC DKT #: | (Note: Apply for Permit with DWR) |
| NOC DRI #. | Will Cores be taken? |
| | |
| | If Yes, proposed zone: |
| AFF | If Yes, proposed zone: |
| | IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plug | IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: | IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plug lt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugging. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface will be notified before well is either pluggents. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either pluggent. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the distrest. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be ubmitted Electronically | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the distrest. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection of the distrection of the properties of the pluggeneral forms of the pluggen | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> set to through all unconsolidated materials plus a minimum of 20 feet into the set to the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 6. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Location of Well: County:

| Operator: | Location of Well: County: | | |
|---------------------------------------|--|--|--|
| Lease: | feet from N / S Line of Section | | |
| Well Number: | feet from E / W Line of Section | | |
| Field: | SecTwpS. R E W | | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular | | |
| QTR/QTR/QTR of acreage: | io coolion. Trogular of Trogular | | |
| | If Section is Irregular, locate well from nearest corner boundary. | | |
| | Section corner used: NE NW SE SW | | |
| | | | |
| | | | |
| P | PLAT | | |
| | lease or unit boundary line. Show the predicted locations of | | |
| | equired by the Kansas Surface Owner Notice Act (House Bill 2032). | | |
| | separate plat if desired. 882 ft. | | |
| | 882 ft. | | |
| | : | | |
| | LEGEND | | |
| | ELOCKD | | |
| | : O Well Location | | |
| | Tank Battery Location | | |
| | Pipeline Location | | |
| | : Electric Line Location | | |
| | Lease Road Location | | |
| | 1360 ft. | | |
| | | | |
| | EXAMPLE : : | | |
| · · · · · · · · · · · · · · · · · · · | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 1980' FSL | | |
| | | | |
| | | | |
| | | | |
| | : | | |
| | · JEWARD GO. 3390 FEL | | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | | |
|---|---|------------------------------------|---|--|--|
| Operator Address: | | | | | |
| Contact Person: | | Phone Number: | | | |
| Lease Name & Well No.: | | Pit Location (QQQQ): | | | |
| Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit is: Proposed If Existing, date colling Pit capacity: | Existing | SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section | | |
| | | (bbls) | County | | |
| Is the pit located in a Sensitive Ground Water A | Area? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Yes No Artificial Liner? Yes No | | No | How is the pit lined if a plastic liner is not used? | | |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet) N/A: Steel Pits | | |
| Depth fro | om ground level to dee | epest point: | (feet) No Pit | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | illei | | dures for periodic maintenance and determining ncluding any special monitoring. | | |
| Distance to nearest water well within one-mile | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: | | |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | | |
| Producing Formation: | | Type of materia | al utilized in drilling/workover: | | |
| Number of producing wells on lease: | | Number of world | king pits to be utilized: | | |
| Barrels of fluid produced daily: | | Abandonment | procedure: | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must b | be closed within 365 days of spud date. | | |
| Submitted Electronically | | | | | |
| | KCC | OFFICE USE O | | | |
| Date Received: Permit Num | ber: | Permi | Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No | | |



1216635

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB- | -1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | |
|--|--|--|--|
| OPERATOR: License # | _ Well Location: | | |
| Name: | | | |
| Address 1: | | | |
| Address 2: | Lease Name: Well #: | | |
| City: State: Zip:+ | _ If filing a Form T-1 for multiple wells on a lease, enter the legal description or | | |
| Contact Person: | the lease below: | | |
| Phone: () Fax: () | _ | | |
| Email Address: | _ | | |
| Surface Owner Information: | | | |
| Name: | _ When filing a Form T-1 involving multiple surface owners, attach an additional | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | |
| Address 2: | | | |
| City: | _ | | |
| | thodic Protection Borehole Intent), you must supply the surface owners and | | |
| | ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| Select one of the following: | | | |
| owner(s) of the land upon which the subject well is or will b | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. | | |
| KCC will be required to send this information to the surface | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. | | |
| If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C | ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned. | | |
| Submitted Electronically | | | |
| I | | | |



Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846

15s


Twp.

6

Sec.

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

41w



311541T

Office/Fax: (620) 276-6159

American Warrior, Inc.

Blaesi #7-6 LEASE NAME

FNL - 1360' FEL

LOCATION SPOT

Wallace project

1" = 1000' SCALE: July 17th, 2014 DATE STAKED: Ben R. MEASURED BY: Norby S. DRAWN BY: Cecil O. & Wes E. AUTHORIZED BY:

Wallace County, KS

COUNTY


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: <u>3775.9</u>°

Directions: From the North side of Sharon Springs, KS at the intersection of Hwy 40 & Hwy 27 South - Now go 6 miles South on Hwy 27 - Now go 0.4 mile East on Hwy 27 - Now go 2 miles South on Hwy 27 - Now go 4 miles West on WA W-G - Now go 5 miles West on Gooseberry Rd. to the NE corner of section 6-15s-41w -Now go 0.3 mile West on Gooseberry Rd. to ingress stake South into - Now go 1882' South through wheat stubble - Now go 21' West through pasture, into staked location.

Final ingress must be verified with land owner or Operator.



R. Evan Noll

P.O. Box 1351 Hays, KS 67601

Office - 785.628.8774 Cell - 785.623.0698 Fax - 785.628.8478

July 31, 2014

Ronald L. Blaesi 1130 Gooseberry Road Sharon Springs, KS 67758

RE:

Blaesi #7-6 Well

1882' from North Line & 1360' from East Line

Section 6-15S-41W Wallace County, Kansas

Dear Property Owner:

Prior to issuing a permit to drill, the Kansas Corporation Commission requires the property owner be notified. The operator for the captioned well is:

American Warrior, Inc.
P.O. Box 399
Garden City, KS 67846
Contact Man: Kevin Wiles (620)

Contact Man: Kevin Wiles – (620) 271-4407 – kwiles@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing well, lease road, pipe & electric Line & tank battery locations. This is all non-binding and preliminary, being shown simply to satisfy State requirement. The actual locations will be determined by the dirt contractor.

JR Oilfield Services is the dirt contractor. If you want to be involved in the locations, contact JR Oilfield Services (719) 767-5100, reference the captioned well name and coordinate with them.

R. Evan Noll

Contract Landman with American Warrior, Inc.



Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846

Office/Fax: (620) 276-6159 Cell: (620) 272-1499

(gravel)

311541T

burt@pro-stakellc.kscoxmail.com American Warrior, Inc. Blaesi #7-6 LEASE NAME 1882' FNL - 1360' FEI

Wallace County, KS 41w COUNTY 1" = 1000"

LOCATION SPOT Wallace project

SCALE:_ July 17th, 2014 DATE STAKED: Ben R. MEASURED BY: Norby S. DRAWN BY: . Cecil O. & Wes E. AUTHORIZED BY:

OPERATOR

GR. ELEVATION: 3775.9

Directions: From the North side of Sharon Springs, KS at the intersection of Hwy 40 & Hwy 27 South - Now go 6 miles South on Hwy 27 - Now go 0.4 mile East on Hwy 27 - Now go 2 miles South on Hwy 27 - Now go 4 miles West on WA W-G - Now go 5 miles West on Gooseberry Rd. to the NE corner of section 6-15s-41w -Now go 0.3 mile West on Gooseberry Rd. to ingress stake South into - Now go 1882' South through wheat stubble - Now go 21' West

This drawing does not constitute a monumented survey or a land survey plat. through pasture, into staked location. This drawing is for construction purposes only. Final ingress must be verified with land owner or Operator. ingress stake T145 T 15 S (Lease Road Pipeline Electric Line Gooseberry Rd. (gravel) Blaesi #7-6 1882' FNL - 1360' FEL 42 W 3775.9' = gr. elev. at staked loc. Lat = 38.779991161 Long. = 101.914083413 Nine Rd. (gravel) Lat. = 38.779981040 Long. = 101.913630504 NAD 27 KS-N X = 884612.7 Y = 186775.2N-S fence is 21.1' East l staked location with 7' wood (painted orange and blue) and t-post Location falls in pasture and wheat stubble of staked loc. While standing at staked location looking 150° in all directions loc. has 1' to 3' bumps This 13
Preliminary or
Non-binding prod. well 3763.8' * gr. elev. & is 2350.0' S-SE ----of staked loc. ⊗ tank battery

8