

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1216730

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month day	year	
OPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Section
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	Equipment:	Ground Surface Elevation:feet MS
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispo		Cable	,
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Total	Depth:	
Directional Devicted or He	rizontal wallhara?	Yes No	Water Source for Drilling Operations:
Directional, Deviated or Hol	nzontai welibore?		Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned hereby a	affirms that the drilling, comple		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, comple	etion and eventual pl	
It is agreed that the follow	ring minimum requirements wil	etion and eventual pl	
t is agreed that the follow 1. Notify the appropria	ring minimum requirements will attend to the district office <i>prior</i> to spude	etion and eventual pl Il be met: ding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro	ring minimum requirements wil ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i>	etion and eventual pl Il be met: ding of well; all be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minim	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befo	etion and eventual plus be met: ding of well; all be posted on each discount be seen and feet into the operator and the discrete well is either plug	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production p	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cemented.	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the vicinculating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically	etion and eventual plants be met: ding of well; all be posted on each discovery be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required -	ring minimum requirements will atte district office <i>prior</i> to spuddoved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas sur within 30 days of the spud data inically	etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required Approved by:	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically	etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically	etion and eventual plus be met: ding of well; all be posted on each discovery be per ALT. I I II	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	-


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

3683 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1216730

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:	- Francisco		
Emergency Pit Burn Pit Proposed Settling Pit If Existing, date const		Existing	SecTwpR East West	
Workover Pit Haul-Off Pit			Feet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	L	How is the pit lined if a plastic liner is not used?	
Yes No		lo		
, , , , , , , , , , , , , , , , , , , ,	Length (fee	•	Width (feet) N/A: Steel Pits	
	m ground level to dee			
If the pit is lined give a brief description of the lir material, thickness and installation procedure.	iei		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of	f pit:	Depth to shallo	west fresh water feet.	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
·				
	KCC (OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection: Yes No	

CORRECTION #1 Kansas Corporation Commission

1216730


Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent)	
OPERATOR: License #	Well Location:	
Name:	_	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()	_	
Email Address:	_	
Surface Owner Information:		
Name:		
Address 1:	 sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the 	
Address 2:		
City: State: Zip:+	_	
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this c, and email address.	
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this less of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.	
Submitted Electronically		
T.		



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

July 31, 2014

Brad Leach Utah Oil LLC 2394 UTAH RD RANTOUL, KS 66079

Re: Drilling Pit Application API 15-059-26498-00-00 Larry Spratt KO-13 NW/4 Sec.29-17S-21E Franklin County, Kansas

Dear Brad Leach:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Summary of Changes

Lease Name and Number: Larry Spratt KO-13

API/Permit #: 15-059-26498-00-00

Doc ID: 1216730

Correction Number: 1

Approved By: Rick Hestermann 07/31/2014

Field Name	Previous Value	New Value
Depth Of Water Well	40	
Depth to Shallowest Fresh Water	30	
ElevationPDF	980 Estimated	972 Estimated
Feet to Nearest Water Well Within One-Mile of Pit	5014	NA
Ground Surface Elevation	980	972
KCC Only - Approved By	Rick Hestermann 08/09/2013	Rick Hestermann 07/31/2014
KCC Only - Approved Date	08/09/2013	07/31/2014
KCC Only - Date Received	08/07/2013	07/31/2014
KCC Only - Regular Section Quarter Calls	SE NW SW NW	NE NW SW NW
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=29&t	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=29&t

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	4800	4630
Number of Feet East or West From Section Line	4800	4630
Number of Feet North or South From Section Line	3479	3683
Number of Feet North or South From Section Line	3479	3683
Quarter Call 4 - Smallest	SE	NE
Quarter Call 4 - Smallest	SE	NE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 54562	//kcc/detail/operatorE ditDetail.cfm?docID=12 16730

Summary of Attachments

Lease Name and Number: Larry Spratt KO-13

API: 15-059-26498-00-00

Doc ID: 1216730

Correction Number: 1

Approved By: Rick Hestermann 07/31/2014

Attachment Name

Мар

Fluid