

Mid-Continent Conductor, LLC

Invoice

Date	Invoice #
4/4/2014	2568

P.O. Box 1570
Woodward, OK 73802
Phone: (580)254-5400
Fax: (580)254-3242

Bill To
SandRidge Energy, Inc. Attn: Purchasing Mgr. 123 Robert S. Kerr Avenue Oklahoma City, OK. 73102

Ordered By	Terms	Date of Service	Lease Name/Legal Desc.	Drilling Rig
John Fortune	Net 30	4/4/2014	Jeromy 3204 1-26H, Sumner Cnty KS	Lariat 40

Item	Quantity	Description
Conductor Hole	90	Drilled 90 ft. conductor hole.
20" Pipe	90	Furnished 90 ft. of 20 inch conductor pipe.
Mouse Hole	80	Drilled 90 ft. mouse hole.
16" Pipe	80	Furnished 80 ft. of 16 inch mouse hole pipe.
Cellar Hole	1	Drilled 6x6 cellar hole.
6' X 6' Tinhorn	1	Furnished and set 6x6 tinhorn.
Mud and Water	1	Furnished mud and water.
Transport Truck - Conductor	1	Transport mud and water to location.
Grout & Trucking	13	Furnished 13 yards of grout and trucking to location.
Grout Pump	1	Furnished grout pump.
Fence Panels	1	Furnished and set safety panels around holes.
Welder & Materials	1	Furnished welder and materials.
Dirt Removal	1	Labor and equipment for dirt removal.
Cover Plate	1	Furnished cover plates.
Permits	1	Permits

AFE Number: DC13660
 Well Name: Jeromy 32041-26A
 Code: 830.010
 Amount: 18,700.
 Co. Man: Jackie Kennedy
 Co. Man Sig: Jackie Kennedy
 Notes: _____

Subtotal	\$18,700.00
Sales Tax (0.0%)	\$0.00
Total	\$18,700.00

JOB SUMMARY			PROJECT NUMBER SOK 3602	TICKET DATE 04/09/14
COUNTY Sumner	State Oklahoma	COMPANY Bridge Exploration & Produc	CUSTOMER REP Jackie Kennedy	
LEASE NAME Jeromy 3204	Well No. 1-26H	JOB TYPE Surface	EMPLOYEE NAME	

EMP NAME					
Louis Arney		0			
Vontray Watkins					
Ron Derry					
0.00					

Form. Name _____ Type: _____

_____ Set At 0

Bottom Hole Temp. 80 Pressure _____

Retainer Depth _____ Total Depth 300

	Called Out	On Location	Job Started	Job Completed
Date	<u>4/9/2014</u>	<u>4/9/2014</u>	<u>4/9/2014</u>	<u>4/9/2014</u>
Time	<u>0600</u>	<u>1100</u>	<u>1844</u>	<u>2030</u>

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Va	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data						
	New/Used	Weight	Size Grade	From	To	Max. Allow
Casing		36#	9 5/8"	Surface	300	1,500
Liner						
Liner						
Tubing			0			
Drill Pipe						
Open Hole			12 1/4"	Surface	300	Shots/Ft.
Perforations						
Perforations						
Perforations						

Materials			
Mud Type	WBM	Density	9 Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33 Lb/Gal
Spacer type	Fresh Water	BBL.	10 8.33
Spacer type	BBL.		
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		In
NE Agent	Gal.		In
Fluid Loss	Gal/Lb		In
Gelling Agent	Gal/Lb		In
Fric. Red.	Gal/Lb		In
MISC.	Gal/Lb		In
Perpac Balls	Qty.		
Other			
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
4/9	9.5	4/9	0.6	Surface
Total	9.5	Total	0.6	

Pressures	
MAX	1,500 PSI
AVG.	200
Average Rates in BPM	
MAX	6 BPM
AVG	4
Cement Left in Pipe	
Feet	43
Reason	SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	190	Premium Plus (Class C)	2% Calcium Chloride - 1/2 pps Cello-Flake	6.32	1.32	14.80
2	*100	Premium Plus (Class C)	*2% Calcium Chloride on side to use if necessary	*6.32	*1.32	*14.8
3	0	0		0	0.00	0.00

Summary					
Preflush	_____	Type:	_____	Preflush:	BBI
Breakdown	_____	MAXIMUM	1,500 PSI	Load & Bkdn:	Gal - BBI
	_____	Lost Returns-	NO/FULL	Excess /Return	BBI
	_____	Actual TOC	SURFACE	Calc. TOC:	_____
Average	_____	Bump Plug PSI:	1,200	Final Circ.	PSI:
IS:P	5 Min.	10 Min	15 Min	Cement Slurry	BBI
				Total Volume	BBI
					72.00

CUSTOMER REPRESENTATIVE _____ SIGNATURE 

