

3300

50

3400

50

3500

Sh. Mucroca

Sh. Dk grey

Ls tan chky w/pt sm
Eucaly, sm fr xyl, fr
xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

Ls grey mtd, md xyl, sm
fr xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

Ls tan chky w/pt sm
Eucaly, sm fr xyl, fr
xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

Ls tan chky w/pt sm
Eucaly, sm fr xyl, fr
xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

Ls tan chky w/pt sm
Eucaly, sm fr xyl, fr
xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

Ls tan chky w/pt sm
Eucaly, sm fr xyl, fr
xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

Ls tan chky w/pt sm
Eucaly, sm fr xyl, fr
xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

Ls tan chky w/pt sm
Eucaly, sm fr xyl, fr
xyl, sm v. l. w/pt
all NS.

greysh

Dns thin xyl, barren

DST #1
3376-3395
45' 45" - 45' 15"
1800 2 1/2" Blaw
2nd op 1 1/2" Blaw
ITP 10-21
FPP 24-32
SIP 1099-1066
HP 1606-1615
REC 50' m.c.w. of
SPTS 0121
BFT 1100
Chlorides 40K


DST #1

3376-3395
45' 45" - 45' 15"

1800-2432
2nd op 1 1/2" Blaw

ITP 10-21
FPP 24-32

SIP 1099-1066
HP 1606-1615



	LITHOLOGY	SAMPLE DESCRIPTIONS	OIL SHOWS	REMARKS	

DEPTH

5" 10" 15" 20" 25"

DRILLING TIME Minutes/Foot

Rate of Penetration Decreases

OPERATOR DUGG LOCATION 32.5' FAX # 6720' EE

LEASE Sealey #2-13 IP DJA SEC 13 TWP 14S RNG 19W

ELEVATION 2164' KR RTD 3876' COUNTY Edwards STATE Kansas