

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 March 2010 Form must be Typed Form must be Signed

≶

CATHODIC PROTECTION BOREHOLE INTENT All blanks must be Filled

Must be approved by the KCC sixty (60) days prior to commencing well.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section feet from E / W Line of Section
Name:	
Address 1:	
Address 2:	(Check directions from nearest outside corner boundries)
City:	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSI
Name:	Cathodic Borehole Total Depth: feet
Type Drilling Equipment:	Depth to Bedrock: fee
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anada installation depths are:	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;;;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
of this well will comply with K.S.A. 55-101 et. seq.	1
t is agreed that the following minimum requirements will be met:	
is agreed that the following minimum requirements will be met.	
1. Notify the appropriate District office prior to spudding and again before plugging the	
and placement is necessary prior to plugging. In all cases, notify District Office prior	r to any grouting.
2. Notify appropriate District Office 48 hours prior to workover or re-entry.	
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
1. The minimum amount of cathodic surface casing as specified below shall be set by	
form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion.	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
d. Submit plugging report (CP-4) within 30 days after final plugging is completed.	Trom (100 1) mum oo dayo nom opaa dato.
Submitted Electronically	
Odbinitied Electronically	
For KCC Use ONLY	
ADI # 45	If this powerit has evering a survill not be drilled a lateral and the lateral
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
Conductor pipe requiredfeet	to the data out below.
Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
0 111	Date Signature of Operator or Agent
Spud date: Agent:	

Side Two

1216992

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.


erator:	Location of Well: County:
ility Name:	feet from N / S Line of Section
ehole Number:	feet from E / W Line of Section
	SecTwpS. R
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
F	PLAT
Show location of the Cathodic Borehole. Show footage to the	nearest lease or unit boundary line. Show the predicted locations of
	equired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a	separate plat if desired.
: : : : :	:
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	13 ft. Lease Road Location
	: = ==== =======================
	EXAMPLE : :
16	
	1980' FSL
	: :::::::::::::::::::::::::::::::::::::
	SEWARD CO. 3390' FEL
NOTE: In all cases locate the spot of the proposed drilling	Locaton

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

3691 ft.

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date con Pit capacity: Trea? Yes	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): Depth fro	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of pit: Depth to shallo Source of inform		west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR
Producing Formation:		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: per closed within 365 days of spud date.
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1216992

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+			
Contact Person:	the lease below:		
Phone: () Fax: ()	-		
Email Address:	-		
Surface Owner Information:			
Name:			
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	-		
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.		
	Lacknowledge that hecourse I have not provided this information, the		
	owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		

Aug. 6, 2014

KCC Conservation Division 130 S. Market Room 2078 Wichita KS 67202

Ref: Surface Casing Exception 82-3-702(b)(3)

Dear Mr. Hoffman,

Enclosed is a Cathodic Protection Intent for an uncased borehole located in 16-30-18W Kiowa County. This is for Mid-American Pipeline Co. LLC. The contractor will be using a mud rotary system to drill the well and steel pits will be used. The backfill material being used is Enviranode. This was approved by the KCC Director, Mr. Doug Louis, on July 20, 2007. Enviranode system uses a concrete type grout from TD to surface. No surface casing will be set and no vent pipe will be needed.

Thank you for you consideration of this matter. If there are any questions, please contact me at d.wertz@hotmail.com or phone me at 316-650-2713.

Sincerely,

David Wertz Agent

For KCC Use ONLY
API#15

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include Items 1 through 3 at the bottom of this page.

Operator: Mid-America Pipeline Company, LLC	Location of Well: County: Kiowa
Facility Name: South Leg	3691teet from N / V S Line of Section
Borehole Number: MP 411.32	13 feet from Z E / W Line of Section
-	Sec. 16 Twp. 30 S. R. 18 E W
	is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Suriace Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: in all cases locate the spot of the proposed drilling locaton.

3691 F5L

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 6, 2014

Mid-America Pipeline Company, LLC 9420 West Sam Houston Parkway North N1.235 PO Box 4324 Houston, TX 77210-4324

RE: Request for Cathodic Wellbore Variance K. A. R. 82-3-702 (b) (4) South Leg MP 411.32 Section 16-T30S-R18W, Kiowa County

Dear Sirs:

The Kansas Corporation Commission has received your request, dated August 6, 2014, for an exception to the minimum surface pipe requirement for a multiple aquifer cathodic well bore completion as set out in K.A.R. 82-3-702(b)(4). From your request, the KCC understands that you are requesting to set 20 feet of 10" PVC casing and utilize Conducrete backfill form 300 feet total depth to surface.

After review of this matter by technical staff it was determined that the proposed construction method will adequately protect fresh and usable water in this area.

Notify the KCC District #1 office prior to spudding the well so they may have the opportunity to witness the well construction procedure.

Sincerely,

Ryan A. Hoffman

Director

cc: Rene Stucky, Production Supervisor

Steve Pfeifer - District #1 Acting Supervisor & 8/5/14 via c-mail