

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 March 2010 Form must be Typed Form must be Signed

≶

CATHODIC PROTECTION BOREHOLE INTENT All blanks must be Filled

Must be approved by the KCC sixty (60) days prior to commencing well.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section feet from E / W Line of Section
Name:	
Address 1:	
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSI
Name:	Cathodic Borehole Total Depth: feet
Type Drilling Equipment:	Depth to Bedrock: fee
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anada installation depths are:	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;;;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
of this well will comply with K.S.A. 55-101 et. seq.	1
t is agreed that the following minimum requirements will be met:	
is agreed that the following minimum requirements will be met.	
1. Notify the appropriate District office prior to spudding and again before plugging the	
and placement is necessary prior to plugging. In all cases, notify District Office prior	r to any grouting.
2. Notify appropriate District Office 48 hours prior to workover or re-entry.	
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
1. The minimum amount of cathodic surface casing as specified below shall be set by	
form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion.	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
d. Submit plugging report (CP-4) within 30 days after final plugging is completed.	Trom (100 1) mum oo dayo nom opaa aato.
Submitted Electronically	
Odbinitied Electronically	
For KCC Use ONLY	
ADI # 45	If this powerit has evering a survill not be drilled a lateral and the lateral
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
Conductor pipe requiredfeet	to the data out below.
Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
0 111	Date Signature of Operator or Agent
Spud date: Agent:	

Side Two

1217493

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

perator:					Location of Well: County:									
acility Name:					·									
orehole	rehole Number:										of Section			
						Se	C	Twp	S.	R	[E	W	
							le G	Section:	Regular o	vr	rrogular			
							15 (Section.	Regular C	,ı	rregulai			
						If S	If Section is Irregular, locate well from nearest corner boundary.							
						Se	ction corne	er used:	NE []	NW _	SE	SW		
	0//-	- 11 5 11-	0-4	Danahata	01		PLAT		at the second second	0/		1' - 11 1 -		
						-			nit boundary lii sas Surface O					
	10430 104	us, tarik bi	atteπου, ρη	pennes an				plat if des		WHO INO	nico Aci	(110030 1	DIII 2002).	
		:	:	:		:	:	:						
		:	•	:		:					LEG	END		
			•			•	•	•						
			-		*******					0	Well I	Location	1	
				:			 : :	:		0		Location Battery	Location	
		:		:		:	············	:		<u> </u>	Tank Pipeli	Battery ine Loca	Location ition	
											Tank Pipeli Elect	Battery ine Loca ric Line I	Location ation Location	
						:					Tank Pipeli Elect	Battery ine Loca ric Line I	Location ition	
											Tank Pipeli Elect	Battery ine Loca ric Line I	Location ation Location	
						:			EX		Tank Pipeli Elect	Battery ine Loca ric Line I	Location ation Location	7
						:			EX		Tank Pipeli Elect	Battery ine Loca ric Line I	Location ation Location	
						:				AMPLE	Tank Pipeli Elect	Battery ine Loca ric Line I	Location ation Location	
) ft.						:				AMPLE	Tank Pipeli Electi Lease	Battery ine Loca ric Line I	Location ation Location	
) ft.	••••••••••••••••••••••••••••••••••••••					:			-	AMPLE	Tank Pipeli Electi Lease	Battery ine Loca ric Line I	Location ation Location	
) ft.	••••••••••••••••••••••••••••••••••••••					:			-	AMPLE	Tank Pipeli Electi Lease	Battery ine Loca ric Line I	Location ation Location	
) ft.	••••••••••••••••••••••••••••••••••••••					:			-	AMPLE	Tank Pipeli Electi Lease	Battery ine Loca ric Line I	Location ation Location	1980' FSL
) ft.	••••••••••••••••••••••••••••••••••••••					:			-	AMPLE	Tank Pipeli Electi Lease	Battery ine Loca ric Line I	Location Ition Location	1980' FSL
) ft.	••••••••••••••••••••••••••••••••••••••					:			-	AMPLE	Tank Pipeli Electi Lease	Battery ine Loca ric Line I	Location Ition Location	1980' FSL
) ft.	••••••••••••••••••••••••••••••••••••••					:			-	AMPLE	Tank Pipeli Electi Lease	Battery ine Loca ric Line I	Location Ition Location	1980' FSL

2044 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit: Pit is:			[†]			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes N	No				
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits			
	om ground level to dee					
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	КСС	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	her:	Dormi	t Date: Lease Inspection:Yes No			



1217493

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:				
Name:					
Address 1:	_ County:				
Address 2:	Lease Name: Well #:				
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	owner information barries found in the records of the register of decas for the				
Address 2:					
City:					
are preliminary non-binding estimates. The locations may be entered of	k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be le	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I					
that I am being charged a \$30.00 handling fee, payable to the I	CC, which is enclosed with this form. fee with this form. If the fee is not received with this form, the KSONA-1				

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Regency Field Services LLC
Well Name	Swank 1
Doc ID	1217493

Anode Installation Depths

epth
95
35
75
85
55
J5
35
25
5
05
95
35
75
55
55
l5
35
25
5
05




For KCC Use ONLY	
API # 15	

Regency field Svc

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: Regency field	Svc		Location of	Well: County: HAMILTON
Facility Name: SWANK			2,044	feet from N / S Line of Section
Borehole Number: 1			30	feet from E / W Line of Section
			Sec20	
			Is Section:	Regular or Irregular
			If Section is	Irregular, locate well from nearest corner boundary.
			Section corn	er used: NE NW SE SW
			PLAT	
Show location of	f the Cathodic Borehole	Show footage to the	e nearest lease or u	nit boundary line. Show the predicted locations of
lease roads, tar	nk batteries, pipelines ar	nd electrical lines, as	required by the Kan	sas Surface Owner Notice Act (House Bill 2032).
		You may attach a	a separate plat if de	sired.
:		:	: :	7
				LECEND
:	: :	;	i i	LEGEND
:				O Well Location
				Tank Battery Location



Pipeline Location -- Electric Line Location Lease Road Location

HAMILTON

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.

OTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.