

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1217609

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | | | API No. 15 | | |
|----------------------------------|--------------------|--------------------|---------------------------------|---------------------------|-----------------------|
| Name: | | | Spot Description: | | |
| Address 1: | | | Sec. | TwpS. R | East _ West |
| Address 2: | | | F6 | eet from North / | South Line of Section |
| City: | State: Z | ip:+ | Fe | eet from East / | West Line of Section |
| Contact Person: | | | Footages Calculated from | Nearest Outside Section C | Corner: |
| Phone: () | | | □ NE □ NW | V □SE □SW | |
| CONTRACTOR: License # | | | GPS Location: Lat: | , Long: | |
| Name: | | | | (e.g. xx.xxxxx) | (e.gxxx.xxxxx) |
| Wellsite Geologist: | | | Datum: NAD27 | NAD83 WGS84 | |
| Purchaser: | | | County: | | |
| Designate Type of Completion: | | | Lease Name: | W | ell #: |
| | e-Entry | Workover | Field Name: | | |
| | _ | | Producing Formation: | | |
| ☐ Oil ☐ WSW ☐ D&A | ☐ SWD | ∐ SIOW ∏ SIGW | Elevation: Ground: | Kelly Bushing: | |
| | GSW | Temp. Abd. | Total Vertical Depth: | Plug Back Total D | epth: |
| CM (Coal Bed Methane) | dow | Temp. Abd. | Amount of Surface Pipe Se | et and Cemented at: | Feet |
| ☐ Cathodic ☐ Other (Co | ore. Expl., etc.): | | Multiple Stage Cementing | Collar Used? Yes | No |
| If Workover/Re-entry: Old Well I | | | If yes, show depth set: | | |
| Operator: | | | If Alternate II completion, c | cement circulated from: | |
| Well Name: | | | feet depth to: | w/ | sx cmt. |
| Original Comp. Date: | | | | | |
| Deepening Re-perf | J | ENHR Conv. to SWD | Drilling Fluid Managemer | nt Plan | |
| Plug Back | Conv. to G | | (Data must be collected from to | | |
| Commingled | Permit # | | Chloride content: | ppm Fluid volume | : bbls |
| Dual Completion | | | Dewatering method used:_ | | |
| SWD | | | Location of fluid disposal if | hauled offsite: | |
| ENHR | Permit #: | | | | |
| GSW | Permit #: | | Operator Name: | | |
| | | | Lease Name: | | |
| Spud Date or Date R | eached TD | Completion Date or | Quarter Sec | TwpS. R | East West |
| Recompletion Date | | Recompletion Date | County: | Permit #: | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

Page Two



| Operator Name: | | | Lease Name: _ | | | Well #: | | |
|--|--|--|---|-------------------------------------|----------------------------|------------------|-----------------------|---------------|
| Sec Twp | S. R | East West | County: | | | | | |
| open and closed, flow and flow rates if gas t | ving and shut-in presson to surface test, along w | formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach | essure reached stati n extra sheet if more | c level, hydrosta space is neede | itic pressures, bott d. | tom hole tempe | erature, fluid r | recovery, |
| | | otain Geophysical Data a or newer AND an image | | egs must be ema | ailed to kcc-well-lo | gs@kcc.ks.gov | v. Digital elec | tronic log |
| Drill Stem Tests Taken (Attach Additional | • | Yes No | | _ | on (Top), Depth ar | | Samp | |
| Samples Sent to Geo | ological Survey | ☐ Yes ☐ No | Nam | e | | Тор | Datur | m |
| Cores Taken Electric Log Run | | ☐ Yes ☐ No ☐ Yes ☐ No | | | | | | |
| List All E. Logs Run: | | | | | | | | |
| | | CASING | RECORD Ne | ew Used | | | | |
| | | Report all strings set- | conductor, surface, inte | ermediate, product | ion, etc. | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and P Additiv | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | ADDITIONAL | OFMENTING / OOL | | | | | |
| Purpose: | Depth | | CEMENTING / SQL | JEEZE RECORD | | araant Additiraa | | |
| Perforate | Top Bottom | Type of Cement | # Sacks Used | | Type and F | ercent Additives | | |
| Protect Casing Plug Back TD | | | | | | | | |
| Plug Off Zone | | | | | | | | |
| Did you perform a hydra | ulic fracturing treatment o | on this well? | | Yes | No (If No, ski | p questions 2 ar | nd 3) | |
| | = | raulic fracturing treatment ex | xceed 350,000 gallons | | = ' ' | p question 3) | , | |
| Was the hydraulic fractu | ring treatment information | n submitted to the chemical | disclosure registry? | Yes | No (If No, fill | out Page Three | of the ACO-1) | |
| Shots Per Foot | | ON RECORD - Bridge Plug Footage of Each Interval Per | | | cture, Shot, Cement | | | Depth |
| | Сроспу Г | octago of Laon morvari of | ioratou | (>1 | mount and rand or ma | teriar Good) | | <u> Борит</u> |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | | |
| Date of First, Resumed | Production, SWD or EN | | | | | | | |
| Fotimeted Device C | 0" - | Flowing | | | Other (Explain) |) O" D " | | |
| Estimated Production Per 24 Hours | Oil E | Bbls. Gas | Mcf Wate | er B | bls. G | Gas-Oil Ratio | Gr | ravity |
| DISPOSITI | ON OF GAS: | 1 | METHOD OF COMPLE | ETION: | | PRODUCTIO | ON INTERVAL: | |
| Vented Sold | | Open Hole | Perf. Dually | Comp. Con | mmingled | | | |
| | bmit ACO-18.) | Other (Specify) | (Submit) | ACO-5) (Sub | omit ACO-4) | | - | |

DRILLERS LOG

Company: THOMPSON OIL Contractor: EK Energy LLC

License# 33977

Farm: MONFORT County: Allen

Well No: B-5 Sec: 15 TWP: 24 Range: 18E

API: 15-001-31002-00-00 Location: 3045' FSL Surface Pipe: 21.1' Location: 2905' FEL

Spot: NE-SE-SE-NW

| 3 | SOIL & CLAY GRAVEL | 7 | |
|-----|-----------------------|---|-----------------------------|
| | GRAVEI | , | Drilled 12.25 Hole Set 85/8 |
| | | 10 | Drilled 6.750 HOLE |
| 44 | LIME | 54 | |
| 84 | SHALE | 138 | |
| 123 | LIME | 261 | Started 7/1//2014 |
| 191 | SHALE | 452 | Finished 7/21/2014 |
| 11 | LIME | 463 | |
| 12 | SHALE | 475 | |
| 12 | SAND | 487 | T.D. Hole 885' |
| 41 | SHALE | 528 | T.D. PIPE 863' |
| 32 | LIME | 560 | |
| 18 | SHALE | 578 | |
| 30 | LIME | 608 | |
| 8 | SHALE | 616 | |
| 4 | LIME | 620 | |
| 5 | SHALE | 625 | |
| 8 | OIL SAND | 633 | |
| 201 | SHALE | 834 | |
| 29 | SAND | 863 | |
| 22 | OIL SAND | 885 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | S. |
| | | 100000000000000000000000000000000000000 | |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc. NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # DATE LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP TICKET NUMBER

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
he driver is requesting that you sign this RELEASE releving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove must form the wheels of his whicle so
that he will not littler the public street. Further, as additional consideration, the undersigned agrees to indemnly and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | |
|-------------------|--------------|------------------|--|--------------|---------------------|
| | | 900 | JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CITATION TRUCK AHEAD ON JOB | 36 | TAX 7.40 |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN OTHER ADDED WATER | TIME DUE | |
| 836 | 845 | 850 | | | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE 2 |
| | | | | | GRAND TOTAL |



E K Energy LLC 1495 3000 St. Moran, Ks. 66755 620-496-2526/620-852-3456 License # 33977

CEMENT RECORD

Company: Thompson Oil

Date 7/21/2014

Lease: Monfort

Well: B-5

Hole size & depth: $6^{3}4 - 885'$ Casing size & depth: 4'4 - 863'

Remarks:

Hooked up to 41/2 casing.

Extablished circulation, pumped 110 5x Cement. Displaced casing. Good returns cement to surface.

DRILLERS LOG

Company: THOMPSON OIL Contractor: EK Energy LLC

License# 33977

Farm: MONFORT County: Allen

Well No: B-5 Sec: 15 TWP: 24 Range: 18E

API: 15-001-31002-00-00 Location: 3045' FSL Surface Pipe: 21.1' Location: 2905' FEL

Spot: NE-SE-SE-NW

| 3 | SOIL & CLAY GRAVEL | 7 | |
|-----|-----------------------|---|-----------------------------|
| | GRAVEI | , | Drilled 12.25 Hole Set 85/8 |
| | | 10 | Drilled 6.750 HOLE |
| 44 | LIME | 54 | |
| 84 | SHALE | 138 | |
| 123 | LIME | 261 | Started 7/1//2014 |
| 191 | SHALE | 452 | Finished 7/21/2014 |
| 11 | LIME | 463 | |
| 12 | SHALE | 475 | |
| 12 | SAND | 487 | T.D. Hole 885' |
| 41 | SHALE | 528 | T.D. PIPE 863' |
| 32 | LIME | 560 | |
| 18 | SHALE | 578 | |
| 30 | LIME | 608 | |
| 8 | SHALE | 616 | |
| 4 | LIME | 620 | |
| 5 | SHALE | 625 | |
| 8 | OIL SAND | 633 | |
| 201 | SHALE | 834 | |
| 29 | SAND | 863 | |
| 22 | OIL SAND | 885 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | S. |
| | | 100000000000000000000000000000000000000 | |