

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	,Sec TwpS. R E W
OPERATOR: License#	(0/0/Q/Q) foot from N / S Line of Section
Name:	fact from   F /   W Line of Continu
Address 1:	L OFOTION D L L O
Address 2:	
City: State: Zip: +	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	,
Seismic ;# of HolesOther	Depth to bottom of fresh water:
Other:	
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  No Well Farm Pond Other
If Yes, true vertical depth:	
Bottom Hole Location:	DWK Femili #
KCC DKT #:	(Note: Apply for Fernila With DWK)
	If Yes, proposed zone:
	II 163, proposed 2011e
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and ever	entual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
	l on each drilling rig:
2. A copy of the approved notice of intent to drill shall be posted	I on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set
2. A copy of the approved notice of intent to drill shall be posted	If be set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>A copy of the approved notice of intent to drill shall be posted</li> <li>The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging;
<ol> <li>A copy of the approved notice of intent to drill shall be posted</li> <li>The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in;
<ol> <li>A copy of the approved notice of intent to drill shall be posted</li> <li>The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approved notice of intent to drill shall be posted</li> <li>The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted</li> <li>The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approved notice of intent to drill shall be posted</li> <li>The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted</li> <li>The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted</li> <li>The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted.</li> <li>The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eit</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we</li> </ol>	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
A copy of the approved notice of intent to drill shall be posted.     The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe     If the well is dry hole, an agreement between the operator an     The appropriate district office will be notified before well is eit     If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we  Submitted Electronically  For KCC Use ONLY	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; mer plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing II shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the approved notice of intent to drill shall be posted.  3. The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator an  5. The appropriate district office will be notified before well is eit  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we  submitted Electronically  For KCC Use ONLY  API # 15 -	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing II shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
A copy of the approved notice of intent to drill shall be posted.     The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe     If the well is dry hole, an agreement between the operator an     The appropriate district office will be notified before well is eit     If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we  Submitted Electronically  For KCC Use ONLY	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; mer plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted.  3. The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator an  5. The appropriate district office will be notified before well is eit  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we  submitted Electronically  For KCC Use ONLY  API # 15 -	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall be posted.  3. The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator an  5. The appropriate district office will be notified before well is eit  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	## be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.  ### Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted.  3. The minimum amount of surface pipe as specified below sha through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator an  5. The appropriate district office will be notified before well is eit  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the we  Submitted Electronically  For KCC Use ONLY  API # 15	If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: \_

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Date:
2



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

Operator:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

Operator:	Leodateri er treit.
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R
North and Associate Westerlie to well	
Number of Acres attributable to well:  QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
QTR/QTR/QTR 01 acreage	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
Р	PLAT
	lease or unit boundary line. Show the predicted locations of
	equired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a s	separate plat if desired.
2583 ft.	
	LEGEND
	O Well Location
	O Well Location  Tank Battery Location
	i lank Battery Location Pipeline Location
	: Electric Line Location
	Lease Road Location
4700 (	EXAMPLE : :
1720 ft.	
30	
	1980' FSL
	·······

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed  If Existing, date col  Pit capacity:  urea?  Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.
		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1217675

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	3		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an addition		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,  I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1		
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF  Submitted Electronically	- I wiii be returnea.		
T.			

×

×

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

## **NOTICE**

## **Nearest Lease or Unit Boundary Line**

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.