

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:			_ Spot Description:
	month day	year	Sec Twp S. R
OPERATOR: License#			(Q/Q/Q/Q) foot from N / S Line of Soction
			feet from E / W Line of Section
address 1:			Is SECTION: Regular Irregular?
ddress 2:			(Note: Locate well on the Section Plat on reverse side)
city:			·
ontact Person:			County: Well #:
hone:			
ONTRACTOR: License#			Field Name:
lame:			is the different operation.
<u></u>			iaigot i omaton(o).
Well Drilled For:	Well Class: Type I	Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec	Infield N	/lud Rotary	Ground Surface Elevation:feet MS
Gas Storage	Pool Ext.	Air Rotary	Water well within one-quarter mile:
Disposal		Cable	Public water supply well within one mile:
Seismic ;# of Ho	oles Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well infor	rmation as follows:		Surface Pipe by Alternate: I I II
			Length of Surface Pipe Planned to be set:
Operator:			
Original Completion Date:_	Original Total D	Depth:	
Nine etional Deviated on Henine.	معم اللمين المعم	Yes No	Water Source for Drilling Operations:
Directional, Deviated or Horizor	ntal wellbore?	I resi inc	
f Vas true vertical denth:			Well Talliffold Other.
f Yes, true vertical depth:			DWR Permit #:
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR) Will Cores be taken?
Sottom Hole Location:CCC DKT #:		A	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby affire	ms that the drilling, complet	A ion and eventual	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby affiring the agreed that the following	ms that the drilling, complet	A ion and eventual be met:	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby affiring the agreed that the following the suppropriate of the suppropriate	ms that the drilling, complet minimum requirements will	A ion and eventual be met: ing of well;	DWR Permit #:
Sottom Hole Location: CCC DKT #: The undersigned hereby affirities agreed that the following 1. Notify the appropriate of the properties of the proved of the approved of the	ms that the drilling, complet minimum requirements will district office prior to spuddi I notice of intent to drill shal of surface pipe as specified	ion and eventual be met: ing of well; II be posted on ea below shall be s	DWR Permit #:
CCC DKT #: The undersigned hereby affirm t is agreed that the following 1. Notify the appropriate of the company of the approved and through all unconsolidations.	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddi I notice of intent to drill <i>shal</i> of surface pipe as specified ated materials plus a minimu	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
CCC DKT #: The undersigned hereby affirm t is agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved of through all unconsolidations.	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified ated materials plus a minimular agreement between the company of the surface process.	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the decimal of the sum of 20 feet into operator and the decimal of the sum of 20 feet into operator and the decimal of the sum of 20 feet into operator and the decimal of the sum of 20 feet into operator and	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging;
CCC DKT #: The undersigned hereby affirm t is agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved all unconsolidated. If the well is dry hole, a first the appropriate district	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified ated materials plus a minimum agreement between the cottoffice will be notified before	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either plu	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in;
the undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the approved in the image and the image	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified ated materials plus a minimum agreement between the cottoffice will be notified before DMPLETION, production pipes.	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved at the following all unconsolida of the well is dry hole, and of the appropriate district of the appropr	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified ated materials plus a minimum agreement between the cottoffice will be notified before DMPLETION, production pigix "B" - Eastern Kansas surface.	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer face casing order	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in;
CCC DKT #: The undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the approved in the well is dry hole, and in the appropriate district in the appropri	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified ated materials plus a minimum agreement between the cottoffice will be notified before DMPLETION, production pigix "B" - Eastern Kansas surface.	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer face casing order	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved at the following all unconsolida of the well is dry hole, and of the appropriate district of the appropr	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified ated materials plus a minimum agreement between the cottoffice will be notified before DMPLETION, production pigix "B" - Eastern Kansas surface.	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer face casing order	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
cottom Hole Location:CC DKT #:	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimum an agreement between the ot office will be notified before DMPLETION, production pipits "B" - Eastern Kansas surface will a spud date	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer face casing order	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
CCC DKT #: The undersigned hereby affirm the agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved of the agreed all unconsolidated. If the well is dry hole, and the appropriate district of	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimum an agreement between the ot office will be notified before DMPLETION, production pipits "B" - Eastern Kansas surface will a spud date	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer face casing order	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
CCC DKT #: The undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the approved of the appropriate district of the well is dry hole, and of the appropriate district of	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimum an agreement between the ot office will be notified before DMPLETION, production pipits "B" - Eastern Kansas surface will a spud date	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer face casing order	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and of the well is dry hole, and of the appropriate district of the appropriate district of the appropriate of the well is dry hole, and the well	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimum an agreement between the ot office will be notified before DMPLETION, production pipitix "B" - Eastern Kansas surfain 30 days of the spud date	ion and eventual be met: ing of well; II be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemer face casing order e or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
cottom Hole Location:CC DKT #:	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spudding to district of intent to drill <i>shall</i> at a specified between the control of the specified before DMPLETION, production pignix "B" - Eastern Kansas surfain 30 days of the spud date ally	ion and eventual be met: ing of well; il be posted on ea below shall be sum of 20 feet into operator and the de well is either plube shall be cemer face casing order e or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the image of the ima	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified atted materials plus a minimum agreement between the cut office will be notified before DMPLETION, production piplix "B" - Eastern Kansas surfain 30 days of the spud date ally	ion and eventual be met: ing of well; If be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemerace casing order e or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirm is agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and of the well is dry hole, and of the appropriate district of the appropriate of the well is dry hole, and of the appropriate of the well is dry hole, and the well is dry hole. Sometimes the well is dry hole, and the well is dry hole, and the well is dry hole, and the well is dry hole. The well is dry hole, and the well is dry hole, and the well is dry hole, and the well is dry hole. The well is dry hole, and the well is dry hole, and the well is dry hole, and the well is dry hole. The well is dry hole, and the well i	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified atted materials plus a minimum agreement between the cut office will be notified before DMPLETION, production piplix "B" - Eastern Kansas surfain 30 days of the spud date ally	ion and eventual be met: ing of well; If be posted on ea below shall be sum of 20 feet into operator and the de well is either pluce shall be cemerace casing order e or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
CCC DKT #: The undersigned hereby affirities agreed that the following 1. Notify the appropriate of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Append must be completed with Ubmitted Electronical For KCC Use ONLY API # 15	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spudding the forest of surface pipe as specified ated materials plus a minimular agreement between the control of surface will be notified before DMPLETION, production pipits "B" - Eastern Kansas surface with a days of the spud date ally	ion and eventual be met: ing of well; il be posted on ea below shall be sum of 20 feet into operator and the de well is either plube shall be cemer face casing order e or the well shall be the well shall be centured by the well shall be centured	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. And drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
CCC DKT #: The undersigned hereby affirit is agreed that the following 1. Notify the appropriate of the approved of the appropriate district of the well is dry hole, a of the appropriate district of the appropriate of	ms that the drilling, complet minimum requirements will district office <i>prior</i> to spuddid notice of intent to drill <i>shal</i> of surface pipe as specified atted materials plus a minimum agreement between the cut office will be notified before DMPLETION, production piplix "B" - Eastern Kansas surfain 30 days of the spud date ally	ion and eventual be met: ing of well; il be posted on ea below shall be sum of 20 feet into operator and the de well is either plube shall be cemer face casing order e or the well shall be the well shall be centured by the well shall be centured	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Bistrict office on plug length and placement is necessary prior to plugging; and any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

Side Two



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

tor:	Location of Well: County:
	feet from N / S Line of Section
umber:	feet from E / W Line of Section
er of Acres attributable to well: QTR/QTR/QTR of acreage:	is Section. Regular of Tregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	DI AT
Show location of the well. Show footage	PLAT to the nearest lease or unit boundary line. Show the predicted locations of
-	ical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
You	may attach a separate plat if desired.
: : :	· · ·
	LEGEND
	: : : : ELGEND
	: : O Well Location
	Tank Battery Location
	Pipeline Location
	: : : : : : : : : : : : : : : : : : :
	Lease Road Location
	· · · · · · · · · · · · · · · · · · ·
: : :	
	EVANDIE : :
	EXAMPLE EXAMPLE
7	
: : : : : : : : : : : : : : : : : : : :	
	' ' <u></u> ;
: : :	1980' FSL
	<u></u>
	FOC #
	96 stward co. 3390' FEL

250 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l			
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?			
			NAC data (for a)			
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit			
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining			
material, thickness and installation procedure.			cluding any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:			
feet Depth of water wellfeet		measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	l utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.			
Submitted Electronically						
	KCC OFFICE USE ONLY					
			Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



1217717

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	ine leader seleni.
Phone: () Fax: () Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,	
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	

Kickerson
n lease

					20.02	
	1					
						ar
	U-					
			11/4			
3 8						
				The state of the s		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 12, 2014

Russ Rickerson Rickerson, Russell 4252 JOHN BROWN RD RANTOUL, KS 66079-9091

Re: Drilling Pit Application Rickerson 9 SE/4 Sec.07-18S-21E Franklin County, Kansas

Dear Russ Rickerson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.