

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
	Sec Twp S. R L E L V
PPERATOR: License#	feet from N / S Line of Section
ame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	County:
ontact Person:hone:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old wall information as fallows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
Bottom Hole Location:	DWK Pelliit #.
CCC DKT #:	(1000) (1000)
	Will Coles be taken?
	If Yes, proposed zone:
AF	If Yes, proposed zone:
	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plates is agreed that the following minimum requirements will be met:	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the sum o	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the sum o	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and all the strength of t	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the agreed and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search of the search through all unconsolidated materials plus a minimum of 20 feet into the search of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the shall be districted. If the well is dry hole, an agreement between the operator and the distriction of the specified before well is either plug of the shall be completed within 30 days of the spud date or the well shall be shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placement of surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disestant of the street of the spurious of the well shall be set that the street of the spurious of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  **Ibmitted Electronically**  For KCC Use ONLY  API # 15	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all unconsolidated materials plus a minimum of 20 feet into the set through all be compared to the set of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an acceptance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the spud date or and the discount of the spud before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the distance of the well is district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Agent:

Spud date: \_

Location of Well: County:

For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	is Section. Regular of Integular
<b>v</b> —— —— —— ——	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	Section corner used.
<b>D</b>	I AT
	LAT
	lease or unit boundary line. Show the predicted locations of
	quired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if de <u>sired.</u>
fou may attach a s	2235 ft.
	-:-
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	: Electric Line Location
	Lease Road Location
	Ecase Road Escation
	278 ft.
	(a)
	EXAMPLE :
32	
92	
	1980' FSL
	········.
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1218164

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes N	No		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits	
	om ground level to dee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:  Depth to shallo Source of infort		owest fresh water feet. mation:		
feet Depth of water wellfeet measured		sured well owner electric log KDWR		
· ·		Drilling, Work	over and Haul-Off Pits ONLY:	
		Type of materia	e of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	r of working pits to be utilized:	
Barrels of fluid produced daily: Abandonment		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		nust be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	her:	Darmi	t Date: Lease Inspection: Yes No	

CORRECTION #1 1218164 Kansas Corporation Commission

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

# **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East _ West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	g fee with this form. If the fee is not received with this form, the KSONA-1-1 will be returned.
Submitted Electronically	
[	

For KCC	Use ONLY
API # 15	j

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease: Mai	Harold Dvorachek db nnschreck	a Quest Dev.	Co.			Location of W 2,235	Well: County: Coffey	
			feet from X N / S Line of Section  feet from X E / W Line of Section					
Field: Parn	er							1
rieid.	ioly		-			Sec. 32	Twp. 22S. R. 17 X E W	
Number of	Acres attributable	to well:		2		Is Section:	⊠pt □tt	
	QTR/QTR of acre					is Section:	Regular or Irregular	
						Section corne	is Irregular, locate well from nearest corner boundary.  Inner used: NE NW SE SW  Indary line. Show the predicted locations of insas Surface Owner Notice Act (House Bill 2032).	
	rouse rouus, tarin	batteries, p	ipelliles and			ate plat if des		
				Tou may at	lacii a sepai	272	B FEL	
				•				
					:			
	:	:	:				LEGEND	
							O Well Location	
			:					
	:	:	:		:		Tank Battery Location	
						8	pointe Location	
	3					8	Electric Line Location	
						•	Lease Road Location	
						ó	2235	
						- 2	FNL	
			1				EXAMPLE : :	
	· · · · · ·	<u>:</u>	:		:	<del>:</del>	_	
				:				
	:		.					
				:	:	i		
		:	:	:	:			
							1980' FSI	
							1980' FSI	
2							1980' FSI	_

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 12, 2014

Hal Dvorachek Dvorachek, Harold A. dba Quest Development Co. PO BOX 413 IOLA, KS 66749-0413

Re: Drilling Pit Application API 15-031-23928-00-00 Mannschreck 20 NE/4 Sec.32-22S-17E Coffey County, Kansas

#### Dear Hal Dvorachek:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

# **Summary of Changes**

Lease Name and Number: Mannschreck 20

API/Permit #: 15-031-23928-00-00

Doc ID: 1218164

Correction Number: 1

Approved By: Rick Hestermann 08/12/2014

Field Name	Previous Value	New Value
ElevationPDF	1033 Estimated	1034 Estimated
Ground Surface Elevation	1033	1034
KCC Only - Approved By	Rick Hestermann 06/19/2014	Rick Hestermann 08/12/2014
KCC Only - Approved Date	06/19/2014	08/12/2014
KCC Only - Date Received	06/19/2014	08/11/2014
LocationInfoLink	https://kolar.kgs.ku.edu/kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform
Number of Feet East or West From Section Line	ation.cfm?section=32&t 275	ation.cfm?section=32&t 278
Number of Feet East or West From Section Line	275	278
Number of Feet North or South From Section	2285	2235
Line Number of Feet North or South From Section Line	2285	2235

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 10330	//kcc/detail/operatorE ditDetail.cfm?docID=12 18164

# **Summary of Attachments**

Lease Name and Number: Mannschreck 20

API: 15-031-23928-00-00

Doc ID: 1218164

Correction Number: 1

Approved By: Rick Hestermann 08/12/2014

**Attachment Name** 

Fluid