For KCC Use:

Eff	e	ct	iv	е	Date:

District	#	
DISTINCT	Ħ	

Yes No SGA?

# KANSAS CORPORATION COMMISSION

**OIL & GAS CONSERVATION DIVISION** 

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE	<b>OF INTENT</b>	TO DRILL
--------	------------------	----------

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Ce	ertification of Comp	liance with	the Kansas	Surface	Owner Notification A	Act, MUST	T be submitted with this form.

Expected Spud Date:	Spot Description:
OPERATOR: License#	S. R E □ W Feet from □ N / □ S Line of Section feet from □ E / □ W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1:	
Address 2:	(Note: Locate well on the Section Plat on reverse side)
,,	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For:   Well Class:   Type Equipment:     Oil   Enh Rec   Infield   Mud Rotary     Gas   Storage   Pool Ext.   Air Rotary     Disposal   Wildcat   Cable     Seismic ;   # of Holes   Other     Other:	Nearest Lease or unit boundary line (in footage):
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

#### **AFFIDAVIT**

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

## Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT. II
Approved by:	
This authorization expires:	tarted within 12 months of approval date.)
Spud date: Ag	gent:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: \_ Signature of

Operator	or Agent:	



For KCC Use ONLY

API # 15 - \_\_\_\_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Side Two

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 200 ft.- 940 ft. LEGEND Well Location Ο Tank Battery Location **Pipeline Location** ----- Electric Line Location Lease Road Location EXAMPLE : : : ÷ 30 . . . . . . . . . ..... .... . . . . . . . . 1980' FSL SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1218601

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		ionni în Duplicat	License Number:	
Operator Address:			1	
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:	Existing	SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
	ксс	OFFICE USE O	NLY	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Kansas Corpora Oil & Gas Conse CERTIFICATION OF CO KANSAS SURFACE OWN	RVATION DIVISION   January 2014     Form Must Be Typed   Form must be Signed     All blanks must be Filled   Form must be Filled
This form must be submitted with all Forms C-1 (Notice of I T-1 (Request for Change of Operator Transfer of Injection or Any such form submitted without an accorr Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	Surface Pit Permit); and CP-1 (Well Plugging Application). npanying Form KSONA-1 will be returned.
OPERATOR:   License #	Well Location:
Surface Owner Information:     Name:     Address 1:     Address 2:     City:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.


#### Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

## Submitted Electronically

I



14 13	3	18		1'	7	16
14 15	5					
ояя 10яя. 550 5150 Джове 1 5150 5150		EVANE-3405 1-18H EVANE 3405 2-19H EXXY SWD 3405 1-19				
23 2	24	19		2 8486ETT 1 4753 X	0	21
			Westwint twestwin 1 2035 1 2005 2005 2005 2005 2005 2005 2005 2	BRITT 1-20H H TAVLOR 3495-9-28HBRITT 3406 4-2	иялетт намаетт 1TAYLOR 3406 2-29HBRITT 340 5772 - 5772 - разветт 1 - развет 1	)6 2-20H
34S 7V 26 LIRRY 3407 1-26 ↓ DIXIE 3407 1-25			рентон нюцт рентон 1 500 жд. 500 жд. солтон новлючи 501 гох трентон гох 1 солтон новлючи 502 жд. 500 хд. 200 хд. 500	2	29	28 80404 1 5555 2204 2004 8535
35 MOORE 3407 1-35H ↓ SansRdys Wells Sandrage SMD Wells Competitor Wells X ABANCORED LOCATION X DRY HOLE TEVPORARLY ABANDONED © GAS WELL ↓ JUNKED AND ABANDONED WELL	36	31			мм. болого тим воласетт 1 5149 2549 Ждмм. баласетт 1 5329 32	33
VOIL WELL START SanoR dge Unit Lines SanoR dge Unit Lines Start Review Start Star	W	6	35	58 6W	5	4

## Jane 3406 1-30H

## Lease Information Sheet


# **Unit Description:**

All of Section 30-T34S-R06W Harper County

## **Surface Owner:**

Larry E. Whisman & Jane A Whisman, HW 722 E. Walnut Street Anthony, KS 67003 620-842-3660

Jane 3406 1-30H & Jane 3406 2-30H



This plat is for proposed information only and may not represent the final drilling pad layout of wells, utilities or tank battery. Please refer to the Kansas Survey Plat for the actual location of wells. Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner Sam Brownback, Governor

August 18, 2014

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Jane 3406 1-30H NE/4 Sec.30-34S-06W Harper County, Kansas

Dear Wanda Ledbetter:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 120 hours after drilling operations have ceased.

# If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.