

Confidentiality Requested:

Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1219237

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			Sec.	TwpS. R	East _ West		
Address 2:			F6	eet from North /	South Line of Section		
City:	State: Z	ip:+	Feet from East / West Line of Section				
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:		
Phone: ()			□ NE □ NW	V □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	W	ell #:		
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:			
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:		
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set:				
Operator:			If Alternate II completion, c	cement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan			
Plug Back	Conv. to G		(Data must be collected from to				
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
ENHR	Permit #:						
GSW	Permit #:		Operator Name:				
			Lease Name:				
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West		
Recompletion Date		Recompletion Date	County:	Permit #:			

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in presson surface test, along	sures, whether with final chart	shut-in pre (s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bot d.	tom hole temp	erature, fluid	recovery,
Final Radioactivity Lo- files must be submitte						ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital elec	tronic log
Drill Stem Tests Taker (Attach Additional S		Yes	No				on (Top), Depth ar		Sam	
Samples Sent to Geo	logical Survey	Yes	☐ No		Nam	e		Тор	Datu	m
Cores Taken Electric Log Run		Yes Yes	☐ No ☐ No							
List All E. Logs Run:										
				RECORD	Ne					
	0	· ·				ermediate, product		T "0 1	I	
Purpose of String	Size Hole Drilled	Size Ca Set (In 0		Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and I Additiv	
		Al	DDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of C	ement	# Sacks	Used		Type and P	ercent Additives		
Perforate Protect Casing	Top Bottom									
Plug Back TD Plug Off Zone										
r lug on zone										
Did you perform a hydrau	ulic fracturing treatment	on this well?				Yes	No (If No, ski	p questions 2 ar	nd 3)	
Does the volume of the to								p question 3)		
Was the hydraulic fractur	ing treatment information	on submitted to th	ne chemical o	disclosure re	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Footage of Each					cture, Shot, Cement		d	Depth
	Эреспу	1 Oolage of Lacif	iliterval Feli	Orated		(A	THOURT AND KIND OF MA	teriai Oseu)		Берит
TUBING RECORD:	Size:	Set At:		Packer A	+-	Liner Run:				
TOBING FILEGORIS.	0.20	001711.		r donor 7	••	[	Yes No			
Date of First, Resumed	Production, SWD or EN	NHR. Pro	oducing Meth		a $\Box$	Coo Lift 0	Other (Evelein)			
Estimated Dradustics	0.11	Dhla	Flowing	Pumpin			Other (Explain)	Nee Oil D-#-		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	eı B	bls. C	Gas-Oil Ratio	G	iravity
	ON OF GAS:	Open		METHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:	
Vented Sold	Used on Lease  bmit ACO-18.)		(Specify)	_ 1 011.	(Submit		mit ACO-4)			

#### DRILLERS LOG S. 16 T. 24 R. 18 E. API NO: 15 - 001 - 30843 - 00 - 00 LOCATION: SE NW NE NE OPERATOR: COLT ENERGY, INC. COUNTY: ALLEN 963 ELEV. GR.: ADDRESS: P.O. BOX 388, IOLA, KS 66749 DF: LEASE NAME: CLINE WELL#: E-3 FEET FROM (E) (W) LINE LINE 730 (N)(S) FEET FROM 399 FOOTAGE LOCATION: GEOLOGIST: JIM STEGMAN CONTRACTOR: FINNEY DRILLING COMPANY P.B.T.D. TOTAL DEPTH: 1020 5/29/2014 SPUD DATE: OIL PURCHASER: COFFEYVILLE RESOURCES CRUDE TRANSPORTATION 6/4/2014 DATE COMPLETED: **CASING RECORD** REPORT OF ALL STRINGS - SURFACE, INTERMEDIATE, PRODUCTION, ETC. PURPOSE OF STRING SIZE HOLE | SIZE CASING SET (in TYPE AND % ADDITIVES TYPE WEIGHT SACKS SETTING DEPTH CEMENT (.O.O LBS/FT DRILLED SERVICE COMPANY 10

22.40

1012.25

**WELL LOG** 

28

10.5

8.6250

4.5

CORES: #1 - 878 - 908

12.2500

6.7500

RECOVERED:

ACTUAL CORING TIME:

SURFACE:

PRODUCTION:

RAN: 4 - CENTRALIZERS

OWC

1 - 5ft FLOAT SHOE

ELITE

1 - CLAMP

USE 1.5 GALLON POLY PLUS

FORMATION	TOP	BOTTOM
TOP SOIL	O O	2
CLAY	2	14
GRAVEL	14	19
LIME	19	20
SHALE	20	24
LIME	24	31
SHALE	31	47
LIME	47	74
SAND & SHALE	74	88
LIME	88	98
SHALE	98	122
LIME	122	132
SHALE	132	180
LIME	180	250
SHALE	250	
LIME	256	256 278
SHALE	278	284
LIME	284	290
SHALE	290	294
LIME	294	296
SAND & SHALE	296	472
SHALE & LIME	472	495
LIME	495	507
SAND & SHALE	507	561
SHALE & LIME	561	573
LIME	573	576
SHALE & LIME	576	582
LIME	582	589
SAND & SHALE	589	592
LIME	592	593
SAND & SHALE	593	604
LIME	604	637
SHALE	637	641
LIME	641	644
SHALE	644	684
	684	686
LIME SHALE	686	709
LIME	709	710
	710	868
SAND & SHALE	868	898
OIL SAND & SHALE	000	- 535

398	997 999 1020 T.D.
997 999	999 1020 T.D.
399	1020 T.D.
	11111111111111111111111111111111111111
" "	
7.	
***************************************	<del></del>
	1
	1

# 810 E 7<sup>TH</sup> PO Box 92 EUREKA, KS 67045 (620) 583-5561

# Cementing & Acidizing of Kansas, LLC



Ticket No. 1326

Foreman Rick Ledford

Camp Euro Vs

		APIH15	- OOI- 30843				<u> </u>		
Date	Cust. ID#	Lease	e & Well Number	******************************	Section	Township	Range	County	State
6/9/14	1003	Cline	E-3		16	245	185	Allen	Ks
Customer				Safety	Unit #		iver	Unit #	Driver
L	olt Eners	Joc.		Meeting	102	<i>C</i> hci:		THE DESIGNATION OF THE PROPERTY OF THE PROPERT	SAMP CONCEP CONTACTIONS - Locality Annual Con-
Mailing Address		, ,		CB.			Aldrian Francisco		
Ρ.	<u>0. Bax 3</u>	88		J#	:	—— <del> </del>			
City		State	Zip Code	1					
工。	14	125	66749		,				TO APPENDED TO THE PERSON OF T
ے۔۔۔۔ Job Type	-/5	Hala Man	th		Sturry Vol	38 AN	Tul	bing	
Casing Depth_	7 .		e 63/4"		-			<del></del>	THE RESERVE OF THE PROPERTY OF
Casing Deput Casing Size & V	nu //11-11 20	/			•			ill Pipe	:
			eft in Casing <u> </u>					her	·
Displacement	/C+, (35)	Displace	ment PSI 606		Bump Plug to	1000		PM	
Remarks: <u></u>	safety co	cctics.	2.3.4p. ±0.4	1/z 1 cas	ing Bu	ON CYCU	ation the	15 365 4	resh
Water	lung 3	00# gel- SI	ush 1.1 hulls	5 5	Bbi Hate	509/61.	MIXPH	110 -513 the	Exict
			G 13,7# /50)						
- w/ /le."	Bbl Na	tu Final		6000	PS= Bung	a also to	1000 13	J / ( ) cot-	Decessione
-C)0=+ +	· also he	J. J. Crand	cement 10tw	as to	sucteed :	(a (3) 3	June to	a.t. Tab co	alade
P.s dow		72 1 2//2/2	<u> </u>			— (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		af etter kristis vien vien mennetitle bleviteter vien i trastet.	Magazina kalendari katalan kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari kal Kalendari
					and forms of the following streets of the second desire for the			( A	
Philodological Anticological Inter-control of									
							704 (ANT) (74 - ANT) (77 - ANT) (ANT) (ANT) (ANT)	AND THE PROPERTY OF THE PROPER	ORGANISMO DE TORA I ALIBONO DE TORA ESPARA ESPA
		T TO E CONTROL OF COMMAND AND A STREET,	· -Th.	المركب المساورة	1 1		4.11.00.00 a 1.40.00 a 1.41.00	· 0.	

~t-	T 04 11		12.54 Pt. 3	21.29
Code	Qty or Units	Description of Product or Services	Unit Price	Total
<u> </u>	<u></u>	Pump Charge	10.50.00	1050.00
C107 "	50	Mileage	3.75	-un marine de la Production de la Communicación de la Communicación de la Communicación de la Communicación de
(201	110 3/3	Encyet cement	19.50	2145.00
1208	220+	2# phonosco2 L316		275.00
C 206	300*	901- 11154	. 20	6.6-M
C214	<u> </u>	Kults	115	18.00
C1073		ton mileage busk tou	. /.35	408.38
<u> </u>	· · · · · · · · · · · · · · · · · · ·	41/3" top cuball plus		45.06
MATERIAL VALUE MATERIAL MATERIAL	NATIONALI ANNO ANNO ILLA PROPERTO ANNO NOBLE ANNO ANNO ANNO ANNO ANNO ANNO ANNO ANN			
		( 090 <014.30)	· ·	· · · · · · · · · · · · · · · · · · ·
. Progression residence and construction	**************************************	6-116A.Al		
	en verten er en			// O O O -
	<i>_</i>		<u> </u>	4/198 82 .
Authoriz	ation _	RAME Title	Total	478-8M:OLG