

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #	±			
SGA?	Yes	No		

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month day	year	SecTwpS. R 🔲 E 🔲 V
OPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Section
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	Equipment:	Ground Surface Elevation:feet MS
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispo		Cable	,
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Total	Depth:	
Directional Devicted or He	rizontal wallhara?	Yes No	Water Source for Drilling Operations:
Directional, Deviated or Hol	nzontai welibore?		Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned hereby a	affirms that the drilling, comple		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, comple	etion and eventual pl	
It is agreed that the follow	ring minimum requirements wil	etion and eventual pl	
t is agreed that the follow 1. Notify the appropria	ring minimum requirements will attend district office <i>prior</i> to spude	etion and eventual pl Il be met: ding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro	ring minimum requirements wil ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i>	etion and eventual pl Il be met: ding of well; all be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconsor	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minim	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befo	etion and eventual plus be met: ding of well; all be posted on each discount be seen and the discount be discoun	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production p	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plus bef	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the vicinculating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plus before the plus	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically	etion and eventual plants be met: ding of well; all be posted on each discovery be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required -	ring minimum requirements will atte district office <i>prior</i> to spuddoved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas sur within 30 days of the spud data inically	etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required Approved by:	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically	etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically	etion and eventual plus be met: ding of well; all be posted on each discovery be per ALT. I I II	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
_ease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	SecTwpS. R 🗌 E 🗍 W		
Number of Acres attributable to well:	is Section. Negulai of Integulai		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		
lease roads, tank batteries, pipelines and electrical lines, as	PLAT est lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.		
	. =====		
	LEGEND		
©	O Well Location Tank Battery Location Pipeline Location 2275 ft. Electric Line Location Lease Road Location		
	·		
	EXAMPLE :		
22			
	1980' FSL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from
Is the bottom below ground level? Yes No			How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):Length (fee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:
Submitted Electronically Drill pits must be closed within 365 days of spud date.			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Number:P		Permi	t Date: Lease Inspection: Yes No



1219280

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
are preliminary non-binding estimates. The locations may be entered of	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface o	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this s of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.		
Submitted Electronically			
T.			

TOTO ENERGY, LLC WOOD LEASE NE. 1/4. SECTION 22. T265, R16W

EDWARDS COUNTY, KANSAS

SAND ROAD SAND TRAIL (V ROAD) TANK BATTERY Drillsite Location Wood #1 1420'FNL 2310'FEL -APPROX. LOCATION CENTER PIVOT IRR. SYSTEM Ground Elevation = 2073 $Y = 403261 \quad X = 1838791$ FARMSTEAD *Alternate Location (35'east of Loc.) 1420'FNL 2275'FEL Ground Elevation = 2073 $Y = 403261 \quad X = 1838826$ State Plane-NAD 27-Kansas South (Mapping Grade GPS Used) 22 RESOTH Notes; 1. Set (2) wood stakes at location site. 2. All flagging Red & Yellow. 3. Overhead power available at E. line, Sec. 22. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelines in Sec. 22. 6. Contact landowner for best access. 7. Location fell 7'west of a pivot system wheel track, set alternate 35 east. (W ROAD) NO ROAD 8 Fellsburg 22

183

April 23, 2014

Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Konsas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas diffield Services. Inc. its officers and employees harmless from all lasses, costs and expenses and said entities released from any liability from incidental or consequential damages

For KCC Use ONLY		
API # 15	······································	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Tota Enry 14C Lease: Roing the Wood Well Number: 22-1 Field:	Location of Well: County: Edwards 1420 feet from N / S Line of Section 7275 feet from E / W Line of Section Sec. 24 Twp. 26 S. R. 16 E N W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	is account. The interioral of a fine interioral
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and ele	PLAT age to the nearest lease or unit boundary line. Show the predicted locations of ectrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.
17	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
	EXAMPLE
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 27, 2014

Terry Madden Toto Energy, LLC 25815 OAK RIDGE DR SPRING, TX 77380

Re: Drilling Pit Application Bring The Wood 22-1 NE/4 Sec.22-26S-16W Edwards County, Kansas

Dear Terry Madden:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.