

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	=
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month dav vear	Spot Description:
month day year	(0/0/0/0) Sec Twp S. R E V
PPERATOR: License#	feet from N / S Line of Section
ame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	- Will Cores be taken? Yes N
	If Yes, proposed zone:
ΔΕ	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual p	
	3 3 3 3 3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	th drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the distriction.	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> second of the second of	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the standard of the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district off	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the great g
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appropriate district office will be notified before well as either plug of the appr	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; upon ground groun
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the great g
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order from must be completed within 30 days of the spud date or the well shall be 	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 1133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order from must be completed within 30 days of the spud date or the well shall be 	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the surface of the surface casing order from the surface of the well shall be completed within 30 days of the spud date or the well shall be sufficiently 	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an an amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order from must be completed within 30 days of the spud date or the well shall be appropriate district office will be completed or the well shall be appropriated by the spud date or the well shall be appropriated. 2. A copy of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be appropriated.	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. Als 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved of the approved of the approved of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appendix "B" - Eastern Kansas surface casing orde	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accomplishment of the approved notice of intent to drill <i>shall be</i> posted on each an accomplishment of the approved notice of intent to drill <i>shall be</i> posted on each and the accomplishment of the approved notice of intent to drill <i>shall be</i> posted on each and the accomplishment of a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the accomplishment of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the appropriate of the accomplishment of the	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. All 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. All 233,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the district office prior and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud before well is either plug of the spud date or the well shall be defined before well is either plug of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; tend from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing tend plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

_ Agent:

Spud date: _

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
•	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as req	AT ease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032). eparate plat if desired. 750 ft.
	<u> </u>
	LEGEND
	Tank Battery Location
	Pipeline Location
	: Electric Line Location
	Lease Road Location
	·
	EXAMPLE : :
	- :
33	
	1980' FSL
	······

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1219673

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date collination Pit capacity:	Existing	SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	

CORRECTION #1 Kansas Corporation Commission

1219673

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	_ Well Location:		
Name:			
Address 1:	_ County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()	_		
Email Address:	_		
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+	_		
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will b	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this k, and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.		
Submitted Electronically			
I			

Summary of Changes

Lease Name and Number: Berry 5 API/Permit #: 15-167-23995-00-00

Doc ID: 1219673

Correction Number: 1

Approved By: Rick Hestermann 08/22/2014

Field Name	Previous Value	New Value
Depth to Shallowest Fresh Water		0
Elevation Source	Estimated	Surveyed
ElevationPDF	1894 Estimated	1892 Surveyed
Ground Surface Elevation	1894	1892
KCC Only - Approved By	Rick Hestermann 08/21/2014	Rick Hestermann 08/22/2014
KCC Only - Approved Date	08/21/2014	08/22/2014
KCC Only - Date Received	08/20/2014	08/21/2014
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 19517	//kcc/detail/operatorE ditDetail.cfm?docID=12 19673