

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1220246

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monun day year	
DPERATOR: License#	foot from N / S Line of Soction
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
ity:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	- Will Cores be taken? Yes N
	viii oores se taken:
	- Will Cores be taken?N If Yes, proposed zone:
	viii cores be taken:
AF	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> see	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If yes, propose
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the discontinuation.	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If Yes, propose
The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If you circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the state of the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the underlying formation is the underlying formation. In the set of the underlying formation is the underlying
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order the set of the understand the set of the set o	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If you circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order for the surface of the surfa	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the total comply with K.S.A. 55 et. seq. Ich drilling rig; If the total comply with K.S.A. 55 et. seq. Ich drilling rig; Ich drill
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the state of the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the underlying formation is the underlying formation. In the set to the underlying formation is the underlying formation in the underlying formation. In the set to the underlying right be set to the underlying formation in the underlying formation. In the set to the underlying right be set to the underlying formation in the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying right
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to a proper shall be comented to a pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the state of the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the underlying formation is the underlying formation. In the set to the underlying formation is the underlying formation in the underlying formation. In the set to the underlying right be set to the underlying formation in the underlying formation. In the set to the underlying right be set to the underlying formation in the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying formation. In the set to the underlying right be set to the underlying right
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to a proper shall be comented to a pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this is the underlying formation and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. If Yes, proposed zone: If
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be set the pluging that the completed within 30 days of the spudicate or the well shall be submitted Electronically **Jumitted Electronically** **Jumitted Electronically**	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this is the underlying formation and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. If Yes, proposed zone: If
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the search of the search	If Yes, proposed zone: FIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the search and the drill approved in the search and the drill appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be appropriated within 30 days of the spud date or the well shall be appropriated before well is either plug of the spud date or the well shall be appropriated before the appropriate appropriate appropriate before the appropriate appropriat	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. If Yes, proposed zone: If Yes,
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the spurit of the spurit of the set of the spurit of	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual prist agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	If Yes, proposed zone: If Yes
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the state of the specific production of the specific provided within 30 days of the spudiate or the well shall be submitted Electronically **For KCC Use ONLY**	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; At by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; goed or production casing is cemented in; goed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:			Location of Well: C	ounty:
_ease:				feet from N / S Line of Section
Nell Number:				feet from E / W Line of Section
Field:		<u> </u>	SecTw	p S. R 🗌 E 🔲 W
			Is Section:	egular or Irregular
			If Section is Irregu	ılar, locate well from nearest corner boundary.
			Section corner used	
		P	LAT	
		•	•	ne. Show the predicted locations of
lease roads, ta	ank batteries, pipeli			rface Owner Notice Act (House Bill 2032).
		You may attach a s 180	eparate plat if desired. ft.	
:	<u> </u>	: 6:		600 ft.
				LEGEND
:	:		·····	
:			:	O Well Location
				Tank Battery Location
				—— Pipeline Location
				Electric Line Location Lease Road Location
:			:	Lease Road Location
:	: :	; :	:	
				EXAMPLE : :
:	<u>: :</u> :		:	
		10		
:	: :		;	
:	i :	······································	:	
			:	
				1980' FSL
	: :			
			:	
				: : :
			:	SEWARD CO. 3390' FEL

${\it NOTE: In all \ cases \ locate \ the \ spot \ of \ the \ proposed \ drilling \ locaton.}$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1220246

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:	- Francisco		
Emergency Pit Burn Pit Settling Pit Drilling Pit			SecTwpR East West	
Workover Pit Haul-Off Pit			Feet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	L	How is the pit lined if a plastic liner is not used?	
Yes No		lo		
, , , , , , , , , , , , , , , , , , , ,	Length (fee	•	Width (feet) N/A: Steel Pits	
	m ground level to dee			
If the pit is lined give a brief description of the lir material, thickness and installation procedure.	iei		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:		
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC (OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection: Yes No	

CORRECTION #1 Kansas Corporation Commission

1220246

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:		
Contact Person:	the lease below.		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tar	odic Protection Borehole Intent), you must supply the surface owners and nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface o	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
ι	_		

3-14 510-T24- RIT, WO Ca



180 FNL 1600 FEL Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 25, 2014

Greg Lair Piqua Petro, Inc. 1331 XYLAN RD PIQUA, KS 66761-1667

Re: Drilling Pit Application API 15-207-29020-00-00 KAREN'S FARM 3-14 NE/4 Sec.10-24S-17E Woodson County, Kansas

Dear Greg Lair:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

DISPOSAL OF DIKE AND PIT CONTENTS. Each operator shall perform one of the following when disposing of dike or		
contents:		
Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;		
dispose of reserve pit waste down the annular space of a well completed		
according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;		
dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);		
 (B) removal and placement of the contents in an on-site disposal area approved by the commission; 		
(C) removal and placement of the contents in an off-site disposal area		
acreage owned by the same landowner or to another producing		
or unit operated by the same operator, if prior written permission		
or drift operated by the same operator, it prior written permission		
the landowner has been obtained; or		

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Each	violation of this regulation shall be punishable by the following:
(1) A \$1,0	000 penalty for the first violation;
(2	a \$2,5	00 penalty for the second violation; and
(3	a \$5,0	000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.

Summary of Changes

Lease Name and Number: KAREN'S FARM 3-14

API/Permit #: 15-207-29020-00-00

Doc ID: 1220246

Correction Number: 1

Approved By: Rick Hestermann 08/25/2014

Field Name	Previous Value	New Value
ElevationPDF	1005 Estimated	992 Estimated
Ground Surface Elevation	1005	992
KCC Only - Approved By	Rick Hestermann 08/19/2014	Rick Hestermann 08/25/2014
KCC Only - Approved Date	08/19/2014	08/25/2014
KCC Only - Date Received	08/18/2014	08/25/2014
KCC Only - Regular Section Quarter Calls	SE NE NW NE	NE NE NW NE
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=10&t	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=10&t
Number of Feet North or South From Section Line	600	180
Number of Feet North or South From Section Line	600	180
Quarter Call 4 - Smallest	SE	NE

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest	SE	NE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 19172	//kcc/detail/operatorE ditDetail.cfm?docID=12 20246

Summary of Attachments

Lease Name and Number: KAREN'S FARM 3-14

API: 15-207-29020-00-00

Doc ID: 1220246

Correction Number: 1

Approved By: Rick Hestermann 08/25/2014

Attachment Name

No Earthen Pits

Haul Off Pit Application