

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1220674

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:			
month day year				
DPERATOR: License#	feet from N / S Line of Section			
lame:	feet from E / W Line of Section			
Address 1:	Is SECTION: Regular Irregular?			
ddress 2:	(Note: Locate well on the Section Plat on reverse side)			
City:	County:			
contact Person:	Lease Name: Well #:			
hone:	Field Name:			
ONTRACTOR: License#	Is this a Prorated / Spaced Field?			
lame:	Target Formation(s):			
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):			
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS			
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:			
Disposal Wildcat Cable	Public water supply well within one mile:			
Seismic ; # of Holes Other	Depth to bottom of fresh water:			
Other:	Depth to bottom of usable water:			
If OWNED, and well information as follows:	Surface Pipe by Alternate: III			
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:			
Operator:	Length of Conductor Pipe (if any):			
Well Name:	Projected Total Depth:			
Original Completion Date: Original Total Depth:	Formation at Total Depth:			
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:			
Directional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth:	Well Farm Pond Other:			
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)			
Tiolo Location.	(Note: Apply for Permit with DWR)			
(CC DKT #:				
(CC DKT #:	Will Cores be taken?			
CCC DKT #:				
AFF	Will Cores be taken? Yes If Yes, proposed zone:			
AFF	Will Cores be taken? Yes If Yes, proposed zone:			
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? Yes Yes If Yes, proposed zone:			
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT In agging of this well will comply with K.S.A. 55 et. seq.			
AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: IDAVIT In gging of this well will comply with K.S.A. 55 et. seq. In drilling rig;			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set			
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT In gging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In sy circulating cement to the top; in all cases surface pipe shall be set underlying formation.			
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dril			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In dead or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In deal or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If yes the surface it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq.			
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In deal or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If yes the surface it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq.			
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In deal or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If yes the surface it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq. If yes the surface plug it is the seq.			
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the standard standard in the interval of the int	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In it of production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If yes Yes Yes Yes If Yes If Yes, proposed zone: If Yes, proposed zone: Yes Yes If Yes Yes If Yes Yes If Yes If Yes, proposed zone: Yes If Yes Yes If Yes, proposed zone: Yes If Yes If Yes, proposed zone: Yes If Yes, proposed zone: If Yes, p			
AFF The undersigned hereby affirms that the drilling, completion and eventual plutis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the standard surface will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT In aging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In all cases surface pipe shall be set underlying formation. In all cases or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If say, containing the say of spud date. If the say of spud date.			
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intended of the approved notice of intent to drill <i>shall be</i> posted on each and the distance of the intended of the posted on each and the intended of the intended of the posted on each and the intended of the intended of the posted on each and the intended on the intended on the intended on the intended of the intended on the intended on the intended of the intended on the intended of the intended on the int	Will Cores be taken? If Yes, proposed zone: IDAVIT Origing of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.			
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the state of the post of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the s	Will Cores be taken? If Yes, proposed zone: IDAVIT Origing of this well will comply with K.S.A. 55 et. seq. drilling rig; Original comply with the top; in all cases surface pipe shall be set underlying formation. In original comply and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification			
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: IDAVIT Origing of this well will comply with K.S.A. 55 et. seq. drilling rig; Original comply with the top; in all cases surface pipe shall be set underlying formation. In original comply and placement is necessary prior to plugging; In or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;			
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. If rom below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;			
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: IDAVIT Origing of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;			
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the feet of the well shall be about the feet of the spud date or the well shall be about the feet of the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the	Will Cores be taken? If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. If rom below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;			
The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard feet	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be all be all be all the feet of the f	If Yes, proposed zone: IDAVIT In aging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In all cases surface pipe shall be set underlying formation. In all cases surface pipe shall be set underlying formation. In all cases surface pipe shall be set underlying formation. In all cases surface pipe shall be set underlying formation. In all cases surface pipe shall be set underlying formation. In all cases surface pipe shall be set underlying formation. In all cases prior to plugging; In all cases prior to spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, In all cases, In all cases prior to any cementing. In all cases prior to brill; In all cases prior brill br			



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

perator:						_ LO	cation of vv	/eii: County:	_
ease:						_		feet from N / S Line of Section	1
ell Number:								feet from E / W Line of Section	1
eld:						Se	C		
umber of Acres atti						15	Section:	Regular or Irregular	
TR/QTR/QTR/QTR	of acreag	e:							
								Irregular, locate well from nearest corner boundary.	
						Se	ction corne	er used: NE NW SE SW	
						PLAT			
S	how location	on of the w	ell. Show	footage to	the neare	st lease or	unit bound	dary line. Show the predicted locations of	
lease roa	ads, tank b	atteries, pi	ipelines an				-	sas Surface Owner Notice Act (House Bill 2032).	
				You m	ay attach a	a separate	plat if desi	ired.	
					95 ft.				
	:	:	:		:	:	:		
	:	:	:		:	:	:	LEGEND	
	:	:	:		:	:	:	O Well Location	
	:	:	:		:	:	:	Tank Battery Location	
•••••		• • • • • • • • • • • • • • • • • • • •						——— Pipeline Location	
	:	:	<u>:</u>		:	:	:	Electric Line Location	
	:	:	<u>:</u>		:	:	:	Lease Road Location	
•••••				•••••					
	:	:	:	<u> </u>	:	:		2301 ft.	
		:	:		:	:		EXAMPLE	
	·	;	:		<u>:</u>	:	:		
		:	2	9		•			
	:	:	:		:	:	:		
	:		:	•••••	:		:		
		:				:			
	:	:	:		:	:	: 	ii i	
	:	:	:		:	:	:	980' FSL	
	•	:	:			:			
			·				•		
	:	:	:		:	:	:		
	:	:	:		:		:	SEWARD CO. 3390' FEL	

${\it NOTE: In all \ cases \ locate \ the \ spot \ of \ the \ proposed \ drilling \ locaton.}$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit	Pit is:		SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure.		inter integrity, ii	ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



1220674

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:					
Address 1:	County:				
Address 2:					
City:					
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, ta are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this				
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and				
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form Cl	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
r					

KANSAS SURFACE OWNER NOTIFICATION ACT



SCALE = 1 : 12,000

PAWNEE COUNTY, KANSAS



Pro-Stake LLC

Oil Field & Construction Site Staking P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499

burt@pro-stakellc.kscoxmail.com

002118

Ritchie Exploration, Inc.

Pawnee County, KS

COUNTY

21s<u>18w</u>

#1 Blake 29A LEASE NAME 2295' FNL - 2301' FEL

LOCATION SPOT

1" = 1000 SCALE: Aug. 28th, 2014 DATE STAKED: Ben R. MEASURED BY:


Norby S. DRAWN BY:

AUTHORIZED BY: Justin C.

This drawing does not constitute a monumented survey or a land survey plat This drawing is for construction purposes only GR. ELEVATION: 2063.5'

Directions: From the SW side of Rozel, KS at the intersection of Hwy 156 and Pawnee St. - Now go 5 miles East on Hwy 156 to the SE corner of section 29-21s-18w - Now go 1 mile North on Hwy 183 - Now go 0.5 mile West on O Rd. to ingress stake South into - Now go approx. 900' South through bare worked ground -Now go approx. 900' South through milo - Now go approx. 495' South through wheat stubble - Now go 335' East through wheat stubble, into staked location.

Final ingress must be verified with land owner or Operator.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 12, 2014

Justin Clegg Ritchie Exploration, Inc. 8100 E 22ND ST N # 700 BOX 783188 WICHITA, KS 67278-3188

Re: Drilling Pit Application Blake 29A 1 NE/4 Sec.29-21S-18W Pawnee County, Kansas

Dear Justin Clegg:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.