

For KCC	Use:			
Effective Date:				
District #	:			
SGA?	Yes No			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1220779

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Spoct Description:    Part   P		re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.				
OPERATOR: License#   Sec   Tup, S. R.   E   W OPERATOR: License#   Sec   Tup, S. R.   E   W OPERATOR: License#   Sec   Tup, S. R.   S. Line of Section Name: Address 2   Sec   Sec   Sec   Sec   Section   Sec	Expected Soud Date:	Spot Description:				
Contact   Cont	month day year	·				
Security   State   Security   State   Security   Secu		(0/0/0/0)				
SECTION:   Regular   Irregular?						
Address 2:  City: Contact Person: Check Person: Check Person: County: Countact Person: Phone: Field Name: County: Field Name:						
Counts Persons:   Counts Persons:   Lease Name:   Well #:						
Contract Person:		•				
CONTRACTOR: License#   Well Criss:   Typo Equipment:   Is this a Prorated / Spaced Field?   Target Formation(s):   No Ta		County				
CONTRACTOR: License#   Site a Proreated / Spaced Field?   Yes   No Name:   Well Drilled For:   Well Class:   Type Equipment:   Site a Proreated / Spaced Field?   Yes   No Target Formation(s):   Get MSL   Will Drilled For:   Well Class:   Type Equipment:   Get MSL   Will Cast   Site a Provided Field   Will Cast   Get MSL   Get MS						
Name:    Weil Drilled For:   Weil Class:   Type Equipment.   National Processing Pool Ext.   Caste   Name of Pool Ext.   Name of Pool Ext.   Caste   Name of Pool Ext.   Name of Name of Pool Ext.   Name of Name of Pool Ext.   Name of Name	CONTRACTOR					
Nearest Lease or unit boundary line (in footage):   Set MSL   Se		is the different operation.				
Ground Surface Elevation:   feet MSL   Water wall within one-quarter mile:   yes   No   Water wall wall wall wall wall wall wall wal	name:					
Gas   Storage   Pool Ext   Air Rotary   Air Rotary   Pool Ext   Air Rotary   Pool Ext   Air Rotary   Pool Ext   Air Rotary   Pool Ext   Air Rotary   Public water supply well within one-quarter mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Depth to bottom of tresh water:   Depth to Depth tresh tresh tresh tresh tresh tresh tresh tresh to Depth tresh t	Well Drilled For: Well Class: Type Equipment:	• • • •				
Saismic   God Holes   Other   Cable	Oil Enh Rec Infield Mud Rotary					
Selsmic: # of Holes Other Other:   Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of usable water:   Depth to bottom of the usable water:   Depth to bottom of the usable water:   Depth to bottom of the usable water:   Depth t	Gas Storage Pool Ext. Air Rotary					
Depth to bottom of usable water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   II   II   Length of Surface Pipe Pantage Pipe Jack Pipe Alternate:   I   II   II   Length of Surface Pipe Pantage Pipe Pipe (if any):   Projected Total Depth:   Water Source for Drilling Operations:   Water Source of Drilling Operations:   Water Source of Drilling Operations:   Water Source Pipe Source   Pepe Source   Pepe Pipe Pipe Pipe Pipe Pipe Pipe Pipe	Disposal Wildcat Cable	,				
Surface Pipe by Alternate:	Seismic ;# of Holes Other	·				
Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Projected Total Depth:   Projected Total Depth:   Projected Total Depth:   Projectional, Deviated or Horizontal wellbore?   Yes   No   If Yes, true vertical depth:   Portal Depth:   Water Source for Drilling Operations:   Water Source for Primit #Water Source for Prim	Other:					
Operator: Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: Water Source for Drilling Operations: Well Farm Pond Other: Water Source for Drilling Operations: Well Farm Pond Other: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR ) Will Cores be taken? If yes, proposed zone:  AFFIDAVITY The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding the posted on each drilling rig: 2. A copy of the approved notice of intent to drill shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in.  6. If an ALTERNATE II COMPLETTION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY API #15 -  Approved by:  This authorization expires:  This authorization expires:  This authorization void if drilling not started within 12 months of approval date.  Orbain written approval before disposing or injecting salt water.	If OW/WO: ald wall information as follows:					
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations:   W	II OVVVO. Old Well IIIIOTTIation as follows.	·				
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source Source Water Manual Operation Will Operate Source Water Water Source Source Water Manual Operation Water Source Source Water Source Source Water Source Sou	Operator:					
Directional, Deviated or Horizontal wellbore?		- • •				
Well   Farm Pond   Other:	Original Completion Date: Original Total Depth:					
If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:    DWR Permit #:   (Note: Apply for Permit with DWR   )	Directional Deviated as Herizontal wellhous?					
Will Cores be taken?   Will Cores be taken?   Yes   No   No   Will Cores be taken?   If Yes, proposed zone:     Yes   The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.   It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office *prior* to spudding of well; 2. A copy of the approved notice of intent to drill *shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below *shall be set* by circulating cement to the top; in all cases surface pipe *shall be set* through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary *prior to plugging;*   5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;*   6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within *120 DAYS* of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. *In all cases, NOTIFY district office* prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion (from CDP-1) with Intent to Drill; - File Completion (from CDP-1) with Intent to Drill; - File Completion (from CDP-1) with Intent to Drill; - File completion (from CDP-1) with Intent to Drill; - File completion (from CDP-1) with Intent to Drill; - File completion (from CDP-1) with Intent to Drill; - File completion (from ACO-1) within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 ho		— — — — — — — — — — — — — — — — — — —				
Will Cores be taken?   Yes   No		BVICT OFFICE.				
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required						
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15		will cores be taken?				
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically    For KCC Use ONLY		If Yes, proposed zone:				
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically    For KCC Use ONLY	AF	FIDAVIT				
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically    For KCC Use ONLY	The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.				
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	It is agreed that the following minimum requirements will be met:					
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	1. Notify the appropriate district office <b>prior</b> to spudding of well:					
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API #15 -  Conductor pipe required		ch drilling rig;				
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API # 15 -  Conductor pipe required						
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API #15 -  Conductor pipe required						
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15	, , ,	, , , , , , , , , , , , , , , , , , , ,				
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15	11 1					
For KCC Use ONLY  API # 15						
Remember to:   For KCC Use ONLY	must be completed within 30 days of the spud date or the well shall be	e plugged. In all cases, NOTIFY district office prior to any cementing.				
For KCC Use ONLY  API # 15						
Remember to:   For KCC Use ONLY						
For KCC Use ONLY  API # 15	Submitted Electronically					
API # 15		Remember to:				
Conductor pipe requiredfeetfeetfeet per ALT. IIII  Approved by:	For KCC Use ONLY	- File Certification of Compliance with the Kansas Surface Owner Notification				
Conductor pipe required	API # 15	·				
Minimum surface pipe requiredfeet per ALTIIIIIIIIIIIIII	Conductor pipe required					
Approved by:						
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)  - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.						
(This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.	Approved by:					
(This authorization void it drilling not started within 12 months of approval date.)	· ·					
	( I ris autnorization void if drilling not started within 12 months of approval date.)	If well will not be drilled or permit has expired (See: authorized expiration date)				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:				_ Location of	f Well: County:	
Lease:						feet from N / S Line of Section
Nell Number:						feet from E / W Line of Section
Field:				Sec	Twp	S. R E W
Number of Acres attr				is section.	Regular or	r Irregular
					_	te well from nearest corner boundary.  NE NW SE SW
		es, pipelines and el	age to the neare ectrical lines, as		ansas Surface Ow	v the predicted locations of vner Notice Act (House Bill 2032).
	: :	:	:	: :		
						LEGEND
					  	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		17				MPLE
						1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 330 ft.

#### In plotting the proposed location of the well, you must show:

1650 ft.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



1220779

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:		SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	



1220779

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
I	_				

5115 B-819 B-613 DI-BI 5814 118-8 SI-Aio DI-Bio 4455 B-810 B-CID ST-R 4125 B. 89 B-A9 B. 69 SI-AB Pr-88 3795 B. B8 B-68 B-A8 Lease **∆ BI-B7** 12 A BI-N3 BI-N5 BI-N5 BI-N5 BI-N3 3465 B-C7 B-A7 A LA 3805 3135 Bernett Becc SI-BS B-C5 ¥4-18 √ V 3145 A475 B-163 B-84 8-4th B-64 A 61-19 B-43 B-63 DI-AJ BI-BA B-C3 2

D- Tank Battery

- lease line/flowlings

- producing wells

X - existing wells

1 - Tagged Injection wells

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 28, 2014

Jorge Ranz SCZ Resources, LLC 8614 CEDARSPUR DR HOUSTON, TX 77055

Re: Drilling Pit Application BARNETT BI-B1 SW/4 Sec.17-26S-18E Allen County, Kansas

#### Dear Jorge Ranz:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.