

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC Use:    |  |
|-----------------|--|
| Effective Date: |  |
| District #      |  |
| SGA? Yes No     |  |

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1220782

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:   |
|---|---|
| month day year  |   |
| OPERATOR: License#  | (0/0/0/0) feet from N / S Line of Section   |
| Name:   | feet from E / W Line of Section   |
| Address 1:  | Is SECTION: Regular Irregular?  |
| Address 2:  | (Note: Locate well on the Section Plat on reverse side)   |
| City:   | County:   |
| Contact Person:   | Lease Name: Well #:   |
| Phone:  | Field Name:   |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?  |
| Name:   | Target Formation(s):  |
|   | Nearest Lease or unit boundary line (in footage):   |
| Well Drilled For: Well Class: Type Equipment:   | Ground Surface Elevation:feet MSL   |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:   |
| Gas Storage Pool Ext. Air Rotary  |   |
| Disposal Wildcat Cable  | Public water supply well within one mile: Yes No  |
| Seismic ; # of Holes Other  | Depth to bottom of fresh water:   |
| Other:  | Depth to bottom of usable water:  |
| If OWWO: old well information as follows:   | Surface Pipe by Alternate: I I II   |
| II OWWO. Old well information as follows.   | Length of Surface Pipe Planned to be set:   |
| Operator:   | Length of Conductor Pipe (if any):  |
| Well Name:  | Projected Total Depth:  |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth:   |
| Directional Deviated as University well-serve   | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore?  Yes No   | Well Farm Pond Other:   |
| If Yes, true vertical depth:  | DWR Permit #:   |
| Bottom Hole Location:   KCC DKT #:  | (Note: Apply for Permit with DWR )  |
| NOO DICT #.   | Will Cores be taken?  |
|   |   |
|   | If Yes, proposed zone:  |
| AFF   | If Yes, proposed zone:  |
|   | IDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventual plug  | IDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventual plug<br>It is agreed that the following minimum requirements will be met:   | IDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventual plug lt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;   | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be   | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugging.   | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either pluggen.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either pluggent.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.   | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the distrest. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be   | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In or incit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Set office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the distrection of the distrection of the properties of the pluggeneral forms of the pluggeneral forms of the distrection of the distrection of the pluggeneral forms o | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be</i> set to through all unconsolidated materials plus a minimum of 20 feet into the set to t | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the intention of the intention of the intention of the well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  6. Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required   | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;   |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_



\_ feet from

SEWARD CO. 3390' FEL

S Line of Section

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

Operator: \_\_

Lease: \_

2310 ft.-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_

| nber:          |  |     |  |             |              |            |                |                | feet from E / W Line of   |
|----------------|--|-----|--|-------------|--------------|------------|----------------|----------------|---|
|                |  |     |  |             |              | _ Se       | ec             | Twp            | S. R E V  |
| of Acres attri |  |     |  |             |              | 15         | Section:       | Regular or     | Irregular   |
|                |  |     |  |             |              |            | Section is I   |                | e well from nearest corner boundar                              |
| 0.             |  | 5.4 | " 0'                                       |             |              | PLAT       |                |                |   |
|                |  |     |  | d electrica | al lines, as | required l | by the Kansa   | as Surface Own | the predicted locations of<br>per Notice Act (House Bill 2032). |
|                |  |     |  | You m       | ay attach a  | a separate | e plat if desi | red.           |   |
|                | :  | :   | :  |             | :            | :          | :              | l              | LEGEND  |
|                | ·<br>  |     | ·<br>· · · · · · · · · · · · · · · · · · · |             | ·<br>        | ·          |                | ı              | O Well Location   |
|                | :  |     | •<br>•<br>•                                |             | :            |            |                |                | Tank Battery Location   |
|                |  | •   | •  | •••••       |              |            | •              | _              | Pipeline Location   |
|                | :  | :   | •<br>•<br>•                                |             | :            |            |                | <b></b>        | Electric Line Location  |
|                | :  |     | :  |             | :            | :          | :              |                | Lease Road Location   |
|                | :  | :   | :  |             | :            | :          | :              | ı              |   |
|                | :  |     | •<br>•<br>•                                |             | :            |            |                | EXAM           | MPLE : :  |
|                | <u>.                                    </u> | :   | ·  | _           | ·<br>:       | <u>:</u>   | :              |                |   |
|                |  |     | 1  | 7           |              |            |                |                |   |
|                |  | :   |  |             |              | :          |                |                |   |
|                | :  |     |  |             | :            | :          | :              |                |   |
|                | :  | :   |  |             | :            | :          | :              |                | _: _:   |
|                | :  | :   | :  |             | :            | :          | :              |                | Q-7   |
|                | :  | :   |  |             | :            | :          | :              |                |   |

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 330 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |   |                                    | License Number:   |  |  |
|--|---|------------------------------------|---|--|--|
| Operator Address:  |   |                                    |   |  |  |
| Contact Person:  |   |                                    | Phone Number:   |  |  |
| Lease Name & Well No.:   |   |                                    | Pit Location (QQQQ):  |  |  |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A                              | Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls) |                                    | SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from |  |  |
| Is the bottom below ground level?  Yes No  | Artificial Liner?  Yes No   |                                    | How is the pit lined if a plastic liner is not used?  |  |  |
| Pit dimensions (all but working pits):   | Length (fee   |                                    |   |  |  |
| If the pit is lined give a brief description of the li material, thickness and installation procedure.   |   |                                    | dures for periodic maintenance and determining acluding any special monitoring.   |  |  |
| Distance to nearest water well within one-mile of pit:   |   | Depth to shallo<br>Source of infor | west fresh water feet.<br>mation:   |  |  |
| feet Depth of water well   | feet  | measured                           | well owner electric log KDWR  |  |  |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to |   | Type of materia                    | over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:   |  |  |
| flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically  |   |                                    |   |  |  |
|  | KCC   | OFFICE USE O                       | NLY  Liner Steel Pit RFAC RFAS  |  |  |
| Date Received: Permit Num  | ber:  | Permi                              | t Date: Lease Inspection: Yes No  |  |  |



1220782

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| OPERATOR: License #   | Well Location:  |  |  |  |  |
|---|---|--|--|--|--|
| Name:   |   |  |  |  |  |
| Address 1:  | County:   |  |  |  |  |
| Address 2:  | Lease Name: Well #:   |  |  |  |  |
| City: State: Zip:+  | g   |  |  |  |  |
| Contact Person:   | the lease below:  |  |  |  |  |
| Phone: ( ) Fax: ( )   | -   |  |  |  |  |
| Email Address:  | -   |  |  |  |  |
| Surface Owner Information:  |   |  |  |  |  |
| Name:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |  |  |
| Address 1:  |   |  |  |  |  |
| Address 2:  |   |  |  |  |  |
| City: State: Zip:+  | -   |  |  |  |  |
|   | ank batteries, pipelines, and electrical lines. The locations shown on the plat<br>I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.   |  |  |  |  |
| owner(s) of the land upon which the subject well is or will be  | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.            |  |  |  |  |
|   | Lacknowledge that hecourse I have not provided this information, the  |  |  |  |  |
|   | owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and  |  |  |  |  |
| KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the  | owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1 |  |  |  |  |
| KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee. | owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1 |  |  |  |  |

5115 B-819 B-613 DI-BI 5814 118-8 SI-Aio DI-Bio 4455 B-810 B-CID ST-R 4125 B. 89 B-A9 B. 69 SI-AB Pr-88 3795 B. B8 B-68 B-A8 Lease **∆ BI-B7** 12 A BI-N3 BI-N5 BI-N5 BI-N5 BI-N3 3465 B-C7 B-A7 A LA 3805 3135 Bernett Becc SI-BS B-C5 ¥4-18 √ V 3145 A475 B-163 B-84 8-4th B-64 A 61-19 B-43 B-63 DI-AJ BI-BA B-C3 2

D- Tank Battery

- lease line/flowlings

- producing wells

X - existing wells

1 - Tagged Injection wells

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 28, 2014

Jorge Ranz SCZ Resources, LLC 8614 CEDARSPUR DR HOUSTON, TX 77055

Re: Drilling Pit Application BARNETT BI-B3 SW/4 Sec.17-26S-18E Allen County, Kansas

### Dear Jorge Ranz:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.