Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1217376

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #					
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:					
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:				
□ Gas □ DaA □ EININ □ SIGW □ OG □ GSW □ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:	_				
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Conv. to GSW Conv. to Producer					
	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:				
Dual Completion Permit #: SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:					
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	- Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

	Page Two	1217376
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS. Chow important tang of formations populated	Dotail all coros Roport all final	copies of drill stome tasts giving interval tasted, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No	L	og Formatio	on (Top), Depth ar	nd Datum	Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-o	RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	. CEMENTING / SQL	IEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casing							

Plug Off Zone			☐ Yes	□ No	(If No, skip questions 2 and 3)
Perforate Protect Casing Plug Back TD					
Porforato	Top Bottom				51

Yes

Yes

Did you perform a hydraulic fracturing treatment on this well?
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

	(11100,	экір	questions z
No	(If No,	skip	question 3)

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						ement Squeeze Record I of Material Used)	Depth		
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner R		No	
Date of First, Resumed	d Product	ion, SWD or ENH	٦.	Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSIT		248.			METHOD	OF COMPLE			PRODUCTION IN	
Vented Sol	d 🗌	Used on Lease		Open Hole	Perf.	UF COMPLE Dually (Submit)	Comp.	Commingled (Submit ACO-4)		
(If vented, Su	ibmit ACC	<i>)-18.)</i>		Other (Specify)						

Form	ACO1 - Well Completion
Operator	Trimble & Maclaskey Oil LLC
Well Name	West Babinger 3
Doc ID	1217376

Casing

		Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
surface	12.75	8.625	23	106		80	
production	7.875	5.5	14	2665		150	

810 E 7th, PO Box 92 Eureka, KS 67045

-



Date	Invoice #
5/14/2014	1224

Bill To	5	
Trimble & Maclaskey Oil LLC PO Box 171 Gridley, KS 66852		

BP

Job Date	5/7/2014			
Lease Information				
West Babinger #3				
Foreman RM				

			Customer ID#	Terms
			1000	5% Discount
Item	Description	Qty	Rate	Amount
A101	Acid Pump Charge (1500 Gal)	1	800.00	800.0
107	Pump Truck Mileage	30	3.95	118.5
205	15% HCL Acid	1,500	1.65	2,475.0
213	Acid Inhibitor	3	40.00	120.0
215	Iron Control	7.5	36.00	270.0
214	Non Emulsifier	7.5	30.00	225.0
113 114	80 Bbl Vac Truck	4	85.00	340.0
	Water Transport	4	110.00	440.0
.216	KCL Substitute	10	30.00	300.00
103	Discount on Services		-84.93	94.0
104	Discount on Materials		-169.50	-84.9 -169.5
Ne appre	ciate your business!	Subt		


Phone #	Fax #
620-583-5561	620-583-5524
E-ma	ail
rene@elitecem	enting com

Subtotal	\$4,834.07
Sales Tax (7.15%)	\$0.00
Total	\$4,834.07
Payments/Credits	\$0.00
Balance Due	\$4,834.07





Cementing & Acidizing of Kansas, LLC



Cement or Acid Field ReportTicket No.1224

Foreman Kussell MCC.

Camp EurekA

Date	Cust. ID #	Lease & Well Number		Section	Township	Range	County	State
	1000	West BADDINGA # 3					LYON	KS
Customer			Safety	Unit #	Dri	ver	Unit #	Driver
Trimble -	+ MACIA	ISKAN OIL LLC	Meeting	103	DA	ve		
Mailing Address		· · · · · · · · · · · · · · · · · · ·	1					
P.D. BOX	171							
City		State Zip Code	1					
Gribley		K3 46852						
		000						
Job TypeA	iD	Hole Depth775 K.	B.	Slurry Vol.		т	ubing	
Casing Depth	657 G	L Hole Size		Slurry Wt.			orill Pipe	
Casing Size & W	/t	Cement Left in Casing		Water Gal/SK			other	
Displacement		9						
				Bump Plug to			PM	
Remarks:	SA-lety	meeting, Rig up to	2318	Tubing, a	UASH DO	WN 71	J'FT' to	Solib
1. D. 211	5 WAS	4 clenn ul 150 Bbl 1	KCL u	Alti At	& BPMI	w/ 900	A Circulat	ion.
SPOT SOU	PAllow	'S ACID IN OPEN HU	IE. P.	II Tubin	a SOAK	Acil	FLF 40 M	n i wi
Resume P	Empi.vy	1,000 GAllouis Acili	A+ 5	Ren =	IGO DET	AL	ncil in T	- T 20
FormAtion	PSI	Started to Decline	Tala	ence Par		. 115 I	FICTS WENT	1.110
BBI KLL	FormAtion PST StanteD to Decline INCIPASE RATE to 7 BEM 250 PST of 140 Bbl KCL Flush OUT VOL = 200 Bbl well on UAC At 2.3 BPM 25DP 0							
Job com	pletz, T	PAF DOWN.			11 210	OFTI	100	
		Thrux's ef ul						
		h or A'					NA.	

Code	Qty or Units	Description of Product or Services	Unit Price	Total
4-101	1	Pump Charge	800.00	
7.107	30	Mileage	3.75	<u>800.06</u> 118.50
			5.15	118.00
1-205	1500	JAILON'S 15 % HEL ACIA	1.65	2475.00
1.213	3	GAILONS ACID INHIBITOR	40.00	120.00
-215	7 1/2	gailons Iron control	36.00	270.00
-214	7 1/2	gAllon's Now Emulsifei Agent	30.00	225.00
1-113	4	hr BU Bbl UNG Truck	85.00	340.00
-114	4	hr 130 BUI WATER TRANSPORT	110.00	440.00
9				
-216	10	gAllow KCL mixed www.	30.00	300.00
		590 L 25×1×13)		3
		4834.01		F 00 F
			Sales Tax	5.088.50
uthoriza	ation by Rad	ily Trimble Title owner	Total	5088.50

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

810 E 7th, PO Box 92 Eureka, KS 67045



Date	Invoice #
5/8/2014	1279

Job Date	5/1/2014			
Lease Information				
West Babinger #3				
Foreman KM				

Bill To

3.8

24

Trimble & Maclaskey Oil LLC PO Box 171 Gridley, KS 66852

				Cu	stomer ID#	Terms
					1000	5% Discount
Item		Description	Qty		Rate	Amount
C104 C107 C203 C206 C108A C113 D101 D102	Cement Pump-Top O Pump Truck Mileage Pozmix Cement 60/40 Gel Bentonite Ton Mileage (min. ch 80 Bbl Vac Truck Discount on Services Discount on Materials	(one way)) arge)		1 0 125 130 1 4	1,050.00 3.95 12.75 0.20 345.00 85.00 -86.75 -83.99	0.00 1,593.75T 86.00T 345.00 340.00 -86.75
We apprec	ciate your b	ousiness!	Si	ubtota	al	\$3,244.01
Phone #	Fax #		Sa	ales T	ax (7.15%)	\$114.10
	620-583-5524 mail		Тс	otal		\$3,358.11

rene@elitecementing.com

\$3,358.11

\$0.00

Payments/Credits

Balance Due

810 E PO B EUREKA, (620) 58	ox 92 KS 67045	Elitte API # 15-1	ementing & of Kansas					Ticket Forem	nt or Acie No an <u>Kew</u> Eureka	1279 ~ M°C	
Date	Cust. ID #		e & Well Number		Section	To	wnship	Range	Co	unty	State
5-1-14	1000	West 7	SAbinger #3		26	2	15	10 E	LYON		Ks
Customer			,	Safety	Unit #		Driv		Unit #		Driver
TRIMBI	e & MAC	laskey Oil	110	Meeting	104		ALAN . Rudy	m. m			
Mailing Address	ox 171			AM	145		Chris				
City GRIdley	,	State Ls	Zip Code 66852	CM							
Job Type Top	Outside	Hole Dep	th_ 2775' KB	,	Slurry Vol.				Tubing	"	
Casing Depth_	,		e 71/8		Slurry Wt.				Drill Pipe		
Casing Size & V			eft in Casing								
Displacement Displacement PSI											
Remarks: <u>SA</u> @ 1259'.	Fety Mee Mixed	HING: BAN 125 SKS 60	& WASH down 140 Pozmix 1605 Standing	Cement	- w/ 4% G	Sel.	Good	Cemen	+ to Su	RFACE.	ext Shut

	1			
Code	Qty or Units	Description of Product or Services	Unit Price	Total
C 104	1	Pump Charge	1050.00	1050.00
C 107	0	Mileage IN Field	0	N/C
C 203	125 sks	60/40 Pozmix Cement	12.75	1593.75
C 206	430 #	60/40 Pozmix Cement Gel 4%	. 20 #	86.00
C 108 A	5.38 Tons	Ton Mileage	M/c	345.00
C 113	4 HRS	80 BAL VAC TRUCK	85.00	340.00
		590 DISCOPE		
		< MG. PHY		
		Construction of the Constr		
		● 3368.1	/	
		THANK YOU 7KM	Sub TotAL	3414.75
		A 7.15%	Sales Tax	120.10
Authoriz	zation Witnes	sed By Bryan Maclaskey Title	Total	3534.85

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

810 E 7th, PO Box 92 Eureka, KS 67045

Bill To

Item

C113

C113

C113

C113

D101



Date	Invoice #
4/30/2014	1166

Terms

	Job Da	ate	4	/29/20	14
Lease Information					
See job ticket					
F	orema	an		RM	

Customer ID#

Trimble & Maclaskey Oil LLC PO Box 171 Gridley, KS 66852

	and the second se	And an answer where the second state of the se	
		1000	5% Discount
	Qty	Rate	Amount
	6	85.00	510.00
	7		
	6.5		552.50
	6	85.00	510.00
		-108.38	-108.38
I	Sub	total	\$2,059.12
	Sale	es Tax (7.15%)	\$0.00
	Tota	al	\$2,059.12
	Payme	ents/Credits	\$0.00
	Ba	lance Due	\$2,059.12

We appreciate your business!

80 Bbl Vac Truck

80 Bbl Vac Truck

80 Bbl Vac Truck

80 Bbl Vac Truck

Discount on Services

Description

Phone #	Fax #	
620-583-5561	620-583-5524	
E-ma	ail	
rene@elitecem	antina aom	

810 E 7 TH PO Box 92 EUREKA, KS 67045 (620) 583-5561 Cementing & Acidizing of Kansas, LLC		Cement or Acid Field ReportTicket No.1166ForemanRussell mccoyCampEureka
------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------

Date	Cust. ID #		e & Well Number		Section	Township	Range	County	State
4-29-14	1000		"16#17 W.	-57 # 3				Lyon	Ks
Customer				Safety	Unit #	Dri	ver	Unit #	Driver
Trimble	+ MAG	LASKey		Meeting	1	All	213		
Mailing Address				1	141	KUL			
P.D. Box	171				144	K-5	5		
City		State	Zip Code						
Gribley		Ks	46852						
Јор Туре		Hole Dep	th		Slurry Vol.		Т	ubing	
Casing Depth_		Hole Siz	e		Slurry Wt.		D	rill Pipe	
Casing Size & V	Vt	Cement L	eft in Casing		Water Gal/SK		0	ther	
Displacement	<u></u>	Displace	ement PSI		Bump Plug to		B	PM	
Remarks:	TIA.	sfrr mu	D For G	ul.ell	Drig +	Fill	pits	AS NEED	eΔ
	DUFING	Rig Mour	e 5						
						-3.,			
									12

Code	Qty or Units	Description of Product or Services	Unit Price	Total
		Pump Charge		
		Mileage		
2113	6 hr	4-4-14 West BADINGO = # 3	85.00	510.00
		TrANSFER 3 LOAD'S MUS HALL 3 LOAD'S WATTR		
2113	7 hr	4-11-12/ Babinger # 16	89.00	595.00
		TRUTT 3 LOAD'S MUL 4 LOAD'S FIRSH WATER		
2113	61/2	4-15-11 Babinger # 17	85.00	552.50
		TIANSFOR 3 MUD + TWO LOAD'S WATT		
#3. alla				
C113	4	4-18-14 RUSSILIAN # 16		
		TIANSET 3 MUD + HAL 3 WATT	85.00	510.00
		590 < 108.387		
		1005911Q		2,167.50
			Sales Tax	

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

810 E 7th, PO Box 92 Eureka, KS 67045

Bill To



Date	Invoice #
4/11/2014	1203

/	Job Date	4/11/2014	
	Lease Information		
V	W. Babir	nger #3	
\$r	Foreman	KM	

Trimble & Maclaskey Oil LLC PO Box 171 Gridley, KS 66852


			/
	L	/	/
	-)	
	Ø		
1	V		

	vv. 1	Jaur	liger #5
	Foreman		КМ
Custor	Customer ID#		Terms
10	1000		5% 15 Days
Rate			Amount
		-	the design of the second s

Item	Description	Qty	Rate	Amount
C102 C107 C201 C207 C208 C217 C108A C113 C224 C404 C761 C604 C504	Cement Pump-Longstring Pump Truck Mileage (one way) Thick Set Cement KolSeal Pheno Seal Caustic Soda Ton Mileage (min. charge) 80 Bbl Vac Truck City Water 5 1/2" Top Rubber Plug 5 1/2" Type B Basket Shoe 5 1/2" Cement Basket 5 1/2" Centralizer	1 30 150 750 150 100 1 4 3,300 1 1 1 1 6	$ \begin{array}{r} 1,050.00\\3.95\\19.50\\0.45\\1.25\\1.60\\345.00\\85.00\\0.01\\70.00\\1,290.00\\225.00\\48.00\end{array} $	1,050.00 118.50 2,925.00T 337.50T 187.50T 160.00T 345.00 340.00 33.00T 70.00T 1,290.00T 225.00T 288.00T
We appre	eciate your business!	Subt	otal	\$7 369 50

Phone # Fax # 620-583-5561 620-583-5524 E-mail elitecementing@att.net

Subtotal	\$7,369.50
Sales Tax (7.15%)	\$394.39
Total	\$7,763.89
Payments/Credits	\$0.00
Balance Due	\$7,763.89



	111-20000											
Date	Cust. ID #	Leas	e & Well Number		Section	Tow	nship	Range	e	County		State
4-11-14	1000	west 2	BADINGER # 3		26	215	5	10E		LYON		Ks
Customer			/	Safety	Unit #		Driv	rer		Unit #		Priver
IRIM	ble & MA	clashey Or	1 11.c	Meeting	102	(Chris 1	S.				
Mailing Address			6,600	KM	112	d	DAVE	5.				
	Box 171			CB DG	141	L	SHANNO	NF.				
City		State	Zip Code	SF								
GRIJK	4	Ks	66852									
Job Type Lon		Hole Dep	th_2775'		Slurry Vol. 5		L		Tubin	Ig		
Casing Depth 2	657 G.L.	Hole Siz	e_71/8		Slurry Wt. 13	74			Drill F	Pipe		
Casing Size & V	Vt. 51/2	Cement L	eft in Casing <u>3</u>		Water Gal/SK	9.0			Other			
Displacement 6	6. BBL		ment PSI 650		Bump Plug to	1100	PSI		BPM			
Pomarka: Da	Coty Maa	finia' Dia		,			,	~		,		

Remarks: UAFe ASING W/ Type B Basket Shoe. EIRCULAte W/ Mud Pump to Get AIR out OF 51/2 BRASS BALL. Set Basket Shoe @ 750 PSI. Pump 10 Bbl 10 Ebl CAUSTIC WATCH SPACER. Mixed 150 sks THICK Set Coment of 5 PRE Flush BBL PAR VIELD 1.85 = 50 BEL STURRY. WASh out Pump & Linves. Shut down. ENO SEAL ISK @ DISPLACE AT W/ 66. 5 DII sh WAter. FINAL PUMPING PRESSURE 650 PSI. Rumo minutes PRESSUR. FLOAT Held Good CIRCULATION @ ALL ach Complete Rig down

Note ould Not CASING (RAN A BASKET Shoe ON Bottom OF CASING STRIN Rotate

Code	Qty or Units	Description of Product or Services	Unit Price	Total
C 102	1	Pump Charge	1050.00	1050.00
: 107	30	Mileage	3.95	118.50
			0170	
201	150 SKS	THICK Set Cement to	19.50	2925.00
: 207	750 #	KOL-SEAL 5* /SK	. 45 *	337.50
208	150 #	Pheno Seal 1# /sk	1.25 *	187.50
				101,00
217	100 #	CAUSTIC Soda PRE Flush	1.60 #	160.00
				700700
108 A	8.25 Tons	Ton Mileage	MIC	345.00
113	4/ HRS	80 Bbl VAC TRUCK	85.00	340,00
224	3300 9AK	City water	10.00/1000	33.00
	,	/	70.0077000	
2404	1	51/2 Top Rubber Plug	70.00	70.00
2761	1	51/2 Top Rubber Plug 51/2 Type B BASKet Shoe	1290.00	1290,00
1004	1	51/2 Cement BASKet	225.00	
504	6	51/2 × 77/3 CentRALIZERS	48.00	225.00
			70:00	288.00
		THANK YOU	SUB TOTAL	M210 F-
		THANK YOU N 7.15%	Sales Tax	7369.50
uthorize	tion Ulitales			394.39
utionza	auon <u>winnes</u>	sed By Mike StAFFORD Title Gulkk DR19. Toolpusher	Total	7.763.89

Carlad

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

810 E 7th, PO Box 92 Eureka, KS 67045



Date	Invoice #
4/11/2014	1215

Job Date	4/7/2014						
Lease Information							
W. Babinger #3							
Foreman SM							

Bill To Trimble & Maclaskey Oil LLC PO Box 171 Gridley, KS 66852



			Customer ID#	Terms
			1000	5% 15 Days
Item	Description	Qty	Rate	Amount
C101 C107 C200 C205 C206 C108A	Cement Pump-Surface Pump Truck Mileage (one way) Class A Cement-94# sack Calcium Chloride Gel Bentonite Ton Mileage (min. charge)	1 30 80 225 150 1	840.00 3.95 15.00 0.60 0.20 345.00	840.00 118.50 1,200.00T 135.00T 30.00T 345.00
We appr	reciate your business!	Sub	total	\$2,668.50

Phone #	Fax #				
620-583-5561	620-583-5524				
E-ma	ail				
elitecementing@att.net					

Subtotal	\$2,668.50
Sales Tax (7.15%)	\$97.60
Total	\$2,766.10
Payments/Credits	\$0.00
Balance Due	\$2,766.10

810 E 7 [™] PO Box 92 EUREKA, KS 67045 (620) 583-5561	Elite Cementing & Acidizing of Kansas, LLC	Cement or Acid Field Report Ticket No. 1215 Foreman Stevended Camp Euceka
(620) 583-5561	of Kansas, LLC	

Date	Cust. ID #	Lease	e & Well Number	7	Section	To	wnship	Range	e Cou	inty	State
4-7-14	1000	West But	pincer #3		26	2	15	ICE	LYOY	7	Ks
Customer			Safety	Unit # Driver		ver	Únit # D		Driver		
Trimble + Maclaskey			Meeting	102		ChrisB					
Mailing Address	- / MILL	230 J		1	112		ShannanE				
P. 0. 130	× 171										
City		State	Zip Code								
Gridley		Ks	66852								
Job Type	CFace	Hole Dep	th 118' R	13	Slurry Vol.	22	bbl		Tubing		
Casing Depth	106 66	Hole Siz	e_12'4		Slurry Wt Drill Pipe						
Casing Size & W	Nt. 8 32	237 Cement Le	eft in Casing					Other			
Displacement			ment PSI		Bump Plug to				BPM		
Remarks: 50	FTY MARG	Ting: Ris	up 70 8 38	Cosing	. 131001	KC	ircular	tion L	J 5bbis	Frest	WOTEF,
Mix Susk	s Clossi	A Comont	64/ 3% Coci	12, 23	EGel 1	7:5	place	41	1. 34661	Fresh	hwoth
Mix Susks Class A Cement by 32 could, 22 Get Displace by Bubble Freshweiter Shut Casing in Good Count Bituen To Surface Ubblicopis											
Jeblomphin Rig down											
			0 0 00								
						e.				Suit	

Code	Qty or Units	Description of Product or Services	Unit Price	Total
6101	1	Pump Charge	840.00	840.00
C/07	30	Mileage	3.95	118.50
			2.02	110,00
6200	Sc Ski	CLOSS A CAMPAT	13-00	1200.00
(205	225 "	Coc/2 3%	10	135.00
C306	150 #	Gel 2%	20	30.00
			i di Lat	
C108A	3.76 Ton	Tennileoge Bulk Truck	mic	3415.00
	2			
			SubToTul	2668.50
			Sales Tax	97.60
Authoriz	ation Litro	seed By Mike STofferd Title Zoelpushir	Total	2766.10

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.