Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1220815

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	_ Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	_ Feet from East / West Line of Section
Contact Person:	_ Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	_
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Produce	
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	-
SWD Permit #:	
ENHR Permit #:	Operator Name:
GSW Permit #:	License #:
	– Quarter Sec TwpS. R [] East [] West
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	County: Permit #:
	Γ σταπτγ Γ στηπα π

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1220815
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS. Chow important tang of formations populated	Dotail all coros Boport all	final conject of drill stome tasts giving interval tasted, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	neets)	Yes No		0	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	Ð		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth Tan Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Y
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Y
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Y

Yes	No
Yes	No
Yes	No

No

(If No, skip questions 2 and 3) (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify Fo		RD - Bridge Plu Each Interval Pe		e			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner F		No	
Date of First, Resumed	d Product	tion, SWD or ENHI	٦.	Producing Me	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSIT		240.			METHOD	OF COMPLE			PRODUCTION IN	
Vented Sol	d 🗌	Used on Lease		Open Hole	Perf.		Comp.	Commingled (Submit ACO-4)		
(If vented, Su	ubmit ACC	D-18.)		Other <i>(Specify)</i> _						

Form	ACO1 - Well Completion
Operator	Kansas Energy Company, L.L.C.
Well Name	Dunham-Lemmon 36-2
Doc ID	1220815

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	42	portland	8	none
Production	6.75	4.50	9.5	1222	oil well cement	130	phenoseal , kol seal

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Kansas Energy	State, County	Chautauqua , Kansas	Cement Type		CLASS A
ob Type	Long String	Section	36	Excess (%)		30
Customer Acct #		TWP	34	Density		14
Vell No.	Dunham - Lemmon #36-2	RGE	11	Water Required		7.9
Aailing Address		Formation		Yeild		1.74
City & State		Tubing		Sacks of Cement		130
Zip Code		Drill Pipe		Slurry Volume		40.3 bbl
Contact		Casing Size	4 1/2"	Displacement		19.4
Email		Hole Size	6 3/4"	Displacement PSI		400-700
Cell		Casing Depth	1223'	MIX PSI		200
Dispatch Location	BARTLESVILLE	Hole Depth		Rate		4 bpm
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	The set	
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$	1,085.0
5402	FOOTAGE	1223	PER FOOT	\$0.23	\$	281.2
5406	EQUIPMENT MILEAGE (ONE-WAY)	45	PER MILE	\$4.20	\$	189.0
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$	368.0
5621	4 1/2 INCH PLUG CONTAINER	1	PER UNIT	\$215.00	\$	215.0
0		Contraction of the	0	\$0.00	\$	-
0			0	\$0.00	\$	-
0		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	0	\$0.00	\$	-
0			0	\$0.00	\$	-
Star Manager 17				EQUIPMENT TOTAL	the second se	2,138.2
	Cement, Chemicals and Water				11152150	-,
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GEI	130	0	\$19.75	\$	2,567.5
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$	44.0
1107A	PHENOSEAL	120	0	\$1.35	\$	162.0
1110A	KOL SEAL (50 # SK)	800	0	\$0.46	\$	368.0
1102	CALCIUM CHLORIDE	50	0	\$0.78	\$	39.0
1111	GRANULATED SALT (50#) SELL BY #	850	0	\$0.39	\$	331.5
0			0	\$0.00	\$	
0		S	0	\$0.00	\$	_
0	Lander Lander Lander Lander Lander		0	\$0.00	\$	
0		Cardinal Stocks	0	\$0.00	\$	State States
0			0	\$0.00	\$	
0		1.	0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	10 17 19 19 19 19 19 19 19 19 19 19 19 19 19
				Chemical Total	\$	3,512.0
State State State	Cement Water Transports					
0			0	\$0.00	\$	STREET.
0	3. jan 2.		0	\$0.00	\$	STATE STATE
0			0	\$0.00	\$	
				Transports Total	\$	-
	Cement Floating Equipment (TAXABLE)	and sort of the se				
	Cement Basket			and a state of the second		
0			0	\$0.00	\$	- 14 - 14 -
1	Centralizer	The second second			19749	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
Star Balance	Float Shoe	and the states	and the second states of the	and the state of the		
0			0	\$0.00	\$	
	Float Collars					
0			0	\$0.00	\$	- 11 - 11 - 11 - 11 - 11 - 11 - 11 - 1
	Guide Shoes	10.00 C				
0			0	\$0.00	\$	1995 (1997 <u>-</u>
	Baffle and Flapper Plates	and the second second				
0		and the first	0	\$0.00	\$	Caller States
	Packer Shoes					E Carlos
0			0	\$0.00	\$	38 (A
	DV Tools					
0			0	\$0.00	\$	-
	Ball Valves, Swedges, Clamps, Misc.					100
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
	Plugs and Ball Sealers			factoria de la companya de la company		
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	\$	47.2
	Downhole Tools					
0				\$0.00	\$	-
TOUCK#			CEMENT FLOATING E	QUIPMENT TOTAL	\$	47.2
TRUCK# 577	DRIVER NAME		0 8.15%		\$	5,697.5 290.0
419	James Ness		0.13%	TOTAL	\$	5,987.6
551	Paul Lebel		5%	(-DISCOUNT)	\$	284.8
			DISC	OUNTED TOTAL	\$	5,702.74
			0130	CONTED TOTAL	Ψ	0,102.14

8/7/2014

CONSOLIDATED OII Well Services, LLC CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Kansas Energy	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Job Type	Long String	Section	36	Excess (%)	30
Customer Acct #	0	TWP	34	Density	14
Well No.	Dunham - Lemmon #36-2	RGE	11	Water Required	7.9
Mailing Address	0	Formation	0	Yeild	1.74
City & State	0	Tubing	0	Sacks of Cement	130
Zip Code	0	Drill Pipe	0	Slurry Volume	40.3 bbl
Contact	0	Casing Size	4 1/2"	Displacement	19.4
Email	0	Hole Size	6 3/4"	Displacement PSI	400-700
Cell	0	Casing Depth	1223'	MIX PSI	200
Dispatch Location	BARTLESVILLE	Hole Depth	0	Rate	4 bpm
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
	mount of Cement Left in Casing				
		Remarks:			
Ran gel / LCN	A to establish circ., ran 130sx of Class "A" cement w/ 6	5% OWC, 2% gel, 2% calciu	m, 6# kol seal, 10% salt, 1# pł	neno @ 14 ppg. Flushed pu	mp and lines,
	dropped plug and displaced to set. Landed plug	ALTA DA LLE DIMENSION CELEBRADY PUBLIC IN			
					141. A.M. 148. AM
	2	and the second			
				and and a second se	