

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1220832

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	
Address 2:			F6	eet from	South Line of Section
City:	State: Zi	p:+	Fe	eet from East / V	Vest Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Co	rner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:					
Designate Type of Completion:			Lease Name:	Wel	ll #:
New Well R	e-Entry	Workover	Field Name:		
Oil WSW Gas D&A OG CM (Coal Bed Methane) Cathodic Other (Co	nfo as follows:		Elevation: Ground: Total Vertical Depth: Amount of Surface Pipe Se Multiple Stage Cementing If yes, show depth set:	Kelly Bushing:	pth: Feet No Feet
Operator:			, ,	cement circulated from:	
Well Name: Original Comp. Date: Deepening Re-perf. Plug Back	Original To		Drilling Fluid Managemer	nt Plan	3x cm.
☐ Commingled ☐ Dual Completion ☐ SWD	Permit #:			ppm Fluid volume:	
☐ ENHR ☐ GSW			Lease Name:	License #:	
Spud Date or Date Re Recompletion Date	eached TD	Completion Date or Recompletion Date	QuarterSec	TwpS. R Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Date:



Operator Name:			Lease Name:			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow	ring and shut-in pressu	ormations penetrated. Dres, whether shut-in pre	ssure reached stati	c level, hydrosta	tic pressures, bott		
		tain Geophysical Data a r newer AND an image f		gs must be ema	iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes No			on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes No	Nam	Э		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		0.0000					
		CASING Report all strings set-o	RECORD Ne conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Perforate Protect Casing							
Plug Back TD Plug Off Zone							
Did you perform a hydrau	ulic fracturing treatment or	n this well?		Yes	No (If No, ski	o questions 2 an	nd 3)
	· · · · · · · · · · · · · · · · · · ·	aulic fracturing treatment ex	_			o question 3)	of the ACO 1)
was the hydraulic fractur	ring treatment information	submitted to the chemical of	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		N RECORD - Bridge Plug potage of Each Interval Perf			cture, Shot, Cement mount and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENH	R. Producing Meth		Gas Lift C	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil B		Mcf Wate			ias-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:	, and a second	METHOD OF COMPLE	TION		PRODI ICTIC	ON INTERVAL:
Vented Solo		Open Hole	Perf. Dually	Comp. Cor	nmingled	THODOUTIC	ZIN IINI EI IVAE.
	bmit ACO-18.)	Other (Specify)	(Submit A		mit ACO-4)		

Form	ACO1 - Well Completion
Operator	Kansas Energy Company, L.L.C.
Well Name	Dunham-Lemmon 36-3
Doc ID	1220832

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	42	portland	8	none
Production	6.75	4.50	9.5	1190	oil well cement	135	phenoseal , kol seal

270407

CEMENT FIELD TICKET AND TREATMENT REPORT

Туре	Kansas Energy	State, County	Chautaugua, Kansas	Cement Type	CLASS A
	longstring	Section	24	Excess (%)	30
stomer Acct #	4291 tongstring	TWP "	21n	Density	14
ell No.	Dunham Lemmon 36-3	RGE	12e	Water Required	,
iling Address		Formation		Yeild	1.74
y & State		Tubing.,	2 3/8	Sacks of Cement	135
Code		Drill Pipe		Slurry Volume	
ntact		Casing Size	4 1/2INCH,	Displacement	19
ail		Hole Size	63/4	Displacement PSI	
1		Casing Depth	1190	MIX PSI	
patch Location	BARTLESVILLE	Hole Depth	1214	Rate	
de	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	· · · · · · · · · · · · · · · · · · ·
5401		Quantity 1		\$1,085.00	P 4.00E.0
	CEMENT PUMP (2 HOUR MAX)		2 HR\$ MAX		\$ 1,085.0
5402	FOOTAGE	1190	PER FOOT	\$0.23	\$ 273.7
5406	EQUIPMENT MILEAGE (ONE-WAY)	40	PER MILE	\$4.20	\$ 168.0
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	11	PER LOAD	\$368.00	\$ 368.0
5621	4 1/2 INCH PLUG CONTAINER	11	PER UNIT	\$215.00	\$ 215.0
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				EQUIPMENT TOTAL	\$ 2,109.7
	Cement, Chemicals and Water				
1126	WC. CEMENT (CAL SEAL) 6%OWC, 2% CAL CLORIDE 2% GET	135	0	\$19.75	\$ 2,666.2
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$ 44.0
1107A	PHENOSEAL	120	0	\$1.35	\$ 162.0
1110A	KOL SEAL (50 # SK)	800	0	\$0.46	\$ 368.0
1111	GRANULATED SALT (50#) SELL BY #	850	0	\$0.39	\$ 331.5
0	CIGNOLATED GALT (SGIP) GLEEDT #		0	\$0.00	\$ -
0			0	\$0.00	-
0			0	\$0.00	
0 0			0	\$0.00	\$ -
				\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				Chemical Total	\$ 3,571.7
	Cement Water Transports				•
0			0	\$0.00	\$ -
Đ.			0	\$0.00	\$ -
0 .			0	\$0.00	\$ -
			· · · · · · · · · · · · · · · · · · ·	Transports Total	
	Gement Floating Equipment (TAXABLE)			Tenaporta Total	
	Cement Ploating Equipment (TAXABLE)		L		t
	Cement Basket			00.00	1.0
0	Ocatalian		0	\$0.00	
	Centralizer			40.00	
0	· · · · · · · · · · · · · · · · · · ·		0	\$0.00	\$ -
0	Float Chan		0	\$0.00	\$ -
	Float Shoe			An no.	
0 .	El. (B.III.)	L	0	\$0.00	-
	Float Collars		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
0			0	\$0.00	-
	Guide Shoes				
0			00	\$0.00	\$ -
	Baffle and Flapper Plates				0.40
0			0	\$0.00	\$
	Packer Shoes				
0			0	\$0.00	\$ -
	DV Tools				
0			0	\$0.00	\$ -
	Ball Valves, Swedges, Clamps, Misc.				
0			0	\$0.00	\$
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
	Plugs and Ball Sealers			1	
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	\$ 47.25
The same of the sa	Downhole Tools			· · · · · · · · · · · · · · · · · · ·	77.20
0 1			0	\$0.00	\$ -
			CEMENT FLOATING E		
	DRIVER NAME	- · · · · · · · · · · · · · · · · · · ·	OLINEIT I LOATING E	SUB TOTAL	\$ 5,728.70
TRUCK##SPE	jake		8.15%	SALES TAX	\$ 230.2
TRUCK##%%# 492		1	2070	TOTAL	6 000.00
492	ryan p	1		IVIALI	0,023.03
	ryan p		5%	(-DISCOUNT)	\$ 6,023.65 \$ 286,44
492	ryan p			(-DISCOUNT) OUNTED TOTAL	\$ 286,44

- AUTHORIZATION

1 ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WAITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Kansas Energy	State, County	Chautauqua, Kansas	Cement Type	CLASS A
Job Type	longstring	Section	24	Excess (%)	30
Customer Acct #	0	TWP	21n	Density .	14
Well No.	Dunham Lemmon 36-3	RGE	12e	Water Required	0
Mailing Address	0	Formation	0	Yeild	1.74
City & State	0	Tubing	2 3/8	Sacks of Cement	135
Zip Code	0	Drill Pipe	0	Slumy Volume	0
Contact	D	Casing Size	4 1/2INCH,	Displacement	19
Email	0	Hole Size	63/4	Displacement PSI	0
Cell	0	Casing Depth	1190	MIX PSI	0
Dispatch Location	BARTLESVILLE	Hole Depth	1214	Rate	0
		Remarks:			
Spotte	d trucks in on location and rigged upto wel	II. Ran 5bbls of fresh	water then mixxed up	4sks gel. Pumped a	ind then
	established circulation. Ran 135sks class A	A with 2%gel and cal	cium 6%owc 10%salt 6#	kolseal and .4phen	p.
	Shut down washed out pump and line and	d dropped plug. Disp	placed plug to bottom p	lug landed and held	j
	at 1000psi. Released pressure	e and washed up. Co	ment was circulated to	surface.	