Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1221035

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	Leastion of fluid dispaced if hould offsite
ENHR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1221035
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTOLICTIONS. Chow important tang of formations panetrated Da	tail all cares Report all fi	nal copies of drill stome tests giving interval tested, time teal

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	on (Top), Depth ar		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	9		Тор	Datum
Cores Taken Electric Log Run		Yes No Yes No					
List All E. Logs Run:							
		CASING Report all strings set-o	RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated)e			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner R		No	
Date of First, Resumed	d Product	ion, SWD or ENH	۲.	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:		Open Hole	METHOD	OF COMPLE	Comp.	Commingled (Submit ACO-4)	PRODUCTION INT	ERVAL:		
(If vented, Su	ıbmit ACC	D-18.)		Other (Specify))					

Form	ACO1 - Well Completion			
Operator	Birk, Brian L. dba Birk Petroleum			
Well Name	Fischer 10			
Doc ID	1221035			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface Casing	9.875	7.0	17	40	Portland	11	Calcium
Long String	6.25	2.875	6.5	1116	Portland	120	

BIRK PETROLEUM 874 12 TH RD SW	WELL CEMENTING	SERVICE TICKET
BURLINGTON, KS 66839 620-364-1311 - OFFICE, 620-364-6646 -		northanly
CHARGE TO BIKK PETRO	COUNTY CF.	DATE: 0 1/02 //4
ADDRESS LEASE & WELK NO. SCHER & KIND OF JOB	CITYSTST	ZIP
DIR. TO LOC	SECTWPRC	OLD NEW

QUANTITY	MATERIAL USED	SERV. CHG
- AUSX	Portland Cement	
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	
т.д//2	2' CSG. SET AT ///6' VOLUME	
SIZE HOLE		
MAX. PRESS	SIZE PIPE $278^{\prime\prime}$ VOLUME	
PLUG DEPTH	PKER DEPTH PLUG USED	
TIME FINISHED:		
REMARKS O	ace to pipe Pump cement into well. G	ad Circ.
NAME		
		•••••••••••••••••••••••••••••••••••••••

CEMENTER OR TREATER

OWNER'S REP.

802 N. Industrial Rd. Payless Concrete Products, Inc. Iola, Kansas 66749 Phone: (620) 365-5588

GLERE

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's nisk. The maximum alloted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's equest. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

P.O. Box 664

 $\begin{array}{c} \sum_{i=1}^{n-1} \frac{1}{2} \sum_{i=1}^{n-1}$ 9 6 B GROBERATIVE VENTURES 行动脉 名言 计运行管理 部门

LEASE MARL PLANER

De of OF (ENDY o M) TO Oxen (B) FOST CREAT NOD

STREETING CONTRACTOR STREETING

TIME	CODMINA	10100175	1	······	7 10	Z CELYA	
IIME	FORMULA	LOAD SIZE	YARDS ORDERED	· · · ·	DRIVER/TRUCK		PLANT/TRANSACTION #
- 2138					$\begin{array}{c} \mathbf{w}_{i,k} & \mathbf{y}_{i-k},\\ \boldsymbol{x}_{i-k}^{T} & \mathbf{w}_{i-k},\\ \mathbf{w}_{i-k}^{T} & \mathbf{w}_{i-k},\\ \mathbf{w}_{i-k}^{T} & \mathbf{y}_{i-k}, \end{array}$		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	合。 非常加加速度。	ie. A	3 Bu 49 M	* 2 1	(字)。(学)学	4 fth 15	
Contains Portland Cerne CAUSE BURNS, Avoid Contact With Skin or Ev	WARNING ATING TO THE SKIN A ant. Wear Rubber Boots and Gloves. Pl Contact With Eyes and Prolonged Cc yes, Flush Thoroughly With Water, If It	ROLONGED CONTACT MAY	PROPERTY DAM (TO BE SIGNED IF DELIVERY TO Dear Customer-The driver of this tru you for your signature is of the opin truck may possibly cause damage property if it places the material in	BE MADE INSIDE CURB UNE) tok in presenting this RELEASE to ion that the size and weight of his to the premises and/or adjacent his load where you desire it is	H ₂ 0 A	r is Detrimental to Con dded By Request/Autho	rized By
Attention. KEEP CHILD			Our wish to help you in every way the the driver is requesting that you sig	hat we can, but in order to do this In this RELEASE relieving him and	WEIGHMASTER		
LEAVING the PLANT, ANY	BLE COMMODITY and BECOMES the PROP. (CHANGES OR CANCELLATION of ORIG CE BEFORE LOADING STARTS.	ERTY of the PURCHASER UPON INAL INSTRUCTIONS MUST be	this supplier from any responsibility to the premises and/or adjacent driveways, curbs, etc., by the delw	property, buildings, sidewalks, any of this material, and that you			
	to pay all costs, including reasonable attor	neys' tees, incurred in collecting	also agree to help him remove mud that he will not litter the public stree	from the wheels of his vehicle so	NOTICE: NY CIONATURE PT		
All accounts not paid within 3	30 days of delivery will bear interest at the rate	of 24% per annum.	tion, the undersigned agrees to indee of this truck and this supplier for an and/or adjacent property which may	v and all damage to the memises	NOTICE AND SUPPLIER W WHEN DELIVERING INSIDE C	ILL NOT BE RESPONSIBLE URB LINE.	READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED
Material is Delivered.	ive Aggregate or Color Quality. No Claim		arisin out of delivery of this order. SIGNED		LOAD RECEIVED BY:	the second s	
Excess Delay Time Charged	Loss of the Cash Discount will be collect @ \$60/HR.	ted on all Returned Checks.	X	·	X_Aal	Constant and the second	
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE
	ARA I.		a santa na		i din organis. Rojan de Antonio		
	t de la construcción de la constru La construcción de la construcción d				and the second s		5 1 9 - Mar
12.44	和任人告知自己	L HIXLER,	网络科学家科学会会	2	12.05		i de la companya de l
						,	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CY	INDER TEST TAKEN	TIME ALLOWED	1	$f = \begin{cases} f \in \mathcal{O} \\ f \in \mathcal{O} \\ f \in \mathcal{O} \\ \mathcalO \\ $
1 mm	111111111111	11	1. JOB NOT READY	6. TRUCK BROKE DOWN			14972
IXL1	1145	live	2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	7. ACCIDENT 8. CITATION	7.8	n data da kara da kara Na sana da kara d	
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5. ADDED WATER	9. OTHER	TIME DUE		
1038	1117					ADDITIONAL CHARGE	1
TOTAL DOLLAR TOP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE	,
TOTAL ROUND TRIP							
							8 10491