

DIAMOND TESTING

General Information Report

General Information

Company Name	BEREXCO LLC	Representative	TIM VENTERS
Contact	EVAN MAYHEW	Well Operator	BEREXCO LLC
Well Name	TIMOTHY #2-16	Report Date	2014/06/15
Unique Well ID	DST #1, LANSING "G", 4018-4032	Prepared By	TIM VENTERS
Surface Location	SEC 16-22S-34W, FINNEY CO. KS.	Qualified By	ED GRIEVES
Field	WILDCAT		
Well Type	Vertical		
Test Type	STRADDLE		
Formation	DST #1, LANSING "G", 4018-4032		
Well Fluid Type	01 Oil		
Start Test Date	2014/06/14	Start Test Time	17:49:00
Final Test Date	2014/06/15	Final Test Time	07:58:00

Test Recovery:


RECOVERED: 5' M W/SP. O, SPOTTY OIL, 100% MUD

TOOL SAMPLE: SPOTTY OIL, 100% MUD

BEREXCO LLC
DST #1, LANSING "G", 4018-4032
Start Test Date: 2014/06/14
Final Test Date: 2014/06/15

TIMOTHY #2-16
Formation: DST #1, LANSING "G", 4018-4032
Pool: WILDCAT
Job Number: T357

TIMOTHY #2-16





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: TIMOTHY2-16DST1

TIME ON: 17:49 6-14-14
TIME OFF: 07:58 6-15-14

Company BEREXCO LLC Lease & Well No. TIMOTHY #2-16
Contractor BEREDCO LLC Charge to BEREXCO LLC
Elevation 29772 KB Formation LANSING "G" Effective Pay _____ Ft. Ticket No. T357
Date 6-15-14 Sec. 16 Twp. 22 S Range 34 W County FINNEY State KANSAS
Test Approved By ED GRIEVES Diamond Representative TIMOTHY T. VENTERS

Formation Test No. 1 Interval Tested from 4018 ft. to 4032 ft. Total Depth 4060 ft.
Packer Depth 4013 ft. Size 6 3/4 in. Packer depth 4032 ft. Size 6 3/4 in.
Packer Depth 4018 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3999 ft. Recorder Number 8457 Cap. 10,000 P.S.I.
Bottom Recorder Depth (Outside) 4029 ft. Recorder Number 11029 Cap. 5,025 P.S.I.
Below Straddle Recorder Depth 4057 ft. Recorder Number 11030 Cap. 5,025 P.S.I.

Mud Type CHEMICAL Viscosity 45 Drill Collar Length 617 ft. I.D. 2 1/4 in.
Weight 8.9 Water Loss 8.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 2,900 P.P.M. Drill Pipe Length 3368 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 2 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 14 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: VERY WEAK SURFACE BLOW, LASTING 2 MIN. (NO BB)
2nd Open: NO BLOW THROUGHOUT PERIOD. (NO BB)

Recovered <u>5</u> ft. of <u>M W/SP. O, SPOTTY OIL, 100% MUD</u>	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: <u>SPOTTY OIL, 100% MUD</u>	Total

Time Set Packer(s) 1:07 AM A.M. P.M. Time Started Off Bottom 3:22 AM A.M. P.M. Maximum Temperature 105 deg.

Initial Hydrostatic Pressure..... (A) 1873 P.S.I.
Initial Flow Period..... Minutes 15 (B) 7 P.S.I. to (C) 9 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 383 P.S.I.
Final Flow Period..... Minutes 30 (E) 9 P.S.I. to (F) 13 P.S.I.
Final Closed In Period..... Minutes 60 (G) 382 P.S.I.
Final Hydrostatic Pressure..... (H) 1852 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.