

Allen County, KS  
Well: Trester 2-HP  
Lease Owner: Haas Petroleum

Town Oilfield Service, Inc.  
(913) 837-8400

Commenced Spudding:  
7/8/2014

WELL LOG

Thickness of Strata	Formation	Total Depth
12	Soil-Clay	12
2	Lime	14
4	Shale	18
22	Lime	40
3	Shale	43
3	Lime	46
91	Shale	137
38	Lime	175
24	Sandy Shale	199
2	Sandy Lime	201
6	Sand	207
2	Shale	209
3	Shale	212
7	Lime	219
12	Lime	231
11	Shale	242
1	Lime	243
9	Shale	252
62	Lime	314
3	Shale	317
26	Lime	343
4	Shale	347
6	Lime	353
3	Shale	356
10	Lime	366
6	Shale	372
8	Lime	380
3	Shale	383
10	Sandy Shale	393
37	Sandy Shale	430
77	Shale	507
5	Sand	512
4	Sandy Shale	516
29	Shale	545
15	Lime	560
9	Shale	569
11	Lime	580
11	Shale	591
16	Sand	607
4	Shale	611



Truster Farm: Allen County

KS State; Well No. 2-114

Elevation 1067

Commenced Spuding 7-8, 2014

Finished Drilling 7-9, 2014

Driller's Name Chris Weaver

Driller's Name \_\_\_\_\_

Driller's Name \_\_\_\_\_

Tool Dresser's Name Cole Holcom

Tool Dresser's Name Ryan Roberts

Tool Dresser's Name \_\_\_\_\_

Contractor's Name TOS

8                      24                      19

(Section)              (Township)              (Range)

Distance from N line, 105 ft.

Distance from E line, 3040 ft.

3 - sucks  
**CASING AND TUBING  
RECORD**

10" Set \_\_\_\_\_ 10" Pulled \_\_\_\_\_

7 1/2" Set 20' 8" Pulled \_\_\_\_\_

6 1/4" Set \_\_\_\_\_ 6 1/4" Pulled \_\_\_\_\_

4" Set \_\_\_\_\_ 4" Pulled \_\_\_\_\_

2 7/8" Set 1057.75 2" Pulled \_\_\_\_\_

1,005.75 seat nipple

1040 TD

--	--	--	--	--	--



**CONSOLIDATED**  
Oil Well Services, LLC

TICKET NUMBER 45987

LOCATION Funcha

FOREMAN Jason Cooper

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**270565**  
**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7-9-14	3457	Trester # 2-HP				Allen
CUSTOMER Hogas Petroleum			TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRESS			445	Jeremy		
CITY			637	Jeff (Ottawa)		
STATE			558	Harold (Ottawa)		
ZIP CODE						

JOB TYPE L.S. HOLE SIZE 5 7/8 HOLE DEPTH 1040' CASING SIZE & WEIGHT 2 1/8  
 CASING DEPTH 1037 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 14.5 SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT IN CASING -0-  
 DISPLACEMENT 6 DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE \_\_\_\_\_

REMARKS: Arrived on location, held safety WTB, rigged up to 2 1/8 tubing, pumped 150 # Gel Slush + 10 Bbl Fresh water to est circulation, pumped 120 slt OWC w. 40 # Flo-Gel. Flushback pump + lines, displaced & plugs w 6 Bbl. Bump plugs @ 1000 released pressure float held, shut in.

-Circulated cement to surface-

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		1085.00
5406	55	MILEAGE		231.00
5407A	5.64 Ton	Ton-mileage		432.38
5502C	4 hr	80 Vac		360.00
1126	120 slt	OWC cement		2370.00
1107	50 #	Flo-Gel		123.50
1123	3400 gal	City Water		58.82
4402	2	2 1/8 Rubber Plugs		59.00
		Chemical Total @ 2493.50		
		30% Discount @ - 748.05		
		1745.45		
		7.4%	SALES TAX	137.88
			ESTIMATED TOTAL	4114.53

Revin 3737

AUTHORIZATION

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records at our office, and conditions of service on the back of this form are in effect for services identified on this form.