## 270407

## CEMENT FIELD TICKET AND TREATMENT REPORT

Туре	Kansas Energy	State, County	Chautaugua, Kansas	Cement Type	CLASS A
	longstring	Section	24	Excess (%)	30
stomer Acct #	4291 tongstring	TWP "	21n	Density	14
ell No.	Dunham Lemmon 36-3	RGE	12e	Water Required	,
iling Address		Formation		Yeild	1.74
y & State		Tubing.,	2 3/8	Sacks of Cement	135
Code		Drill Pipe		Slurry Volume	
ntact		Casing Size	4 1/2INCH,	Displacement	19
ail		Hole Size	63/4	Displacement PSI	
1		Casing Depth	1190	MIX PSI	
patch Location	BARTLESVILLE	Hole Depth	1214	Rate	
de	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	· · · · · · · · · · · · · · · · · · ·
5401		Quantity 1		\$1,085.00	P 4.00E.0
	CEMENT PUMP (2 HOUR MAX)		2 HR\$ MAX		\$ 1,085.0
5402	FOOTAGE	1190	PER FOOT	\$0.23	\$ 273.7
5406	EQUIPMENT MILEAGE (ONE-WAY)	40	PER MILE	\$4.20	\$ 168.0
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$ 368.0
5621	4 1/2 INCH PLUG CONTAINER	11	PER UNIT	\$215.00	\$ 215.0
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				EQUIPMENT TOTAL	\$ 2,109.7
	Cement, Chemicals and Water				
1126	WC. CEMENT (CAL SEAL) 6%OWC, 2% CAL CLORIDE 2% GET	135	0	\$19.75	\$ 2,666.2
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$ 44.0
1107A	PHENOSEAL	120	0	\$1.35	\$ 162.0
1110A	KOL SEAL (50 # SK)	800	0	\$0.46	\$ 368.0
1111	GRANULATED SALT (50#) SELL BY #	850	0	\$0.39	\$ 331.5
0	CIGNOLATED GALT (SGIP) GLEEDT #		0	\$0.00	\$ -
0			0	\$0.00	-
0			0	\$0.00	
0 0			0	\$0.00	\$ -
				\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				Chemical Total	\$ 3,571.7
	Cement Water Transports				•
0			0	\$0.00	\$ -
Đ.			0	\$0.00	\$ -
0 .			0	\$0.00	\$ -
			· · · · · · · · · · · · · · · · · · ·	Transports Total	
<del></del>	Gement Floating Equipment (TAXABLE)			Tenaporta Total	
	Cement Ploating Equipment (TAXABLE)	<del></del>	L		t
	Cement Basket			00.00	1.0
0	Ocatalian		0	\$0.00	
	Centralizer			40.00	
0	· · · · · · · · · · · · · · · · · · ·		0	\$0.00	\$ -
0	Float Chan		0	\$0.00	\$ -
	Float Shoe			An no.	
0 .	El. ( B.III. )	L	0	\$0.00	-
	Float Collars		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
0			0	\$0.00	-
	Guide Shoes				
0			00	\$0.00	\$ -
	Baffle and Flapper Plates				0.40
0			0	\$0.00	\$
	Packer Shoes				
0			0	\$0.00	\$ -
	DV Tools				
0			0	\$0.00	\$ -
	Ball Valves, Swedges, Clamps, Misc.				
0			0	\$0.00	\$
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
	Plugs and Ball Sealers			1	
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	\$ 47.25
THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	Downhole Tools			· · · · · · · · · · · · · · · · · · ·	77.20
0 1			0	\$0.00	\$ -
			CEMENT FLOATING E		
	DRIVER NAME	- · · · · · · · · · · · · · · · · · · ·	OLINEIT I LOATING E	SUB TOTAL	\$ 5,728.70
TRUCK##SPE	jake		8.15%	SALES TAX	\$ 230.2
TRUCK##%%# 492		1	2070	TOTAL	6 000.00
492	ryan p	1		IVIALI	0,023.03
	ryan p		5%	(-DISCOUNT)	\$ 6,023.65 \$ 286,44
492	ryan p			(-DISCOUNT) OUNTED TOTAL	\$ 286,44

- AUTHORIZATION

1 ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WAITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

## CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Kansas Energy	State, County	Chautauqua, Kansas	Cement Type	CLASS A
Job Type	longstring	Section	24	Excess (%)	30
Customer Acct #	0	TWP	21n	Density	14
Well No.	Dunham Lemmon 36-3	RGE	12e	Water Required	0
Mailing Address	0	Formation	0	Yeild	1.74
City & State	0	Tubing	2 3/8	Sacks of Cement	135
Zip Code	0	Drill Pipe	0	Slurry Volume	0
Contact	0	Casing Size	4 1/2INCH,	Displacement	19
Email	0	Hole Size	63/4	Displacement PSI	0
Cell	0	Casing Depth	1190	MIX PSI	0
Dispatch Location	BARTLESVILLE	Hole Depth	1214	Rate	0
		Remarks:			
Spott	ed trucks in on location and rigged upto we	II. Ran 5bbls of fresh	water then mixxed up	4sks gel. Pumped ar	nd then
	established circulation. Ran 135sks class	A with 2%gel and cal	cium 6%owc 10%salt 6#	kolseal and .4phenp	l <b>.</b>
	Shut down washed out pump and line an	d dropped plug. Disp	placed plug to bottom p	lug landed and held	V
	at 1000psi. Released pressur	e and washed up. Co	ment was circulated to	surface.	