



**GAMMA RAY
NEUTRON
CEMENT BOND
COMPLETION LOG**

Company DAYSTAR PRTROLEUM, INC.
Well EAGLE #11-14
Field
County WOODSON
State KANSAS

Company DAYSTAR PRTROLEUM, INC.

Well EAGLE #11-14

Field

County WOODSON State KANSAS

Location:

API #:

Other Services

SEC 31 TWP 25S RGE 14E

Permanent Datum

GL

Elevation

Log Measured From

GL

Drilling Measured From

GL

Elevation

K.B.
D.F.
G.L.

5-21-2014

1 NW

Run Number

Depth Driller

Depth Logger

Top Log Interval

Bottom Logged Interval

Fluid Level

Type Fluid

Production Casing

Max. Recorded Temp.

Estimated Cement Top

Calculated Cement Top

Amount & Type Cement

Amount & Type Admix

Drilling Contractor

Equipment Number

Location

Recorded By

Witnessed By

GORMLEY, R.

WESCOTT, J.

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
WVF3FT	4.42		CBLTEKCO-TEKCO2RCVR (TEKCO169) 1 11/16" TEKCO 2 RCVR DELWARE	9.75	1.69	50.00
WVF5FT	3.42					

WVFCAL
WVFSYNC

0.00
0.00




Dataset: eagle 11-14.db: field/well/run1/pass2MERGE
Total Length: 9.75 ft
Total Weight: 50.00 lb
O.D.: 1.69 in

Database File: eagle 11-14.db
Dataset Pathname: pass2MERGE
Presentation Format: scbl_dr
Dataset Creation: Wed May 21 11:55:12 2014
Charted by: Depth in Feet scaled 1:240

9	CCL	-1
0	GR (cps)	150
150	gr (cps)	300



0	Amplitude (mV)	150	250	VDL	1200
1100	TT3FT (usec)	200			
1800	TT5FT (usec)	200			
100	NEU	1100			




0

50

100







150


200

250

300

350








400

450

500

550








600

650

700

750







800


850

900

950

1000








1050

1100

1150

1200






9	CCL	-1
0	GR (cps)	150
150	gr (cps)	300


1250

1300

1350



0	Amplitude (mV)	150
1100	TT3FT (usec)	200
1800	TT5FT (usec)	200
100	NEU	1100







250	VDL	1200
-----	-----	------

Database File: eagle 11-14.db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Wed May 21 10:54:24 2014 by Log Std Casedhole 07122
 Charted by: Depth in Feet scaled 1:240

0	GR (cps)	150
150	gr (cps)	300

100	NEU	1100
9	CCL	-1








50


100

150

200









500

550

600

650







700

750

800

850






900


950

1000

1050

1100







1150

1200


1250

1300





1350



0 GR (cps) 150

100 NEU 1100

150 gr (cps) 300

9 CCL -1



Company	DAYSTAR PRTROLEUM, INC.		
Well	EAGLE #11-14		
Field			
County	WOODSON SECTION 31 TWP 25S RGE 14E		
State	KANSAS	Date	5-21-2014