

**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

the same are true and correct, so help me God.

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### 1221508

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

#### WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:				API No. 1	5		
Name:				Spot Desc	cription:		
Address 1:					Sec	Гwp S.	R East West
Address 2:					Feet from	North /	/ South Line of Section
City:	State:	Zip:+			Feet from	East	/ West Line of Section
Contact Person:				Footages	Calculated from Near	est Outside S	Section Corner:
Phone: ( )					NE NW	SE	sw
Type of Well: (Check one)	Oil Well Gas Well	OG D&A Cathod	lic	County:			
Water Supply Well	Other:	SWD Permit #:		-			_ Well #:
ENHR Permit #:	Gas Sto	orage Permit #:					
s ACO-1 filed? Yes	No If not, is well	l log attached? Yes	No				(Date)
Producing Formation(s): List A	All (If needed attach another	r sheet)		by:			(KCC <b>District</b> Agent's Name)
Depth to	o Top: Botto	m: T.D		Plugging	Commonand:		
Depth to	o Top: Botto	m: T.D		00 0			
Depth to	o Top: Botto	m:T.D		r lugging v	Sompleted		
Show depth and thickness of	all water, oil and gas forma	ations.					
Oil, Gas or Water	r Records		Casing I	Record (Surf	ace, Conductor & Prod	uction)	
Formation	Content	Casing	Size		Setting Depth	Pulled O	ut
			+				
cement or other plugs were u	sed, state the character of	same depth placed from (por	ttom), to (	top) for each	n piug set.		
Plugging Contractor License #	#:		Name: _				
Address 1:			Address	2:			
City:				State:		Zip:	+
Phone: ( )				-			
Name of Party Responsible fo	or Plugging Fees:						
State of	County			. SS			
	(Print Name)			Em	ployee of Operator or	Operat	tor on above-described well,

Submitted Electronically

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and



QUALITY OILWELL CEMENTING, INC. PO Box 32 - 740 West Wichita Ave, Russell KS 67665 Phone:785-324-1041 fax:785-483-1087 Email: cementing@ruraltel.net

Date: 8/13/2014 Invoice # 374

P.O.#:

Due Date: 9/12/2014 Division: Russell

## Invoice

Contact: DOUBLE D'S Address/Job Location: DOUBLE D'S 133 E 12TH HAYS KS 67601

Reference: GIEBLER 1

Description of Work:

PLUG JOB

Services / Items Included:  Labor Common-Class A POZ Mix-Standard Bulk Truck Matl-Material Service Charge Premium Gel (Bentonite) Flo Seal Pump Truck Mileage-Job to Nearest Camp Bulk Truck Mileage-Job to Nearest Bulk Plant Dry Hole Plug	Quantity  183 122 316 11 76 11 11	666666666666666666666666666666666666666	Price 1,020.55 3,067.94 859.02 706.35 200.15 169.88 122.70 71.80 62.59	Taxable Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	ltem	Quantity	Price	Taxable
Invoice Terms: Net 30			Disco	unt Avai	lable <u>ONLY</u> if Invoice is F within listed t	SubTotal: Paid & Received terms of invoice:	\$ 6,280.98 (942.15)	_
		_		6.15% E		I for Taxable Items:  Non-Taxable Items:  Total:  Tax:	\$ 5,338.83 - 5,338.83 328.34	s, e
Thank You For Your Business	!			2070		Amount Due: blied Payments: Balance Due:	5,667.17 5,667.17	•

Past Due Invoices are subject to a service charge (annual rate of 24%) This does not include any applicable taxes unless it is listed. ©2008-2013 Straker Investments, LLC. All rights reserved.

# LWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025

Home Office P.O. Box 32 Russell, KS 67665

No. 374

Cell 785-324-1041		delice and		19141467	24.4.1	entre macer i e fine	Onleastion	Finish				
ear ryong doject volu	Sec.	Twp.	Range	0	County	State	On Location	2.30Am				
Date 8-13-14	13	13	20	EI	15,	1 1 5						
	- /0			Locati	on FELTMEN	Hoy Huy 40 L	) to 140 15/E	NATINTO				
Lease Citales			Well No.	h i	Owner							
Contractor Relal	1				Vou are her	Dilwell Cementing, Incepty requested to ren	t cementing equipmen	nt and furnish				
	This				cementer ar	nd helper to assist ov	vner or contractor to c	lo work as listed.				
Hole Size 778		T.D.	3900	Ja. 181. 1	Charge To De De							
Csg.	Depth			Street								
Tbg. Size							City State					
Tool		Depth			The above w	as done to satisfaction	and supervision of owner	er agent or contractor.				
Cement Left in Csg.		Shoe J	oint	N. 911	Cement Am	nount Ordered 30.	5 0/40 4/6	-L 1/4/1/10				
Meas Line	4 6	Displac		, V &		***						
A STANDARD BY A STANDARD	EQUIP			hate jon s un television s	Common	183	E 200 T. J. H. H. W.					
Pumptrk / No. Cem		Mig			Poz. Mix	122	ATTURNET TR	and the T				
Bulktrk No. Drive	er /V	layton			Gel.	/						
Bulktrk 13No. Drive	er _	There	12 25 13 11		Calcium		MAGES 1880	1)44-104,783				
		S & REMA	ARKS		Hulls	A 18 18 18 18 18 18 18 18 18 18 18 18 18	TORN'S MALE STATE	8 20 EST MINER				
Remarks:					Salt	14Å, 21 44 24 815	o na rwenanu bix	The ten with the				
Rat Hole 305K		4 19 n. 1	est ext, v	r in wh	Flowseal	76 Th	and the second one of the	10 E-101 A 1104 A				
Mouse Hole 153/C					Kol-Seal							
Centralizers	LD o in			gas kan	Mud CLR 4	18	dae a'y artonda					
Baskets				o - Paga s	CFL-117 or CD110 CAF 38							
D/V or Port Collar	<u>.</u>			1 1 1 1 1 1 1 1	Sand			1 10 10 1 11 1 12 1				
137 38-	2	50	s II		Handling .	316						
700 1-10	<u> </u>	50	W.	145	Mileage	27 mil 167	60 July 2010	ويلتون المالوليات فطالي				
300 715	<del> </del>	10054	7			FLOAT EQUIP	MENT	ed Dur Marin				
4世 27/2		505K			Guide Sho	е						
5th 40°	,	OSK	a secolo de e	1 2	Centralizer	1 .						
All stops of the south of					Baskets	\$3/8 Del	lele phis	17 Strain and Strain				
					AFU Insert	ts						
940°C V. 12 V			2 CI 1 1	93.3	Float Shoe		Value I					
					Latch Dow							
						2 4 1 10075425	no turn w fritmanenero					
			10			C12 (20 )	estado e					
				Pumptrk Charge 0/ug								
			·		Mileage /	1105						
			estate to all				Ta	ax				
	·	3. 33%			object suites		Discou	nt				
X Signature / Doug	. 72	lede					Total Charg	де				
Signature /	7	uns	-	-	and the second of							



QUALITY OILWELL CEMENTING, INC. PO Box 32 - 740 West Wichita Ave, Russell KS 67665

PO Box 32 - 740 West Wichita Ave, Russell KS 67665 Phone:785-324-1041 fax:785-483-1087 Email: cementing@ruraltel.net Date: 8/5/2014 Invoice # 570

P.O.#:

Due Date: 9/4/2014

Division: Russell

## Invoice

Contact: DOUBLE D'S Address/Job Location: DOUBLE D'S 133 E 12TH HAYS KS 67601

Reference: GIEBLER 1

Description of Work:

SURFACE JOB

Services / Items Included:	Quantity	Price	Taxable	<i>Item</i>	Quantity	Price	Taxable
Labor		\$ 1,020.55	No				1
Common-Class A	150	\$ 2,514.71	Yes				- 1
Bulk Truck Matl-Material Service Charge	158	\$ 353.18	No				
Calcium Chloride	5	\$ 311.04	Yes				
Pump Truck Mileage-Job to Nearest Camp	11	\$ 122.70	No				ι
Bulk Truck Mileage-Job to Nearest Bulk Plant	11	\$ 71.80	No				
Premium Gel (Bentonite)	3	\$ 54.59	Yes				

Invoice Terms:		\$	4,448.55		
Net 30	Discount Available ONLY if Invoice is Paid & Received within listed terms of invoice: \$ (66)				
and the second s	SubT	\$	2,448.28		
	SubTotal f	\$	1,332.98		
-		Total:	\$	3,781.27	
	6.15% Ellis County Sales Tax	Tax:	\$	150.57	
Thank You For Your Business!		\$	3,931.84		
Thank tout of tout admisses	<b>A</b>	pplied Payments:			
		Balance Due:	\$	3,931.84	

Past Due Invoices are subject to a service charge (annual rate of 24%) This does not include any applicable taxes unless it is listed. ©2008-2013 Straker Investments, LLC. All rights reserved.

## QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025

Home Office P.O. Box 32 Russell, KS 67665

No. 570

Cell 785-324-104	1 5 10 10 10	. 19.51					Onlassian	Finish			
	Sec.	Twp.	Range		County	State	On Location				
Date 8-5-1	4 13	13	20	E	=///5	MANSAS		9:30 PM			
		10 AUG-11		Location	on Yocemi	auto a to /	40 Rel 151	E			
Lease GrieB	Ler		Well No.		Owner						
Contractor Roy	al De	RLG.	Rig #/		Vall are hore	ilwell Cementing, Inc by requested to rent id helper to assist ow	cementing equipmen	nt and furnish lo work as listed.			
Type Job Cemen T	SURS	ace	- 0 - 1		Charge T	T	7 111				
Hole Size 12	14	T.D.	220	1.11	To	)oublE 1	) 5 //6.	1			
Csg. 8 5/8	New	Depth	230	•	Street		CONTRACTOR OF B	50 HMps 88 z 1 C 88 z			
Tbg. Size 239	#csq	Depth	hitsinge hare s	CONTRACTOR OF THE PARTY OF THE	City		State				
Tool		Depth				as done to satisfaction a	and supervision of owner	r agent or contractor.			
Cement Left in Csg.		Shoe J	oint	3		ount Ordered /5	O SX Com	1			
Meas Line		Displac	e 13.º	2	· · · · ·	3% cc 0	2% GEL				
JAUC vote a soft	EQUIP	MENT	beigge at i		Common	50					
	Cementer Helper		Billy		Poz. Mix		The state of the s	TO BE DOWN TO			
No. L	Driver Driver	-6 7 11 12	Ryan		Gel. 3			-			
No. L	Driver	3-11-4-			Calcium	5	orni - Del Gardi.	HARGASC			
	Driver B SERVICES	S & REMA	ARKS		Hulls						
Remarks:				7 1 1 1	Salt						
		7112 1274			Flowseal	CONTRACTOR		A MERCEL CO. 1200			
Rat Hole	TO A SECURITY OF	:			Kol-Seal						
Mouse Hole					Mud CLR 4	8	Cast Mark Wales				
Centralizers  Baskets	5 × 63 × 25 × 3	dig nan	he end hims		CFL-117 or CD110 CAF 38						
	1911 470				Sand						
D/V or Port Collar				site and	Handling /	158					
D . ~	7 7	7	772	23#	Mileage						
85/0 CC		PINTS	6020	7/	3	FLOAT EQUIP	MENT	<b>N</b>			
Recieved	<del>}</del>	CULA	TON	+	Guide Shoe	)					
Recieved	1/1	C()	SXCom	2 4.2	Centralizer						
D'al	D 13	bo	2/ 1/2	0	Baskets						
U.Spiace	0 13	DE	150	#	AFU Inserts						
Shor	1,01	- (00	330	VI 7	Float Shoe	PARATA	1000	1 4 2 4 4 4			
			The Assess		Latch Down	1					
1	-	Din	1:00.	ATE							
Ceme	- N - S	URF	ace	LIJIE			1.				
2.22	0 40	, WAL	W C T		Pumptrk Ch	narge					
y * * *			( -		Mileage	Surface /	Part of the second	/			
	/ILAI	JK 3					Ta	IX			
	/ HAI				asin		Discou	nt			
X Signature	17.1	Ruce	1		Chest mar.		Total Charg	je /			
Signature	ung	Dur	7		- Care			and the			