

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	C Use:	
Effective	Date:	
District #	#	
SGA?	Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1222182

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

F . 10 1D .	Cont Boundation
Expected Spud Date:	Spot Description:
OPERATOR: License#	feet from N / S Line of Section feet from E / W Line of Section
Name:	
Address 1:	Is SECTION: Regular Irregular?
Address 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
Phone:	Lease Name: Well #:
	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVIO. Old Well IIIIOITIation as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR )
	Will Cores be taken? Yes No If Yes, proposed zone:
	II 165, proposed 20116
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	9 <i>0</i> ,
2. The minimum emount of curfees nine as appointed helpy chall be set	by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i>
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg	e underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	e underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	e underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  Submitted Electronically	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	a underlying formation. rict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  Submitted Electronically	e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Submitted Electronically  For KCC Use ONLY	a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);



\_\_ feet from

feet from

N /

E /

S Line of Section

W Line of Section

For KCC Use ONLY	
API # 15	

Well Number:

Operator: \_\_

Lease: \_\_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_\_

Field:	SecTwp S. R		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		
PL Show location of the well. Show footage to the nearest le	AT ase or unit boundary line. Show the predicted locations of		
lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a sep	uired by the Kansas Surface Owner Notice Act (House Bill 2032). parate plat if desired.		
	LEGEND		
	O Well Location  Tank Battery Location		
	Pipeline Location  Electric Line Location  Lease Road Location		
	·		
36	EXAMPLE		
	1980' FSL		
1710 ft.			
····•	:           : : :		

## 500 ft.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1222182

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A  Is the bottom below ground level?  Yes No	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)  Area? Yes No  Artificial Liner?  Yes No		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	epest point:	(feet) No Pit			
			dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	l utilized in drilling/workover:			
Number of producing wells on lease: N		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No			



### Kansas Corporation Commission Oil & Gas Conservation Division

1222182

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Contact Person:	tile lease below.			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). It is KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this s of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1			
Submitted Electronically	· ····· zo rotarrou.			

WILD COLT OIL & GAS, LLC ARROYO RANCH LEASE SW. 1/4. SECTION 36. T29S. R42W STANTON COUNTY, KANSAS



- Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- \*Approximate section lines were determined using the normal standard of care of oilfield surveyors problem in the state of knows. The section corners, which establish the precise section lines, and the state of knows. The section corners, which establish the precise section lines are larger to the control of the section of the section

September 16, 2014

STATE OF KANSAS STATE CORPORATION COMMISSION	WELL PLUGGING RECORD K.A.R62-3-117		API NUMBER 15-187-21007-00-00			
130 S. Market, Room 2078			LEASE NAME Sand Arroyo Ranch			
Wichita, KS 67202 RECEIVED	TYPE OR PRINT	Γ	AETT HOMB	ER #1-36		
SEP 0 4 2003 am	SEP 0 4 2003 and return to Cons. Div. office within 30 days.		500 Ft. from S Section Line			
SE WICHITA .			3570/7/0Ft. from E Section Line			
LEASE OPERATOR Stelbar Oil Corpora	tion, Inc.		sec. 36 T	WP. 295 RGE.	42W (2578# (W)	
ADDRESS 155 North Market, #500, Wich:	ita, KS 67202		COUNTY S	edgwick		
PHONE#(316) 264-8378 OPERATORS	LICENSE NO. 604	4	Date Well	Completed	08/13/03	
Character of Well D&A			Plugging	08/14/03		
(OII, Gas, D&A, SWD, Input, Water St	upply Well)		Plugging	Completed _	08/14/03	
The plugging proposal was approved	August 14,	2003			(etsb)	
by Steve Durrant			(KCC	District Age	ent's Name).	
Is ACO-1 filed? Yes If not,	Is well log att	ached?				
Producing Formation	Depth to Top		Bottom	T.D.		
Show depth and thickness of all water						
OIL, GAS OR WATER RECORDS		CASI	ING RECORD		-	
Formation Content	From To S	lze Pu	it in P	ulled out		
	Surface 1710' KF	3 8 5/8" 1	701' -	-0- ·		
Describe in detail the manner in whi placed and the method or methods us were used, state the character of	ed in introducin	ng it into	the hole.	. If cement	or other plug	
Plug well w/115 sx., 60/40 poz m	ix w/6% cc as f	ollows: '	50 sx. @	1740', 30 s	x. @ 660',	
$10 \text{ sx. } 0  40^{\circ}$ , $15 \text{ sx. in rathole.}$	10 sx. in mous	ehole.				
Name of Flugging Contractor Acid So	ervices, LLC	361		cense No3	2453	
Address 10233 NE Hwy. #61, Pratt,						
NAME OF PARTY RESPONSIBLE FOR PLUGGI	NG FEES: Stelba	ar Oil Con	rporation	, Inc.		
STATE OF KANSAS C	UNTY OF SEDGWI	СК	,,	55.		
Roscoe L. Mendenhald	Mondal	(Emp	lovee of (	Operator) or	хиникихоку о	
above-described well, being first du statements, and matters herein con the same are true and correct, so he	itained and the l ip me God.	h, says: Ti log of the	hat I have above-de:	knowledge	of the facts as filed tha	
		Ro		Mendenhall, ket, Suite	Pet. Engineer	
SUBSCRIBED AND SWOR	250 1023	tW	ichita, K		,×× 2003	
33334,,323 6			1000			
My Commission Expir	July 1, 2	2004	Notary	y Public (Gi	nger L. Kelley)	

A. GINGER L. KELLEY

Notary Public - State of Kansas

My Appt. Expires 07-01-2209/

Revised 05-88

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

November 19, 2014

Chandler Hoisington Wild Colt Oil and Gas LLC 757 E 20TH AVE STE 370-237 DENVER, CO 80205

Re: Drilling Pit Application Sand Arroyo Ranch 1-36 SW/4 Sec.36-29S-42W Stanton County, Kansas

## Dear Chandler Hoisington:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite, constructed without slots, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.