

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | | |
| SGA? | Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1222328

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|--|---|
| month day year | Sec Twp S. R 🔲 E 🔲 V |
| DPERATOR: License# | (0/0/0/0) feet from N / S Line of Section |
| Name: | feet from E / W Line of Section |
| ddress 1: | Is SECTION: Regular Irregular? |
| ddress 2: | (Note: Locate well on the Section Plat on reverse side) |
| City: State: Zip: + | County: |
| Contact Person: | Lease Name: Well #: |
| hone: | Field Name: |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? |
| lame: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MS |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: I II |
| | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe (if any):Projected Total Depth: |
| Well Name: Original Total Depth: | Frojected Total Depth: |
| Original Completion Bate Original Total Beptil | Water Source for Drilling Operations: |
| irectional, Deviated or Horizontal wellbore? | Well Farm Pond Other: |
| Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| (CC DKT #: | Will Cores be taken? |
| | |
| | If Yes, proposed zone: |
| | If Yes, proposed zone: |
| AFF | IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu | IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: | IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> the set of the state of the surface pipe as specified below <i>shall be set</i> the state of t | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions. | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; |
| AFF he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| AFF The undersigned hereby affirms that the drilling, completion and eventual pluses agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be appeared to the well shall be well as a production pipe required to the well shall be appeared to the well shall be app | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be appeared to the well shall be well as a production pipe required to the well shall be appeared to the well shall be app | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Libmitted Electronically For KCC Use ONLY API # 15 | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |



SEWARD CO. 3390' FEL

| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: | | |
|--|--|--|--|
| _ease: | feet from N / S Line of Section | | |
| Nell Number: | feet from E / W Line of Section | | |
| Field: | Sec Twp S. R | | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular | | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | |
| Show location of the well. Show footage to the nearest | PLAT t lease or unit boundary line. Show the predicted locations of | | |
| | equired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired. 990 ft. | | |
| | LEGEND | | |
| | 990 ft. | | |
| | EXAMPLE : | | |
| 19 | | | |
| | 1980' FSL | | |
| | | | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | | | |
|--|--------------------------------|---|--|--|--|--|
| Operator Address: | | | | | | |
| Contact Person: | | | Phone Number: | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | | | | |
| Emergency Pit Burn Pit | Proposed Existing | | SecTwp R | | | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | Feet from North / South Line of Section | | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section | | | |
| | (bbls) | | County | | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? | | | How is the pit lined if a plastic liner is not used? | | | |
| Pit dimensions (all but working pits): | Length (fe | et) | Width (feet) N/A: Steel Pits | | | |
| Depth fro | om ground level to dee | epest point: | (feet) No Pit | | | |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. | | | | | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallor Source of inforr | west fresh water feet. | | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | | |
| Producing Formation: | | Type of materia | Type of material utilized in drilling/workover: | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | | |
| | | | Abandonment procedure: | | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must be closed within 365 days of spud date. | | | | |
| | | | | | | |
| Submitted Electronically | | | | | | |
| KCC OFFICE USE ONLY | | | | | | |
| Date Received: Permit Number:Perm | | | Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No | | | |



1222328

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 | (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | | |
|---|---|--|--|--|
| OPERATOR: License # | Well Location: | | | |
| Name: | SecTwpS. R East West | | | |
| Address 1: | County: | | | |
| Address 2: | Lease Name: Well #: | | | |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of | | | |
| Contact Person: | the lease below: | | | |
| Phone: () Fax: () | | | | |
| Email Address: | | | | |
| Surface Owner Information: | | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. | | | |
| Address 2: | | | | |
| City: | | | | |
| the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the | acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 | | | |
| form and the associated Form C-1, Form CB-1, Form T-1, or Form CF Submitted Electronically | - I wiii be returnea. | | | |
| T. | | | | |


Form CP-4

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission

WELL PLUGGING RECORD

| Conservation Division State Corporation Commission | | | | 7.0 | | |
|--|--|------------------------------------|----------------|-----------------|----------------------------|------------------------|
| 212 No. Market Wichita, Kansas | | Grana | mCount | y. Sec. 19 | Twp.9 Rge | 21 (E) (W) |
| NORTH | | E/CNW#SW#" | | | | |
| 1 1 - 1 - 1 : 6 : | Lease Owner | | | ng Company | | |
| 1000 | Lease Name | Fury B | | | | Well No |
| 1 100013 1 | | Hamilto | | | | |
| | | ell (completed | as Oil, Gas o | r Dry: Hole) | | |
| 1 1 1 1 1 1 | Date well comp | | - | | | 19 |
| | | plugging filed | | | | 19 |
| 1 | Plugging comm | plugging approv | 20 /60 | | | |
| | Plugging comm | | 2/69 | | | 19 |
| | 1 | , | | - f d | enleted | 19 |
| | Reason for aban | adonment of wel | u or producin | g rormationu | epreceu. | - |
| | If a productor | well is abandon | ad data of la | | | 10. |
| | 1 | | | | | 19 |
| Locate well correctly on above Section Plat | menced? | | the Conserv | anon Division | or its agents be | fore plugging was com- |
| ame of Conservation Agent who supe | | | ichols | | | |
| roducing formation | | Depth to top | | | Tatal Donath | f Well 3847 Feet |
| how depth and thickness of all water, | | | Bottor | 9 | Total Depth of | f Well 3847 Feet |
| now deput and thickness of an water, | on and gas formation | 15. | | | | |
| OIL, GAS OR WATER RECORD | S | | | | | CASING RECORD |
| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED DUT |
| | | | | 8-5/8 | 2801 | none |
| | | - | | 5=11 | 3840' | none |
| | | | + |)2 | 3040 | HOHE |
| | MATERIAL PROPERTY AND ADDRESS OF THE PARTY AND | | - | | | - |
| | | | - | | 1 | - |
| | | | | | | |
| | | | | | - | |
| | | | | | - | |
| Describe in detail the manner in | | | | | | |
| Checked hole t at 1434', 1243 after each sho 130 sacks of o | t. Pumped 5 s | sacks hull | 70'. fish | ned wire 1 | ine | |
| | | | | | | |
| DI HOCTNO COMDIT | 19(110) | | | | | |
| PLUGGING COMPLI | ETE. | | | | Pro | |
| | | | | STA | TECOPECE | 14- |
| | | | | | TE OOKEORATIO | WED |
| | | | | | | |
| | | | | CO | VSFPI | 1960 |
| | | | | | NSERVATION Wichita, Kai | Direction |
| | | | | | Wichita, Kai | DIVISION |
| | | | | | | was , |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | /70 - AAH - 7 | | | | | |
| ame of Plugging Contractor | KNIGHT CASING | description is neces PULLING CO | TNC | of this sheet) | | |
| ddress | CHASE, KANSA | | 20, 110. | | | |
| duress | | | | | | |
| | | | | | | |
| TATE OF | KANSAS | NTY OFRI | CE | | | |
| The state of the s | NOEL J. KNIG | TTO | mmlausa af a | | ., SS. | |
| ell, being arst dall swom on oath, s | | | foots state | owner) or (own | er or operator) | of the above-described |
| ove-described well as filed and that | the same are true | d correct C | racts, stateme | nts, and matter | s herein contain | ned and the log of the |
| ASSO AAD | the same are true and | u correct. So h | eip me God. | 91 | 1 2/ | _ _/ |
| 1 | | (Signature) | | 1/100 | 1 | eer M |
| An Punicios | · · | | CH | ASE, KANSA | S | |
| The state of the s | | - | | | | |
| SUBSCRIBED AND STORM TO before | e me this 3rd | day of | Fo | bruary | Address) | 50 |
| See OUNTY | | uny or_ | | 1 | ,19.0 | 17 |
| "Manney" | 105- | - | | Maria | ret // hr | clakes |
| February 15 | 1971 | | , | 1 | 0 | Notary Public |



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 11, 2014

Justin Prater StrataKan Exploration, LLC 204 W. MILL ST. PLAINVILLE, KS 67663

Re: Drilling Pit Application
Wasinger 2
NE/4 Sec.19-09S-21W
Graham County, Kansas

Dear Justin Prater:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 6 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The free fluids in the reserve pit should be removed as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 11, 2014

Justin Prater StrataKan Exploration, LLC 204 W. MILL ST. PLAINVILLE, KS 67663

Re: Drilling Pit Application
Wasinger 2
NE/4 Sec.19-09S-21W
Graham County, Kansas

Dear Justin Prater:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. Keep pits away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 11, 2014

Justin Prater StrataKan Exploration, LLC 204 W. MILL ST. PLAINVILLE, KS 67663

Re: Drilling Pit Application Wasinger 2 NE/4 Sec.19-09S-21W Graham County, Kansas

Dear Justin Prater:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. Keep pits away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.