



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1222532
OIL & GAS CONSERVATION DIVISION

Form ACO-1
August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1222532

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	---	---

Leis Oil Services, LLC

1410 150th Rd
Yates Center, KS 66783

Invoice

Date	Invoice #
7/15/2014	1028

Bill To
Piqua Petro, Inc. 1331 Xylan Rd Piqua, KS 66761

P.O. No.	Terms	Project
	Due on receipt	

Quantity	Description	Rate	Amount
1	drill pit	100.00	100.00
8	cement for surface	11.60	92.80
1,222	Drilling for Diebolt 8-14	6.25	7,637.50
1	Mississippi Bit Charge	600.00	600.00
1	drill pit	100.00	100.00
8	cement for surface	11.60	92.80
1,096	Drilling for Temming 1-14	6.25	6,850.00
1	drill pit	100.00	100.00
8	Cement for surface	11.60	92.80
869	Drilling for Temming 2-14	6.25	5,431.25
1	Drill Pit	100.00	100.00
8	Cement for surface	11.60	92.80
1,102	Drilling for Temming 3-14	6.25	6,887.50
1	Drill Pit	100.00	100.00
8	Cement for Surface	11.60	92.80
862	Drilling for Temming 4-14	6.25	5,387.50
1	Drill Pit	100.00	100.00
1	Liner for pit	50.00	50.00
8	Cement for Surface	11.60	92.80
882	Drilling for Bruenger 1-14	6.25	5,512.50
1	Drill Pit	100.00	100.00
8	Cement for Surface	11.60	92.80
1	Liner for pit	50.00	50.00
893	Drilling for Bruenger 2-14	6.25	5,581.25
825	Trenching on Diebolt 7 and 8-14	0.75	618.75
		Total	\$45,955.85



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 26944

Invoice Date: 07/18/2014 Terms: 0/30/10,n/30

Page 1

LAIR, GREG
DBA: PIQUA PETRO INC
1331 XYLAN ROAD
PIQUA KS 66761
(620)468-2681

BRUENTER 1-14
5220000891
07/11/2014
KS

Part Number	Description	Qty	Unit Price	Tota
1131	60/40 POZ MIX	105.00	13.1800	1383.9
1118B	PREMIUM GEL / BENTONITE	350.00	.2200	77.0
1107A	PHENOSEAL (M) 40# BAG)	100.00	1.3500	135.0
1110A	KOL SEAL (50# BAG)	525.00	.4600	241.5
1123	CITY WATER	3000.00	.0173	51.9
4402	2 1/2" RUBBER PLUG	2.00	29.5000	59.0

Sublet Performed	Description	Tota
9996-170	CEMENT MATERIAL DISCOUNT	-564.4

Description	Hours	Unit Price	Tota
485 CEMENT PUMP	1.00	1085.00	1085.0
515 MIN. BULK DELIVERY	1.00	368.00	368.0
690 80 BBL VACUUM TRUCK (CEMENT)	2.00	90.00	180.0

Amount Due 3725.48 if paid after 07/28/2014

Parts:	1948.30	Freight:	.00	Tax:	102.41	AR	3119.2
Labor:	.00	Misc:	.00	Total:	3119.29		
Sublt:	-564.42	Supplies:	.00	Change:	.00		

Signed _____

Date _____

BARTLESVILLE, OK 918/338-0808 EL DORADO, KS 316/322-7022 EUREKA, KS 620/583-7664 PONCA CITY, OK 580/762-2303 OAKLEY, KS 785/672-8822 OTTAWA, KS 785/242-4044 THAYER, KS 620/839-5269 GILLETTE, WY 307/686-4914 CUSHING, O 918/225-265



LEIS OIL SERVICES

1410 150th Rd. • Yates Center, Kansas 66783 • (620) 212-0752



Operator License #: 30345	API #: 15-001-31105-00-00
Operator: Piqua Petro, Inc.	Lease: Bruenger
Address: 1331 Xylan Rd, Piqua, KS 66761	Well #: 1-14
Phone: (620) 433-0099	Spud Date: 7-9-14 Completed: 7-10-14
Contractor License: 34036	Location: SW/SW/SW/NE of 14-25-17E
T.D. : 882 T.D. of Pipe: 876 Size: 2.875"	3130 Feet From South
Surface Pipe Size: 7" Depth: 22'	2470 Feet From East
Kind of Well: Oil	County: Allen

LOG

Thickness	Strata	From	To	Thickness	Strata	From	To
4	Soil and Clay	0	4				
11	Lime	4	15				
126	Shale	15	141				
14	Lime	141	155				
4	Shale	155	159				
64	Lime	159	223				
83	Shale	223	306				
69	Lime	306	375				
7	Shale/Black Shale	375	382				
28	Lime	382	410				
6	Shale/Black Shale	410	416				
32	Lime	416	448				
181	Shale	448	629				
10	Lime	629	639				
68	Shale	639	707				
4	Lime	707	711				
9	Shale	711	720				
16	Lime	720	736				
25	Shale	736	761				
16	Lime	761	777		T.D.		882
3	Shale	777	780		T.D. of Pipe		876
2	Black Shale	780	782				
5	Shale	782	787				
3	Lime	787	790				
26	Shale	790	816				
1	Lime	816	817				
9	Oil Sand	817	826				
3	Sandy Shale/Oil	826	829				
53	Shale	829	882				