

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	_
District #	_
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	vear	Spot Description:
	monun day	year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Sec
			feet from E / W Line of Sec
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Typ	pe Equipment:	Ground Surface Elevation:feet N
Oil Enh R	Rec Infield	Mud Rotary	
Gas Storag	~ 	Air Rotary	
Dispo		Cable	
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Tota	al Depth:	
inactional Deviated on Ho	wine a talallbara O	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Ho	rizontal wellbore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby a	affirms that the drilling, comp		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
		pletion and eventual pl	
t is agreed that the follow	ving minimum requirements v	pletion and eventual pluwill be met:	
is agreed that the follow 1. Notify the appropria		oletion and eventual plowill be met: udding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro	ving minimum requirements vate district office <i>prior</i> to spu	oletion and eventual pluwill be met: Idding of well; Idding be posted on each	ugging of this well will comply with K.S.A. 55 et. seq.
 agreed that the follow Notify the appropria A copy of the appro The minimum amounthrough all unconso 	ving minimum requirements vate district office prior to spud oved notice of intent to drill sound of surface pipe as specificated materials plus a min	oletion and eventual plu will be met: adding of well; hall be posted on each ied below shall be set imum of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hole 	ving minimum requirements wate district office prior to spud oved notice of intent to drill s unt of surface pipe as specifical plus a min le, an agreement between the	oletion and eventual plantial be met: Indiang of well; Indiang o	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging;
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry holis The appropriate dis 	ving minimum requirements wate district office prior to spud oved notice of intent to drill s unt of surface pipe as specifical plus a min le, an agreement between the strict office will be notified be	poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the operator and the distore well is either pluggi	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hole The appropriate dis If an ALTERNATE I 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be II COMPLETION, production	poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction fore well is either plugging pipe shall be cemented.	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 s agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry holis The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co	poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction of the set imum of the experator and the distriction well is either plugging pipe shall be cemented our face casing order #	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 s agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry holis The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co	poletion and eventual plus will be met: Idding of well; Idding of well; Idding be posted on each idea below shall be set imum of 20 feet into the experator and the distriction of the set imum of the experator and the distriction well is either plugging pipe shall be cemented our face casing order #	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hole The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specifical plus a minule, an agreement between the strict office will be notified be a complete the complete of the co	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 s agreed that the follow Notify the appropria A copy of the approsimation The minimum amount through all unconso If the well is dry hole The appropriate dis If an ALTERNATE I Or pursuant to Appmust be completed 	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill s unt of surface pipe as specificated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hole The appropriate dis If an ALTERNATE I Or pursuant to Appmust be completed 	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill s unt of surface pipe as specificated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	in drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill s unt of surface pipe as specificated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of	poletion and eventual plus will be met: Idding of well; Idding of well is either plugging pipe shall be cemented surface casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enough the underlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It is ged or production casing is cemented in; It is defined any usable water to surface within <i>120 DAYS</i> of spud date. In all cases, NOTIFY district office prior to any cementing is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ubmitted Electror For KCC Use ONLY	ving minimum requirements wate district office <i>prior</i> to spubved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of chically	pletion and eventual planel be met: Idding of well; Idding of well be set into the operator and the distriction of the coperator and the distriction of the well is either plugging pipe shall be cemented attempted or the well shall be the control of t	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill sount of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of conically	poletion and eventual planels be met: Indding of well; Indding of well be set into the operator and the distriction of the community of the community of the well is either plugging pipe shall be cemented or the well shall be surface casing order # that or the well shall be surface.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements water district office <i>prior</i> to sput oved notice of intent to drill so unt of surface pipe as specifical olidated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so I within 30 days of the spud of the	pletion and eventual planting of well; hall be posted on each led below shall be set imum of 20 feet into the experator and the distriction of the coperator and the distriction of the experiment of the experiment of the experiment of the well is either plugging pipe shall be cemented attempted or the well shall be the experiment of the well shall be feet.	An drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill sount of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas so within 30 days of the spud of conically	pletion and eventual planting of well; hall be posted on each led below shall be set imum of 20 feet into the experator and the distriction of the coperator and the distriction of the experiment of the experiment of the experiment of the well is either plugging pipe shall be cemented attempted or the well shall be the experiment of the well shall be feet.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amode through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required _ Minimum surface pipe required _	ving minimum requirements water district office <i>prior</i> to sput oved notice of intent to drill so unt of surface pipe as specifical olidated materials plus a min le, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas so I within 30 days of the spud of the	poletion and eventual planel be met: Indding of well; Indall be posted on each led below shall be set imum of 20 feet into the experience of the poletic below shall be cemented below shall be cemented below shall be cemented below the well shall be completed below shall be completed below shall be completed below the well shall be completed by the well-by the	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amon through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ibmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe red Approved by:	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>s</i> unt of surface pipe as specificallidated materials plus a minule, an agreement between the strict office will be notified be the completion, production pendix "B" - Eastern Kansas is a within 30 days of the spud of the completion.	poletion and eventual planel be met: Indding of well; Indall be posted on each led below shall be set imum of 20 feet into the experience of the poletic below shall be cemented below shall be cemented below shall be cemented below the well shall be completed below shall be completed below shall be completed below the well shall be completed by the well-by the	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 7. The appropriate dis 8. If an ALTERNATE I Or pursuant to Approved by: Conductor pipe required I Minimum surface pipe required Approved by: This authorization expires	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>s</i> unt of surface pipe as specificallidated materials plus a minule, an agreement between the strict office will be notified be the completion, production pendix "B" - Eastern Kansas is a within 30 days of the spud of the completion.	pletion and eventual planial be met: Idding of well; Idding of well of	An drilling rig; The drilling rig; The victual comply with K.S.A. 55 et. seq. In drilling rig; The victual complete to the top; in all cases surface pipe shall be set e underlying formation. The victual complete to the top; in all cases surface pipe shall be set e underlying formation. The victual complete to the victual case of the victu

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	SecTwpS. R 🗌 E 🔲 W	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date col Pit capacity: urea? Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1222710

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #			
Name:	· — —		
Address 1:	•		
Address 2:	Lease Name: Well #:		
City: State: +	the lease heleum		
Phone: () Fax: ()			
Email Address:	-		
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	_		
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Birk Petroleum	Location of Well: County: Coffey	
Lease: Sutherland	165	feet from N / X S Line of Section
Well Number: 35	4,125	feet from X E / W Line of Section
Field: Crandall North	Sec. 31 Twp. 22	S. R. <u>16</u> 🔀 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or	Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 11, 2014

Brian Birk Birk, Brian L. dba Birk Petroleum 874 12TH RD SW BURLINGTON, KS 66839-9255

Re: Drilling Pit Application Sutherland 35 SW/4 Sec.31-22S-16E Coffey County, Kansas

Dear Brian Birk:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.