

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1222859

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:			
month day year	Sec Twp S. R 🔲 E 🔲 V			
DPERATOR: License#	(0/0/0/0) feet from N / S Line of Section			
Name:	feet from E / W Line of Section			
ddress 1:	Is SECTION: Regular Irregular?			
ddress 2:	(Note: Locate well on the Section Plat on reverse side)			
City: State: Zip: +	County:			
Contact Person:	Lease Name: Well #:			
hone:	Field Name:			
CONTRACTOR: License#	Is this a Prorated / Spaced Field?			
lame:	Target Formation(s):			
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):			
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS			
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:			
Disposal Wildcat Cable	Public water supply well within one mile:			
Seismic ; # of Holes Other	Depth to bottom of fresh water:			
Other:	Depth to bottom of usable water:			
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II			
	Length of Surface Pipe Planned to be set:			
Operator:	Length of Conductor Pipe (if any):			
Well Name: Original Total Depth:	Projected Total Depth:  Formation at Total Depth:			
Original Completion Bate Original Total Beptil	Water Source for Drilling Operations:			
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:			
Yes, true vertical depth:	DWR Permit #:			
Bottom Hole Location:	(Note: Apply for Permit with DWR )			
(CC DKT #:	Will Cores be taken?			
	If Yes, proposed zone:			
	If Yes, proposed zone:			
AFF	IDAVIT			
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	IDAVIT			
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	IDAVIT			
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.			
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> the set of the state of the surface pipe as specified below <i>shall be set</i> the state of t	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set			
AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.			
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;			
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;			
AFF he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification			
AFF The undersigned hereby affirms that the drilling, completion and eventual pluses agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;			
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be appeared to the well shall be well as a production pipe required to the well shall be appeared to the well shall be app	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be appeared to the well shall be well as a production pipe required to the well shall be appeared to the well shall be app	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;			
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;			

Side Two



For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						Location of We	ell: County:
Lease:							feet from N / S Line of Section
Well Number	·:						feet from E / W Line of Section
Field:				SecTwpS. R E W			
						Is Section:	Regular or Irregular
QTR/QTR/Q	TR/QTR of acre	age:					
						If Section is I Section corne	rregular, locate well from nearest corner boundary. r used: NE NW SE SW
					PLA	ΛT	
le			pipelines and el	ectrical lines	s, as requi		lary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). red.
	:	•	:	:		:	
	:			:		:	1505115
	:	÷	:	:	:	:	LEGEND
•	:	·· · · · · · · · · · · · · · · · · · ·	:	······ :	····	:	O Well Location
	:						Tank Battery Location
	• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	•	Pipeline Location
	:	:	:	÷	:	:	Electric Line Location
				:	:		Lease Road Location
					· · · · · · · · · · · · · · · · · · ·		
	:	:		:	:	:	
	:		:	:		:	EXAMPLE : :
	:	· :	<u>:</u>	· · ·	:	:	
			18				
	:	÷	:	į	÷	:	
-	······································			:		:	
					÷	:	
.	·······	:	:		:	:	:
							1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

700 ft.

330 ft.

SEWARD CO. 3390' FEL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit	Pit is: Proposed  If Existing, date con	Existing structed:	SecTwp R East WestFeet from North / South Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No  Artificial Liner?  Yes N		0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inform	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all sp flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No		



1222859

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:			
Name:				
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Contact Person:	•			
Phone: ( ) Fax: ( )  Email Address:				
Surface Owner Information:				
Name:				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
Select one of the following:				
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and a KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.			
Submitted Electronically				
I				

## RICHLAN DRILLING STREMEL LEASE SE. 1/4, SECTION 18, T16S, R16W RUSH COUNTY, KANSAS




Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 ocres.

shown on this t be legally ndowner, for access.

September 11. 2014

Date .

Approximate section times were determined using the normal standard of care of oilfield surveyors practicing in the state of Konsas. The section corners, which establish the precise section times, were not necessarily located, and the exact location of the deviliste location in the section is not guaranteed. Therefore, the operator securing this service and occepting this plat and all other parties relying therein agree to hald Central Kansas Diffield Services, Inc., its officers and employees hormless from all losses, costs and expenses and said entities released from any liability. Elevations derived from National Geodetic Vertical Datum.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 16, 2014

Rick Schreiber Richlan Drilling, a General Partnership 598 2ND AVE BEAVER, KS 67525-9226

Re: Drilling Pit Application Stremel 1 SE/4 Sec.18-16S-16W Rush County, Kansas

#### Dear Rick Schreiber:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.