



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1223021  
OIL & GAS CONSERVATION DIVISION

Form CP-4  
March 2009

Type or Print on this Form  
Form must be Signed  
All blanks must be Filled

**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

OPERATOR: License #: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_  
 Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Contact Person: \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
 Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
 Producing Formation(s): List All (If needed attach another sheet)  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
 Spot Description: \_\_\_\_\_  
 \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 \_\_\_\_\_ Feet from  North /  South Line of Section  
 \_\_\_\_\_ Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
 Date Well Completed: \_\_\_\_\_  
 The plugging proposal was approved on: \_\_\_\_\_ (Date)  
 by: \_\_\_\_\_ (KCC District Agent's Name)  
 Plugging Commenced: \_\_\_\_\_  
 Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
 State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
 \_\_\_\_\_  Employee of Operator or  Operator on above-described well,  
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# QUALITY WELL SERVICE, INC.

6158

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410  
Fax 620-672-3663

Rich's Cell 620-727-3409  
Brady's Cell 620-727-6964

Date	07-08-14	Sec.	32	Twp.	29S	Range	24W	County	Ford	State	KS	On Location	12 noon	Finish	2:00 PM
Lease	Marfam	Well No.	3-32			Location Bloom, KS, 3 1/2 w. 4th									
Contractor	Duke #1				Owner	Vincent									
Type Job	Surface				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	12 1/4		T.D. 649'												
Csg.	8 5/8		Depth 649'												
Tbg. Size			Depth												
Tool			Street												
Cement Left in Csg.	42'		Shoe Joint 42.15												
Meas Line			Displace 29 BBls Fresh												
<b>EQUIPMENT</b>										Cement Amount Ordered 125sx MDC + 1/4" Flowseal & 125sx class A + 3%cc + 2%gel + 1/4" Flowseal					
Pumptrk	8	No.	David F		Common	125									
Bulktrk	10	No.	David B		Rez. MIX	MDC 125									
Bulktrk	7	No.	Mike B		Gel.	11									
Pickup		No.			Calcium	10									
<b>JOB SERVICES &amp; REMARKS</b>										Hulls					
Rat Hole					Salt										
Mouse Hole					Flowseal 66.25										
Centralizers					Kol-Seal										
Baskets					Mud CLR 48										
D/V or Port Collar	Ran 15. its 8 5/8 csg				CFL-117 or CD110 CAF 38										
Pipe on BHM, Break Circ., Pump Spacer					Sand										
Mix Light Weight Cement, Mix tail Cement					Handling 271										
Stop Pump, Release Plug, Start Disp					Mileage 50										
Fresh H <sub>2</sub> O, Wash up on Plug, See Steady increase in PSI, Slow Rate, Bump Plug at 29 BBls to 61 Disp., Shot in, Cement Did Circ.					<b>FLOAT EQUIPMENT</b>										
				Guide Shoe											
				Centralizer											
				Baskets											
				AFU Inserts - Baffle Plate											
				Float Shoe											
				Latched Down Service Supervisor											
				Wooden Cap Plug											
				LMU 50											
				Pumptrk Charge Surface											
				Mileage 50 x 2											
										Tax					
										Discount					
										Total Charge					
X Signature <i>Mike Stahly</i>															

# QUALITY WELL SERVICE, INC.

6189

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410  
Fax 620-672-3663

Rich's Cell 620-727-3409  
Brady's Cell 620-727-6964

Date	07-19-14	Sec.	32	Twp.	29s	Range	24w	County	Ford	State	KS	On Location	9:00 AM	Finish	2:00 PM	
Lease	MarFam	Well No.	3-32			Location Bloom, KS, 3 1/2 mi s/into										
Contractor	Duke #1							Owner	Vincent							
Type Job	Rotary Plug TA							To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.								
Hole Size	7 7/8		T.D.		5467'		Charge To Vincent									
Csg.	8 5/8		Depth		648'		Street									
Tbg. Size	4 1/2 Drill Pipe		Depth		1590'		City									
Tool			Depth				State									
Cement Left in Csg.			Shoe Joint		The above was done to satisfaction and supervision of owner agent or contractor.											
Meas Line			Displace		Fresh H <sub>2</sub> O		Cement Amount Ordered 170sx 60:40:4%gel + 14CF									

**EQUIPMENT**

Pumptrk	8	No.	David B.	Common	105
Bulktrk	7	No.	David F.	Poz. Mix	65
Bulktrk		No.		Gel.	6
Pickup		No.		Calcium	

**JOB SERVICES & REMARKS**

Rat Hole	30sx	Hulls	
Mouse Hole	20sx	Salt	
Centralizers		Flowseal	42.50
Baskets		Kol-Seal	
D/V or Port Collar		Mud CLR 48	
Drill Pipe at 1590' Load hole, Pump		CFL-117 or CD110 CAF 38	
Fresh Spacers, Mix 50sx cement, 0!sp.w/		Sand	
19 BBLs water,		Handling	176
		Mileage	50

**FLOAT EQUIPMENT**

Drill Pipe at 680' Load hole, Pump		Guide Shoe	
Spacer, Mix 50sx, Disp.w/ 6 1/2 BBLs water		Centralizer	
Pipe at 60' Load hole, mix 20sx		Baskets	
Cement Did Line,		AFU Inserts	
Plug Rat & Mouseholes w/ 50sx		Float Shoe	
		Latch Down	
		LMV	50
		Service Supervisor	
		Pumptrk Charge	14-Rotary Plug
		Mileage	50 x 2

Signature	Mike Rodkey	Tax	
		Discount	
		Total Charge	