

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(O/O/O/Q) feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
CCC DKT #:	( <b>Note:</b> Apply for Permit with DWR )
	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig;
3. The minimum amount of surface pipe as specified below <b>shall be set</b>	
through all unconsolidated materials plus a minimum of 20 feet into the	• •
·	
4. If the well is dry hole, an agreement between the operator and the dist	
<ul><li>4. If the well is dry hole, an agreement between the operator and the dist</li><li>5. The appropriate district office will be notified before well is either plugg</li></ul>	ed or production casing is cemented in;
<ul><li>4. If the well is dry hole, an agreement between the operator and the dist</li><li>5. The appropriate district office will be notified before well is either plugg</li><li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented</li></ul>	ed or production casing is cemented in;
<ul><li>4. If the well is dry hole, an agreement between the operator and the dist</li><li>5. The appropriate district office will be notified before well is either plugg</li><li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented</li></ul>	ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ul> <li>4. If the well is dry hole, an agreement between the operator and the dist</li> <li>5. The appropriate district office will be notified before well is either plugg</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ul>	ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Ubmitted Electronically	ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY	ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  sibmitted Electronically  For KCC Use ONLY  API # 15 -	ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the spud date or the well shall be  ### The complete of the image of the	ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15	ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15	ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:
feet from N / S Line of Section
feet from E / W Line of Section
Sec Twp S. R
Is Section: Regular or Irregular
If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

### 2420 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
			Width (feet) N/A: Steel Pits
Pit dimensions (all but working pits):	om ground level to dea	,	
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining
material, thickness and installation procedure.			cluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallor Source of inform	west fresh water feet. nation:
feet Depth of water wellfeet		measured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	ring pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
Submitted Liectronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1223169

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	
Name:	· — —
Address 1:	•
Address 2:	Lease Name: Well #:
City:         State:         +	the large heless.
Phone: ( ) Fax: ( )	
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	_
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	



↑ N TAPSTONE ENERGY

PLANNED LOCATION BILL 34-34-10 1H 2420'FSL; 1980'FWL Section 27-34S-10W Barber County, Kansas

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKLA CITY, OKLA 73116 • LOCAL (405) B43-4847 • OUT OF STATE (800) 654-3219

Certificate of Authorization No. LS-99, Exp. Dec. 31, 2015

BARBER

County, Konsos \_ County, Kansas p <u>34S</u> Range 2420'FSL-1980'FWL Section \_10W\_P.M. 27 \_\_ Township X= 2033831 Y= 145099 Bottom Hole, Unit Line, and provided by operator listed, N 2028496 145030 11 330' HARDLINE 11 11 0GR4点 0-N-5 分上流 HARDLINE ia) are calculated based a 2640 feet, those shown to (Caneral Land Office) measured on the ground.

Meter 1000 GRID NAD-27 Konsos South US Feet 330 Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' 226 X= 2028506 Y= 142385 500' 1980 X= 2033864 Y= 142437 Alternote 2390'FSL-1980'FWL NAO-27 (US Feet) 37-03'25.2'N 98-23'43.9'W 37.057006034'N 98.395532355'W X= 2030487 Y= 142148 Good 7021 Topography & Vegetation Best Accessibility to Location Distance & Direction from Hwy Jct or Town \_\_\_\_\_Fr Operator: Lease Name: corner of Section 27 T34S-R10W AZ= 183'21' 4739' 2 Site? BILL 2420 34-34-10 ENERGY DRIC PATH From berm. X= 2031210 Y= 139761 X= 2033897 Y= 139776 fell Alt From X= 2028516 Y= 139751 2. HARDLINE West fell in cut field Reference S Stakes Set field 12 off county road ±170° 2310 | Bottom Hole | 2310 FNL - 1650 FWL | MAD - 27 (US feet) | 3702 38.7 °N | 98'23'47.4 °N | 37.04'409675'N | 98.396499953'W | X= 2030210 | Y= 137447 | 330' | HARDLINE 3' South of top bank of field the stakes or Alternate Location to 2390'FSL-1980'FML; ELEV. ⊒. 1033 ð 365 1650 the 로 West X= 2028566 Y= 137072 X= 2033926 Y= 137107 Quarter field 1318 ELEVATION: 1318' Gr. at drain 97. 9 berm. Stake X= 2033953 Y= 134443 X= 2031286 Y= 134419 X= 2028615 Y= 134398 Township Line P 7345-R10W 7355-R10W A boundary survey of the said section(s) shown hereon was not performed per the request of the operator shown hereon. The information shown herein is for construction purposes <u>ONLY</u>, Revision X A Aug. 27, 2014 K. DATUM: NAU-2. 37'03'25.5"N Invoice # 227629 Date Staked: Aug. 18, 2014 JAL CENSED LONG: 98'23'43.9"W **CERTIFICATE:** 37.057088468'N LAT: \_ Lee K. Goss a Kansas Licensed Land LONG: 98.395532579'W Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described well location was surveyed and staked on the ground STATE PLANE COORDINATES: (US Feet)
ZONE: KS SOUTH Fred # as shown herein. SURVEYO ZONE: 2030487

142178

# **UNIT DESCRIPTION FOR BILL 34-34-10 1H**

**UNIT ACRES:** 

640

**UNIT DESCRIPTION:** 

SW/4 OF SECTION 22-34S-10W, W/2 OF SECTION 27-34S-10W,

NW/4 OF SECTION 34-34S-10W

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 16, 2014

Steve Dowdy Tapstone Energy, LLC PO BOX 1608 OKLAHOMA CITY, OK 73101-1608

Re: Drilling Pit Application Bill 34-34-10 1H SW/4 Sec.27-34S-10W Barber County, Kansas

Dear Steve Dowdy:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

<b>82-3-607.</b> (a)	DISPOSAL OF DIKE AND PIT CONTENTS.  Each operator shall perform one of the following when disposing of dike or	
pit		
(4)	contents:	
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;	
(2)	dispose of reserve pit waste down the annular space of a well completed	
	according to the alternate I requirements of K.A.R. 82-3-106, if the waste to	
	be disposed of was generated during the drilling and completion of the well;	
or (3)	dispose of the remaining solid contents in any manner required by the	
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:	
	(A) Burial in place, in accordance with the grading and restoration	
	requirements in K.A.R. 82-3-602 (f);	
	(B) removal and placement of the contents in an on-site disposal area	
	approved by the commission;	
	(C) removal and placement of the contents in an off-site disposal area	
on		
	acreage owned by the same landowner or to another producing	
lease	or unit approted by the same approtor if prior written permission	
from	or unit operated by the same operator, if prior written permission	
пош	the landowner has been obtained; or	

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Each	violation of this regulation shall be punishable by the following:
(1	) A \$1,0	000 penalty for the first violation;
(2	a \$2,5	00 penalty for the second violation; and
(3	a \$5,0	000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.