



Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1223186
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
 K.A.R. 82-3-117

Form CP-4
 March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

QUALITY WELL SERVICE, INC.

6155

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	06-27-14	Sec.	09	Twp.	29s	Range	22w	County	Ford	State	KS	On Location	4:30pm	Finish	7:45pm		
Lease	Stimpert		Well No.	1-9		Location Kingsdown, KS, 1E, 1/4S, 1/8E, N/S											
Contractor	Duke #1					Owner	Vincent										
Type Job	Rotary Plug					To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.											
Hole Size	7 7/8					T.D.											
Csg.	8 5/8					Depth	647'					Charge To	Vincent				
Tbg. Size	4 1/2 Drill Pipe					Depth	1520'					Street					
Tool						Depth						City	State				
Cement Left in Csg.						Shoe Joint	The above was done to satisfaction and supervision of owner agent or contractor.										
Meas Line						Displace						Cement Amount Ordered	170sx 60:40:4 1/2 gel + 1/4" Flo				
EQUIPMENT																	
Pumptrk	8	No.	David F			Common	105										
Bulktrk	10	No.	David B			Poz. Mix	65										
Bulktrk		No.				Gel.	6										
Pickup		No.				Calcium											
JOB SERVICES & REMARKS																	
Rat Hole	30sx					Hulls											
Mouse Hole	20sx					Salt											
Centralizers						Flowseal	42.50										
Baskets						Kol-Seal											
D/V or Port Collar						Mud CLR 48											
	Drill Pipe at 1520', load hole, Pump 8					CFL-117 or CD110 CAF 38											
	Bbls Spacer, Mix 50sx Cement, Disp. w/					Sand											
	1.5 Bbls Fresh H ₂ O					Handling	176										
	Drill Pipe at 660', load Hole, Pump 9 Bbls					Mileage	50										
	Fresh H ₂ O Spacer, Mix 50sx Cement, Disp.					FLOAT EQUIPMENT											
	w/ 6 Bbls Fresh H ₂ O					Guide Shoe											
	Drill Pipe at 60', Mix 20sx Cement					Centralizer											
	cement Did Gicc.					Baskets											
	Plug Rat & Mouse holes w/ 50sx					AFU Inserts											
						Float Shoe											
						Latch Down											
						LMV	50										
						Service Supervisor											
						Pumptrk Charge	Rotary Plug										
						Mileage	50 x 2										
						Tax											
						Discount											
						Total Charge											
X Signature	Mike Brady																

QUALITY WELL SERVICE, INC.

6153

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	06-18-14	Sec.	09	Twp.	29s	Range	22w	County	Ford	State	KS	On Location	9:00 AM	Finish	11:15 AM			
Lease	Stimpert		Well No.		1-9		Location									Kingsdown KS, 1 E, 1/4 S, E 1/3 de		
Contractor	Duke #1							Owner									Vincent	
Type Job	Surface							To Quality Well Service, Inc.									You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.	
Hole Size	12 1/4		T.D.		647		Charge To									Vincent		
Csg.	8 5/8		Depth		646		Street											
Tbg. Size			Depth				City									State		
Tool			Depth				City									State		
Cement Left in Csg.	42'		Shoe Joint		42.07		The above was done to satisfaction and supervision of owner agent or contractor.											
Meas Line			Displace		38 1/2 BBLs Fresh		Cement Amount Ordered									240sx 65:35:2% gel + 3% cc + 1/4 # Flo seal		
EQUIPMENT							\$ 100sx class A + 2% gel + 3% cc + 1/4 # Flo seal											
Pumptrk	8	No.	David B				Common									260		
Bulktrk	7	No.	Mike B				Poz. Mix									80		
Bulktrk	4	No.	David F				Gel.									10		
Pickup		No.					Calcium									12		
JOB SERVICES & REMARKS							Hulls											
Rat Hole							Salt											
Mouse Hole							Flowseal									85		
Centralizers							Kol-Seal											
Baskets							Mud CLR 48											
D/V or Port Collar							Ron 15 jts 8 5/8 csg.									CFL-117 or CD110 CAF 38		
Pipe on Btm, Break Circ, Pump 3 BBLs Sp							Sand											
Mix 240sx 65:35 cement Blend = 70.53 BBLs							Handling									362		
mix 100sx A3+2 cement = 23.87 BBLs							Mileage									50		
Stop Pump - Release Plug - Start Disp. w/ Fresh H ² O, wash up on top of Plug, See steady increase in PSI, slow rate, Bump Plug at 38 1/2 BBLs total Disp. From 200 PSI to 500 PSI, Shut in cement Did Circ.							FLOAT EQUIPMENT											
							Guide Shoe											
							Centralizer											
							Baskets											
							AFU Inserts											
							Float Shoe											
							Latch Down Service Supervisor											
							Baffle Plate - 8 5/8 Wooder Plug											
							LMV 50.											
							Pumptrk Charge									50.00 Surface.		
							Mileage									50 x 2		
																Tax		
																Discount		
																Total Charge		
X Signature							Mike Hodges											