

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

SGA?

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

	month day	 year	Spot Description:
	monun day	year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Sect
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Typ	e Equipment:	Ground Surface Elevation:feet M
Oil Enh R	tec Infield	Mud Rotary	
Gas Storag	´	Air Rotary	
Dispos		Cable	
Seismic ;# o			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			
			Projected Total Depth:
Original Completion Da	te: Original Tota	ıl Depth:	
inactional Devictor on Ho	rimo ntolollboro O	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Hor	nzontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			vviii cores de takeri:
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby a	affirms that the drilling, compl	letion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, compliing minimum requirements w		ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	ing minimum requirements w	vill be met:	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the follow  1. Notify the appropria		vill be met: dding of well;	
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ing minimum requirements wate district office <i>prior</i> to spuce of intent to drill <i>sh</i> unt of surface pipe as specific	vill be met: dding of well; hall be posted on each ed below shall be se	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconsorted</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specificalidated materials plus a minimum.	vill be met: dding of well; hall be posted on eaced below shall be seemum of 20 feet into the	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce of the notice of intent to drill shount of surface pipe as specifical plus a mining an agreement between the	vill be met: dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the operator and the dis	h drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce of the notice of intent to drill shount of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug	h drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production produ	will be met:  dding of well;  hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente	h drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
is agreed that the follow     1. Notify the appropria     2. A copy of the appro     3. The minimum amouthrough all unconso     4. If the well is dry hol     5. The appropriate dis     6. If an ALTERNATE II     Or pursuant to Appropriate of	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appo	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Apport</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II         Or pursuant to Appropriate dis     </li> </ol>	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Apport</li> </ol>	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate desemble to the completed  ubmitted Electror	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation.  Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set of the
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ubmitted Electror  For KCC Use ONLY	ing minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud danically	vill be met: dding of well; hall be posted on eace ed below shall be sei mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	vill be met: dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. thictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to ap	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data	vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —	ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b	th drilling rig; the price of the top; in all cases surface pipe shall be set the underlying formation.  Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the price of the waste of the surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —  Minimum surface pipe req	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data	dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Ecompleted  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —  Minimum surface pipe req  Approved by:	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days	dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It it office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Appropriate to Appropriate to Appropriate to Appropriate to Approved Electror  For KCC Use ONLY  API # 15 - Conductor pipe required — Minimum surface pipe req Approved by: This authorization expires	ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days	dding of well; dding of well; hall be posted on each ed below shall be ser mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cement urface casing order # ate or the well shall be	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1980 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
(II WI Guppiy Al TNo. of Teal Diffied)		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Artificial Liner?			How is the pit lined if a plastic liner is not used?		
YesNo		No			
Pit dimensions (all but working pits):		,	Width (feet)N/A: Steel Pits		
· · · · · · · · · · · · · · · · · · ·	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
,					
	КСС	OFFICE USE O	Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



1223324

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	g		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )	-		
Email Address:	-		
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	and the second in the construction of the cons		
City: State: Zip:+	-		
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.		
	Lacknowledge that hecourse I have not provided this information, the		
	owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1		

