

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:				
Effective Date:				
District #	·			
SGA?	Yes No			

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	year	_ Spot Description:
monu. asy	you.	Sec Twp S. R [] E [] \
OPERATOR: License#		feet from N / S Line of Section
Name:		feet from E / W Line of Section
Address 1:		
Address 2:		(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: _		County:
Contact Person:Phone:		
none.		Field Name:
CONTRACTOR: License#		_ Is this a Prorated / Spaced Field? YesN
lame:		Target Formation(s):
Well Drilled For: Well Class: Type	pe Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:
Disposal Wildcat	Cable	Public water supply well within one mile:
Seismic ; # of Holes Other		Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
If OWWO: old well information as follows:		Surface Pipe by Alternate: I II
		Length of Surface Pipe Planned to be set:
Operator:		Length of Conductor Pipe (if any):  Projected Total Depth:
Well Name: Original Total		
Original Completion Date Original lot	аг Берит	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No	
f Yes, true vertical depth:		
Bottom Hole Location:		─ (Note: Apply for Permit with DWR )
(CC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	Δ	
The undersigned hereby affirms that the drilling, comp		FFIDAVIT
	oletion and eventual	
t is agreed that the following minimum requirements v	oletion and eventual   will be met:	FFIDAVIT
t is agreed that the following minimum requirements vol. Notify the appropriate district office <i>prior</i> to spu	oletion and eventual   will be met: udding of well;	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements of the substitution of the substit	oletion and eventual   will be met: udding of well; thall be posted on ea	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
<ol> <li>is agreed that the following minimum requirements of the second of the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i></li> <li>The minimum amount of surface pipe as specific through all unconsolidated materials plus a min</li> </ol>	oletion and eventual will be met: udding of well; thall be posted on eatied below shall be solimum of 20 feet into	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
<ol> <li>s agreed that the following minimum requirements of the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i>.</li> <li>The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the</li> </ol>	poletion and eventual poletion and eventual poletion and eventual poletic method in the state of	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements of the second of the</li></ol>	poletion and eventual poletion and eventual poletion and eventual poletion of well; thall be posted on easied below shall be summer of 20 feet into the operator and the defore well is either plus	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in;
<ol> <li>s agreed that the following minimum requirements of the second sec</li></ol>	poletion and eventual poletion and eventual poletion and eventual poletion of well; chall be posted on easied below shall be summer of 20 feet into the operator and the defore well is either plus pipe shall be cemen	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; ingged or production casing is cemented in; ited from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>s agreed that the following minimum requirements of the second of the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i>.</li> <li>The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas second of the se</li></ol>	poletion and eventual poletion and eventual poletion and eventual poletion of well; chall be posted on easied below shall be summ of 20 feet into the operator and the defore well is either plus pipe shall be cement surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in;
<ol> <li>t is agreed that the following minimum requirements of the second of the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i>.</li> <li>The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas second of the second of the</li></ol>	poletion and eventual poletion and eventual poletion and eventual poletion of well; chall be posted on easied below shall be summ of 20 feet into the operator and the defore well is either plus pipe shall be cement surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>s agreed that the following minimum requirements of the second of the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i></li> <li>The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas signess that the sput of the sput</li></ol>	poletion and eventual poletion and eventual poletion and eventual poletion of well; chall be posted on easied below shall be summ of 20 feet into the operator and the defore well is either plus pipe shall be cement surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements of the second of the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas s must be completed within 30 days of the spud of the s</li></ol>	poletion and eventual poletion and eventual poletion and eventual poletion of well; chall be posted on easied below shall be summ of 20 feet into the operator and the defore well is either plus pipe shall be cement surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas significant to the sput of t	poletion and eventual poletion and eventual poletion and eventual poletion of well; chall be posted on easied below shall be summ of 20 feet into the operator and the defore well is either plus pipe shall be cement surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>s agreed that the following minimum requirements of the second of the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i></li> <li>The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas signess that the sput of the sput</li></ol>	poletion and eventual poletion and eventual poletion and eventual poletion of well; chall be posted on easied below shall be summ of 20 feet into the operator and the defore well is either plus pipe shall be cement surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. iistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; itted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas significant to the sput of t	poletion and eventual will be met: udding of well; shall be posted on eatied below shall be simum of 20 feet into ne operator and the defore well is either plut pipe shall be cementate or the well shall	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; leted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas's must be completed within 30 days of the spud of the complete of th	poletion and eventual will be met: udding of well; shall be posted on eatied below shall be simum of 20 feet into the operator and the defore well is either plutipipe shall be cementate or the well shall	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  iistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ited from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas as must be completed within 30 days of the spud of the complete of t	poletion and eventual will be met: udding of well; thall be posted on eatied below shall be simum of 20 feet into the operator and the differe well is either plut pipe shall be cement surface casing order date or the well shall	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  iistrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas's must be completed within 30 days of the spud of th	poletion and eventual will be met:  udding of well;  shall be posted on earlied below shall be so  immum of 20 feet into ne operator and the differe well is either pluipipe shall be cement surface casing order date or the well shall feet  feet  et per ALT. I II	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas's must be completed within 30 days of the spud of th	poletion and eventual will be met:  udding of well;  shall be posted on earlied below shall be so  immum of 20 feet into ne operator and the differe well is either pluipipe shall be cement surface casing order date or the well shall feet  feet  et per ALT. I II	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to sput 2. A copy of the approved notice of intent to drill <i>s</i> 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between th 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas's must be completed within 30 days of the spud of th	poletion and eventual will be met: udding of well; shall be posted on eatied below shall be simum of 20 feet into ne operator and the defore well is either plut pipe shall be cemer surface casing order date or the well shall feet	Prince of this well will comply with K.S.A. 55 et. seq.  Such drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;

\_ Agent: \_

Spud date: \_



For KCC Use ONLY	
API # 15	_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	Sec Twp S. R		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 3760 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	rgency Pit Burn Pit Proposed  ing Pit Drilling Pit If Existing, date core  kover Pit Haul-Off Pit Pit Pit capacity:		SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):Length (fee					
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:		
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



1223337

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	_ Well Location:		
Name:			
Address 1:			
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )	_		
Email Address:	_		
Surface Owner Information:			
Name:	_ When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City:	_		
	thodic Protection Borehole Intent), you must supply the surface owners and		
	ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will b	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.		
Submitted Electronically			
I			

Hartzell Lease Sec 19-34S-12E Chautauqua County, Kansas

