

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1223773

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	,SecTwpS. R EV
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
rity:	County:
contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
W 110 111 15 W 1101 T T T T T	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	
Seismic ;# of HolesOther	Depth to bottom of fresh water:
Other:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
CCC DKT #:	( <b>Note:</b> Apply for Permit with DWR)
CC DN I #.	
CC DKI #.	
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone:  IDAVIT Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugger	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Is 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Is 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Is 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Idrilling rig;  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ct office on plug length and placement is necessary prior to plugging;  Idrilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the complete shall be set underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the complete of the
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugger 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the control of the control o
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  1. Indicated Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the control of the control o
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugges. 5. The appropriate district office will be notified before well is either plugges. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the control of the control o
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  1. Indicated Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the original complete and placement is necessary prior to plugging; In the original complete with the complete of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugges. 5. The appropriate district office will be notified before well is either plugges. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the original complete to the top; in all cases surface pipe shall be set underlying formation.  In the original case of the thick of the top; in all cases surface pipe shall be set underlying formation.  In the original case of the top; in all cases surface pipe shall be set underlying formation.  In the original case of the top; in all cases surface within 120 DAYS of spud date.  In the original case of the top; in all cases, alternate II cementing or the top; in all cases, notified prior to any cementing.  In the original case of the top; in all cases surface of the top; in all cases, alternate II cementing or the top; in
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging;  In or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  If span all cases, NOTIFY district 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  If yeight is a series of the set of the series of t
The undersigned hereby affirms that the drilling, completion and eventual plugates agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  1. In the well shall be well as a minimum of 20 feet per ALT. In the district of the conductor pipe required feet per ALT. In the conductor pipe required feet per ALT. In the long of the spud date or the well shall be well shall be conductor pipe required feet per ALT. In the long of the spud date or the well shall be shal	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging;  In or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  If It is a plies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  If It is a plies to the KCC District office prior to any cementing.  If Yes, proposed zone:  If Yes, pr
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection	If Yes, proposed zone:  IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If or office on plug length and placement is necessary prior to plugging; If or office on plug length and placement is necessary prior to plugging; If or office or production casing is cemented in; If or office or production casing is cemented in; If or office or prior to plugging; If or office or plug length and placement is necessary prior to plugging; If or office or plug length and placement is necessary prior to plugging.  If office or plug length we set underly plugging is completed (within 60 days);  If yellow it is well will comply with K.S.A. 55 et. seq.  If yellow it is well will cases surface plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
PI	LAT
Show location of the well. Show footage to the nearest le	ease or unit boundary line. Show the predicted locations of
	quired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a se	eparate plat if desired.
2136 ft.	
	:
	LEGEND
	:
	: O Well Location
	Tank Battery Location
	Pipeline Location
	: Electric Line Location
	Lease Road Location
	2144 ft.
	EXAMPLE : :
15	
	1980' FSL
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:					
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		SecTwp R		
Settling Pit Drilling Pit			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l		
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?		
			NAC data (force)		
Pit dimensions (all but working pits):		,	Width (feet) N/A: Steel Pits No Pit		
If the pit is lined give a brief description of the li	om ground level to dee ner		dures for periodic maintenance and determining		
material, thickness and installation procedure.			cluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of worl	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to		Drill nite must h	e closed within 365 days of spud date.		
flow into the pit? Yes No					
Submitted Electronically					
KCC OFFICE USE ONLY					
Liner Steel Pit RFAC RFA					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



1223773

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)


OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 2:			
City: State: Zip:+			
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I	_		



## **Pro-Stake LLC**

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499



001022

burt@pro-stakellc.kscoxmail.com

Herman #15-7

LEASE NAME

Graham County, KS
COUNTY

**McElvain Energy** 

15 10s 22w Sec. Twp. Rng.

(Main)=2136'FNL-2144'FEL = 2268.9'=gr.elev. (Alt.#1)=2136'FNL-2094'FEL=2270.8'=gr.elev.

LOCATION SPOT

SCALE: N/A

DATE STAKED: July 31<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.


AUTHORIZED BY: Matt. M & Cole T.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

**Directions:** From the East side of Wakeeney, KS at the intersection of Hwy 283 North and Old Hwy 40 – Now go 6.6 miles North on Hwy 283 – Now go 2 miles East on B Rd. / 422 Rd. – Now go 1 mile North on 280<sup>th</sup> Ave. – Now go 3 miles East on A Rd. – Now go 3 miles North on 310<sup>th</sup> Ave. to the SW corner of 15-10s-22w – Now go 0.7 mile North on 310<sup>th</sup> Ave. to ingress stake East into – Now go 0.8 mile East on trail – Now go approx. 1500' South through worked milo stubble, into staked location.

Final ingress must be verified with land owner or Operator.






# Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846

Office/Fax: (620) 276-6159 Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



001022

gpro-stakelic.kscoxmail.com Herman #15-7

Graham County, KS
COUNTY

**McElvain Energy** 

15 10s 22w
Sec. Twp. Rng.

(Main)=2136'FNL-2144'FEL = 2268.9'=gr.elev. (Alt.#1)=2136'FNL-2094'FEL=2270.8'=gr.elev.

LEASE NAME

LOCATION SPOT

SCALE: 1" - 1000'

DATE STAKED: July 31<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.


AUTHORIZED BY: Matt. M & Cole T.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

**Directions:** From the East side of Wakeeney, KS at the intersection of Hwy 283 North and Old Hwy 40 – Now go 6.6 miles North on Hwy 283 – Now go 2 miles East on B Rd. / 422 Rd. – Now go 1 mile North on 280<sup>th</sup> Ave. – Now go 3 miles East on A Rd. – Now go 3 miles North on 310<sup>th</sup> Ave. to the SW corner of 15-10s-22w – Now go 0.7 mile North on 310<sup>th</sup> Ave. to ingress stake East into – Now go 0.8 mile East on trail – Now go approx. 1500' South through worked milo stubble, into staked location.

Final ingress must be verified with land owner or Operator.






## **Pro-Stake LLC**

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



001022

Herman #15-7

LEASE NAME

**Graham County, KS** COUNTY

**McElvain Energy** 

15 10s 22w Twp.

(Main)=2136'FNL-2144'FEL = 2268.9'=gr.elev. (Alt.#1)=2136'FNL-2094'FEL=2270.8'=gr.elev.

1" - 1000 SCALE: July 31<sup>th</sup>, 2014 DATE STAKED: Ben R. MEASURED BY: Norby S. DRAWN BY: Matt. M & Cole T. AUTHORIZED BY:\_

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

**Directions:** From the East side of Wakeeney, KS at the intersection of Hwy 283 North and Old Hwy 40 – Now go 6.6 miles North on Hwy 283 – Now go 2 miles East on B Rd. / 422 Rd. – Now go 1 mile North on 280<sup>th</sup> Ave. – Now go 3 miles East on A Rd. – Now go 3 miles North on 310<sup>th</sup> Ave. to the SW corner of 15-10s-22w – Now go 0.7 mile North on 310<sup>th</sup> Ave. to ingress stake East into – Now go 0.8 mile East on trail – Now go approx. 1500' South through worked milo stubble, into staked

Final ingress must be verified with land owner or Operator.

