

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				_
SGA?	Yes	No		

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R L E L W
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County.
ontact Person:hone:	Lease Name: Well #:
ione.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWNO, old well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	
sottom Hole Location:	DVVK Permit #
KCC DKT #:	(Note: Apply to the wint BVV.
	vviii Cores be takeri?
	If Yes, proposed zone:
	AFFIDAVIT
he undersigned hereby affirms that the drilling, completion and even	tual plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
	on each drilling rig;
2. A copy of the approved notice of intent to drill <b>shall be</b> posted of	
3. The minimum amount of surface pipe as specified below shall	be set by circulating cement to the top; in all cases surface pipe shall be set
<ol><li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li></ol>	into the underlying formation.
<ul><li>3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet</li><li>4. If the well is dry hole, an agreement between the operator and</li></ul>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ;
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the specified before well is either the operator will be notified before well is either through the specified below shall be specified beligible shall be specified below shall be specified below shall b</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be certain.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa</li></ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either.</li> <li>The appropriate district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well state.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either.</li> <li>The appropriate district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well state.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ; er plugged or production casing is cemented in; emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet</li> <li>If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well surface.</li> </ol>	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the second strict office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be considered or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the specified before well is either than the specified before the specified before the specified before well is either than the specified before the specified before the specified before the specified before the	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the specified district office will be notified before well is either than the specified shall be considered before well is either than the specified before the	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before the specified before well is either the specified before the specified before the s	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or plugged or production and usable water to surface within 120 DAYS of spud date.  If all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the street of the specified district office will be notified before well is either the specified before the specified before well is either the specified before the operator and the specified before the operator and the specified before well is either the specified before well is either the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before the specified before the operator and the specified before th	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

\_ Agent: .

Spud date: \_



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 1280 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:					
☐ Emergency Pit     ☐ Burn Pit     ☐ Proposed       ☐ Settling Pit     ☐ Drilling Pit     If Existing, date co		Existing	SecTwp R		
		nstructed:	Feet from North / South Line of Section		
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section County		
	(bbls)				
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet.		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	her:	Darmi	t Date: Lease Inspection: Yes No		



1223949

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	
Name:	· — —
Address 1:	•
Address 2:	Lease Name: Well #:
City:         State:         +	the large heless.
Phone: ( ) Fax: ( )	
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	_
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	

For KCC Use ONLY
API # 15

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator			Location of Well: County:	-
				'n
Well Nun	nber:		feet from E / W Line of Section	n
Field:			SecTwp S. R 🔲 E 🔲 W	
	of Acres attributable to well: R/QTR/QTR of acreage:		is dection.	
			If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	
			PLAT	
			rest lease or unit boundary line. Show the predicted locations of	
	lease roads, tank batteries,	pipelines and electrical lines, a You may attack	s required by the Kansas Surface Owner Notice Act (House Bill 2032).  a separate plat if desired.  Lagan Co., KS	
	Z rommin		,	
			LEGEND	
			O Well Location	
			Tank Battery Location	
			. Pipeline Location	
			Electric Line Location	
			Lease Road Location	
	•	. .	•	
			EXAMPLE	
	•			
		1	.	
			1980' FS	L
	=			
			·	
			·	

# NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.